

CORRECT

For use in:

Hospitals, institutions, schools, nursing homes, sanitariums, factories, offices, or any building to maintain sanitary premises.

NON-SELECTIVE

REFRESHINGLY FRESH

LEMON SCENTED DISINFECTANT

CORRECT is a concentrated general purpose germicidal detergent. Use 2 oz. to each gallon of water for all general cleaning and disinfection. This solution may be mopped or sprayed. When sprayed, thoroughly wet surface. This solution may be used on floors, walls, ceilings, furniture, sickroom equipment, bathroom fixtures, laundry carts, telephones, kitchen appliances, garbage receptacles, collars, basements, refrigerated rail cars and trucks.

PHENOL COEFFICIENT (AOAC 20°C)

Salmonella Typhosa 33.3
Staphylococcus aureus 33.3

NET CONTENTS GALLON

PRINTED IN U.S.A.

CORRECT

GERMICIDAL DETERGENT

E. P. A. Registration No. 1251-5

GERMICIDAL • FUNGICIDAL • DEODORANT

ACTIVE INGREDIENTS:

Sodium carbonate, n-Alkyl 60% C-14, 30% C-15, C-16, C-17, C-18
dimethyl benzyl ammonium chlorides, n-Alkyl 65% C-14, 30% C-15, C-16, C-17, C-18
Dimethyl ethylbenzyl ammonium chlorides, ethanol, tetrasodium
salt of ethylenediaminetetraacetic acid 4.314

INERT INGREDIENTS:

Water, alpha C11-C15 olefin hydroxy polyoxyethylene, essential oil, dye 95.686

TOTAL 100.0000

WARNING: Keep out of reach of children Harmful if swallowed

Do not get in eyes or on skin. Causes skin irritation, may cause eye damage. Particular care should be taken in handling the undiluted concentrate, including proper shielding of eyes to avoid splashing. In case of exposure, flush exposed parts immediately with large amounts of flowing water. For eyes get medical attention, use rubber gloves for removal of cleaning solution. FIRST AID: If swallowed, drink milk, egg whites or gelatin solution. Call a physician immediately. Avoid contamination of food. Avoid inhalation of sprays. Rinse mouth and throat thoroughly with water and discard it.

CORRECT

CLEANS-DISINFECTS-DEODORIZES

DIRECTIONS

♦ To clean, disinfect, and deodorize floors, walls, equipment, hard rubber goods, sickroom equipment, and for instrument storage, dilute 2 oz. CORRECT to each gallon of water. NOTE: Instruments must be first cleaned and disinfected, then placed in fresh solution for storage. Be sure to cover storage container.

♦ For stripping floor wax or for extremely dirty or porous surfaces, dilute 4 to 6 oz. CORRECT to each gallon of water. Machine scrubbing will aid in removal of floor wax.

♦ To disinfect floors, walls, tables, and any similar washable hard surfaces after cleaning, dilute 2 oz. CORRECT to each gallon of water. For heavily contaminated surfaces, use 4 oz. per gallon.

♦ For disinfecting against athlete's foot fungi, use a solution of 2 oz. CORRECT to each gallon of water. Scrub locker rooms, swimming pool surfaces, sidewalks, and other surfaces.

♦ For cold instrument disinfection, dilute 2 oz. CORRECT to each gallon of water and soak for 15 minutes. Increase solution to 4 oz. per gallon if instruments are soiled. Instruments must be thoroughly cleaned to remove all adhering blood and serous exudates.

NOTE: OAC methods have been used to test CORRECT for use dilution confirmation. The test organisms employed are Salmonella choleraesuis, Staphylococcus aureus, and Pseudomonas aeruginosa.

ACCEPTED

Nov 6 1972

INSPECTION
ACT
REGISTER
AGENTS

1251-5