

Dec 8, 1972

**USE DIRECTIONS**

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level the product is fungicidal against pathogenic fungi. WINTERGREEN is also virucidal and when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A<sub>2</sub>, Herpes Simplex, Adenovirus type 2, and Vaccinia.

For best results, use WINTERGREEN with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm (2.8 ounces per 5 gallons).

For heavy soil or organic matter, a precleaning step is recommended.

NET CONTENTS      GALLON

PRINTED IN U.S.A.

# WINTERGREEN

**CLEANER**

**DISINFECTANT**

**DEODORIZER • VIRUSIDE • FUNGICIDE**

**DESIGNED FOR HOSPITAL AND INSTITUTIONAL USE.**

E.P.A. Reg. No. 1251-8


**ACTIVE INGREDIENTS:**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>12</sub> , 5% C <sub>16</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides . . . . .	2.25%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides . . . . .	2.25%
Sodium Carbonate . . . . .	3.00%
Tetrasodium ethylenediamine tetraacetate . . . . .	1.00%
<b>INERT INGREDIENTS:</b> . . . . .	91.50%

TOTAL . . . . . 100.00%

**WARNING: Keep Out of Reach of Children**

SEE RIGHT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



WINTERGREEN is a cleaner, disinfectant, and sanitizer designed for institutional use; such as hospitals, nursing homes and institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection. WINTERGREEN can provide the assurance you need in this area when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitale*.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level, no potable water rinse is required.

**- WARNING -**

**KEEP OUT OF REACH OF CHILDREN**

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

**- FIRST AID -**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

# ACCO<sup>®</sup> ALGICIDE 10-01

An effective algicide for controlling growth of algae and bacteria in recirculating water cooling towers. Prevents loss of cooling efficiency caused by algae fouling of distribution trays, nozzles and condenser coils, reduces microbial corrosion of metals and disagreeable odors produced by bacterial slimes. Helps keep entire system free of these foulants. Compatible with corrosion inhibitors.

#### ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides	5.0%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	5.0%
Isopropyl alcohol	4.5%
INERT INGREDIENTS	85.5%

#### DIRECTIONS

*Do not mix with soap or anionic detergents*

For best results, rid system of organic debris by draining, flushing and thorough washout before using Acco Algicide 10-01.

**Initial dose:** Add 1 to 2 gallons Acco Algicide 10-01 to the sump pan for each 4000 gallons of water in the system to bring microbial levels under control. Repeat until control is achieved.

**Periodic dose:** For continued microbial control, add 1 to 3 quarts Acco Algicide 10-01 to the sump pan for each 4000 gallons of water in the system every 7 days or oftener should visible growth appear.

#### **DANGER!** KEEP OUT OF REACH OF CHILDREN

Harmful or fatal if swallowed. Causes severe eye damage and skin irritation. Avoid getting in eyes or on skin or on clothing. Remove and wash all contaminated clothing before re-use. Wear goggles or face shield and rubber gloves when handling.

**FIRST AID:** If swallowed, do not induce vomiting. Drink large quantities of fluids and call a physician. In case of contact, flush eyes and skin with water for at least 15 minutes; for eyes, get medical attention.

**Note to Physician** — Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

*Rinse empty container thoroughly with water and discard.*

**Fish and Wildlife:** This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.



Form 4501-1

Manufactured by  
**ACME CHEMICAL COMPANY**  
MILWAUKEE, WISCONSIN 53210

EPA Reg. No. 1363 33 AA  
EPA Est. No. 1363-WI 1

Printed in USA