

173

JUN 13 1988

P.L.C. Corporation
415 Harvester Court
Wheeling, IL 60090

Attention: Roger G. Risher

Gentlemen:

Subject: LEMKEN LEMON DISINFECTANT
EPA Registration No. 1251-10
Your Submission Dated January 21, 1987

The amendment referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. On the left panel under the USE DIRECTIONS heading, add the following misuse statement:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 - b. On the front panel delete the word SANITIZER.
 - c. On the front panel delete the entire Phenol Coefficient claim.
 - d. On the front panel [REDACTED] and [REDACTED] must be removed from the active ingredients and placed in the inert ingredients. The INERT INGREDIENTS percentage must be changed accordingly.
 - e. On the front panel the correct company name and address must replace the nomenclature presently on the label.
 - f. On the right panel replace the term FIRST AID with Statement of Practical Treatment.

54567:I:Lee:L-9:KENCO:06/07/88:07/19/88:de:vo:ek:rw

CONCURRENCES							
SYMBOL	ORIGINATOR						
SURNAME							
DATE							

OFFICIAL FILE COPY

2/3
-2-

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please call Mr. Robert Young at (703) 557-3966.

Sincerely yours,

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

USE DIRECTIONS

FOR CLEANING: Lightly soiled areas — surfaces to be cleaned should be sprayed or scrubbed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. These should then be rinsed with fresh water.

Heavily soiled areas: — soap or scrub soiled surface with solution containing 5-6 ounces of LEMMON DISINFECTANT per gallon of water. Then, rinse surface with fresh water.

DISINFECTANT: To disinfect walls, floors and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

DISINFECTANT: To disinfect floors, walls and equipment in food processing areas, first clean thoroughly with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. It is then to be rinsed with a solution containing 2 ounces of LEMMON DISINFECTANT per gallon of water. This solution should be changed frequently.

LEMEEN LEMON DISINFECTANT

• CLEANER
• FUNGICIDE

• SANITIZER
• DEODORANT

PHENOL COEFFICIENT (AOAC 2000)

Salmonella Typhosa

Staphylococcus aureus

ACTIVE INGREDIENTS

4-AMPH 100% C14, 40% C12, 10% C18 dimethyl

heated ammonium chloride

INERT INGREDIENTS

TOTAL

Keep Out Of Reach Of Children

DANGER

FOR INDUSTRIAL AND COMMERCIAL USE ONLY

See antidote statement and additional

handling precautions on right panel

Container Disposal: When empty, rinse container

thoroughly with water and destroy it by crushing

or burning in a safe place.

MFG. BY MASCO CHEMICAL CORP., WHOLESALE, U.S.A.

GENERAL PURPOSE DISINFECTION: Floors and other hard surfaces in schools, homes and other public areas, may be treated with a solution containing 2 1/2 ounces of LEMMON DISINFECTANT per gallon of water. Surfaces should be cleaned with 2 ounces of LEMMON DISINFECTANT per gallon of water and then disinfected. This may be done in contact with food must be of delectable quality. To disinfect in schools, washrooms, dental offices and other areas, a solution is required, mix area with a solution of 1 ounce of LEMMON DISINFECTANT per gallon of water. This solution will disinfect floors, a protective agent of children's health.

HOSPITAL DISINFECTION: To disinfect floors and other hard surfaces in hospitals and nursing homes, a solution of 2 1/2 ounces of LEMMON DISINFECTANT per gallon of water should be used. Surfaces should be cleaned with 2 ounces of LEMMON DISINFECTANT per gallon of water and then disinfected. This may be done in contact with food must be of delectable quality. To disinfect in schools, washrooms, dental offices and other areas, a solution is required, mix area with a solution of 1 ounce of LEMMON DISINFECTANT per gallon of water. This solution will disinfect floors, a protective agent of children's health.

JUST ADD: In case of contact, immediately wash with plenty of water for at least 15 minutes. If swallowed, drink promptly a large quantity of water. If there are not available, call a physician immediately. Avoid alcohol.

NOTE TO PHYSICIANS: Possible causes of poisoning are the use of gastric lavage. Measure should be used as soon as possible and measures to remove or mechanically may be needed. There may be controlled by the contents of a short-acting barbiturate drug.

Net Contents 1 Gallon

BEST AVAILABLE COPY