

T A B L E T S

DANGER!

KEEP OUT OF REACH OF CHILDREN
CONTAMINATION MAY CAUSE FIRE! MIX ONLY INTO WATER.
SEE PRECAUTIONARY STATEMENTS AND FIRST AID INFORMATION ON BACK PANEL.

NET WT. 125 LBS.

(56.)

TABLETS

DANGER!

**KEEP OUT OF REACH OF CHILDREN
CONTAMINATION MAY CAUSE FIRE! MIX ONLY INTO WATER.
SEE PRECAUTIONARY STATEMENTS AND FIRST AID INFORMATION ON BACK PANEL.**

NET WT. 125 LBS. (56.7 Kg)



UN 2880

**RQ CALCIUM HYPOCHLORITE
HYDRATED**

5
1
2
3
4

DIRECTIONS FOR POOL USE: It is a violation of federal law to use the product in a manner inconsistent with its labeling. Olin HTH® dry chlorinator tablets, containing 65% available chlorine, are designed to dissolve slowly (up to 4 hours) and provide a steady source of available chlorine in swimming pools. Tablets control growth of algae and effectively kill many bacteria, thus helping to keep the pool in a sanitary condition. Four tablets weigh approximately 1 oz. One standard U.S. measuring cup equals (approx.) 10 oz. of tablets.

INITIAL CHLORINATION: For initial chlorination of any pool water add 3 lbs of tablets for each 50,000 gallons. Allow 4 hours for the tablets to dissolve and then test the chlorine residual with a pool test kit and if below 1.0 ppm (parts per million) repeat this dosage until 1.0 ppm is obtained. Pool should not be entered until chlorine residual reads 1.0-3.0 ppm.

ROUTINE CHLORINATION DOSAGE: Add 2 lbs of HTH per 50,000 gallons daily or as often as needed to maintain 1.0 ppm whether the pool is in use or not. Use a test kit frequently to determine chlorine residual. If any chlorine residual is present, it is possible to increase the residual in pool water by 1.0 ppm by using 10 oz per 50,000 gallons of water. pH should be maintained in the 7.2-7.6 range.

STABILIZED POOLS: Always maintain the chlorine residual at 1.0-1.5 ppm as determined by test kit.

SHOCK TREATMENT OR SUPERCHLORINATION: If algae develops shock treat or superchlorinate the pool water by adding 6 lbs. HTH tablets for each 50,000 gallons of water. Allow 4 hours for the tablets to dissolve and repeat if necessary. Thoroughly clean pool by scrubbing surface of algae growth then vacuum and cycle through filter. Pool should not be entered until chlorine residual reads 1.0-3.0 ppm.

OTHER USES: Ask your HTH supplier or write to Olin Corporation for specific literature on other accepted industrial uses.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

EMERGENCY HANDLING: In case of contamination or decomposition, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Danger: highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves and only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment): IF ON SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes.

If irritation persists, get medical attention.

IF INHALED: Remove person to fresh air. Get immediate medical attention.

IF IN EYES: Flush with cold water for at least 15 minutes. Get immediate medical attention.

IF SWALLOWED: Give bread soaked in milk, followed by large amounts of water. If person is conscious and vomiting, place face down with head lower than hips. Get immediate medical attention.

CHEMICAL HAZARDS: Danger: strong oxidizing agent. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. Avoid any contact with flame or burning material, such as lighted cigarette. Do not contaminate with moisture, garbage, dirt, organic matter, chemicals including other pool chemicals, pool chlorinating compounds, household products, cyanuric acid pool stabilizers, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags or any other foreign matter. Do not use moist or damp utensils.

ENVIRONMENTAL HAZARD: This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.

EPA-PR

10-14-82

 **lin** CHEMICALS

CONSUMER PRODUCTS

120 LONG RIDGE ROAD, STAMFORD, CONN. 06904

EPA Reg No 125F-

EPA EST No 125F-TN-1