

PRECAUTION

Do not reuse empty container. Destroy by burying in a safe place. Do not burn.

If stored below freezing temperatures it may be necessary to warm to 40° F. and agitate thoroughly before using.

LV ESTER 22 BRUSH KILLER is recommended for the control of woody and herbaceous plants growing along right-of-ways, including highways, railroads, power, pipe and telephone lines, and in similar locations where it is desirable to repress plant growth. This material is effective against many woody and herbaceous plants, listed below.

ALDER	OAKS
ASH	AGE BRANDE
ASPEN	POISON IVY
BIRCH	POISON OAK
BLACKBERRY	POPLAR
CHOKEBERRY	RASPBERRY
CRAB APPLE	ALMONDBERRY
ELWBERRY	ALCORN
DOGWOOD	SUMAC
ELWBERRY	SWEET GUM
HAW	VIRGINIA CREEPER
HAWTHORN	WALNUT
HICKORY	WILD CHERRY
HONEY SUCKLE	WILD GRASS
LOCUST	WILDOE
MAPLE	WILLOW

Contains 2,4-D and 2,4,5-T. Do not use the same spray equipment for applying other materials to plants as injury will result. Use a separate sprayer for this purpose.

ONE



HERBICIDE

GALLON

LV ESTER 22 BRUSH KILLER

ACTIVE INGREDIENTS:

2-ethylhexyl ester 2,4-Dichlorophenoxyacetic Acid	34.7%
2-ethylhexyl ester 2,4,5-Trichlorophenoxyacetic Acid	33.1%

INERT INGREDIENTS:

Total	100.0%
2,4-Dichlorophenoxyacetic Acid Equivalent	23.0%
2,4,5-Trichlorophenoxyacetic Acid Equivalent	23.0%

Contains the equivalent of 2 lbs. each of 2,4-Dichlorophenoxyacetic Acid and 2,4,5-Trichlorophenoxyacetic Acid per U. S. gallon at 68° F.

Do not apply in any manner not specified on the label.

Because of the difficulties of removing 2,4-D and 2,4,5-T from sprayers do not use the same spray equipment for applying other materials to plants as injury will result. Use a separate sprayer for this purpose.

DO NOT STORE NEAR FERTILIZERS, SEEDS, INSECTICIDES FUNGICIDES OR PLANTS

For proper **FOLIAGE TREATMENT** on woody growth up to 6 or 8 feet tall, use 3 or 4 quarts of this product in 100 gallons of water. Spray all plants, including foliage, stems and bark until they are completely wet. For best results, apply in the spring after maximum foliage development. Application may have to be repeated if new growth appears, but one treatment a year is usually enough.

BASAL BARK TREATMENT is recommended for tall brush and small trees. Spray stems and trunks so the area from the ground up to a height of 1 or 2 feet is completely wet with spray. Use 4 to 6 gallons of LV ESTER 22 and enough kerosene or fuel oil to make 100 gallons of spray. Knapsack or power equipment may be used at low pressures. Apply any time during the year.

For **STUMP TREATMENT** use 4 to 6 quarts of this material and enough kerosene or fuel oil to make 100 gallons of spray. For best results apply to cut surface and bark of fresh-cut stumps until surface is thoroughly wet. Apply at any time of the year with knapsack or power equipment.

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damage arising from a breach of this warranty.

LR284CG1 04R 62245/1
USDA Reg. No. 125816