

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

NOT FOR HOME USE
STOP! READ THE LABEL



DANGER
Keep out of reach of children

CAN KILL YOU

PARATHION

4 lb. EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS:
Parathion: O, O-diethyl O-p-nitrophenyl phosphorothioate 47.0%
Xylene Range Aromatic Solvent 47.0%
INERT INGREDIENTS: 6.0%
Total 100.0%

Contains 4 lbs. Parathion per U. S. gallon at 68° F.

LR 212B-03U EPA Reg. No. 1258-305

BEANS To control Mexican Bean Beetle, leafhoppers, Aphids, Red Spider, Army worms, Leaf Rollers and Leaf Miners. Use 2 pints per acre in sufficient water for uniform coverage. Apply at 7 to 10 day intervals as necessary. Do not apply to snap beans within 21 days of harvest and to other beans within 15 days of harvest.

POTATOES AND TOMATOES To control Colorado Potato Beetle, Flea Beetle, Leaf Hoppers and Aphids. Use 2 pints per acre in sufficient water for uniform coverage. Repeat applications as needed. Do not apply within 10 days of harvest on tomatoes and 5 days on potatoes.

CELERY To control Aphids, Flea Beetles, Army worms. Use 2 pints per acre in sufficient water for uniform coverage. Do not apply within 10 days of harvest.

COTTON To control the leafminer, Aphids, leafhoppers, Red Spider, Mites, and Trips. Use 2 pints per acre in sufficient water for uniform coverage. Apply when infestation first appears and repeat as necessary. Do not apply within 15 days of picking or within 10 days of harvest. Do not apply to cotton bolls to be used for seed, animals being raised for slaughter.

WHEAT, OATS, BARLEY To control the leafminer, Aphids. Apply 2 pints per acre in 2 gallons of spray for uniform coverage. Repeat applications as necessary. Do not apply within 15 days of harvest.

CAN KILL YOU IF SWALLOWED

CAN KILL YOU BY SKIN CONTACT

CAN KILL YOU IF BREATHED

POISONOUS TO FISH AND WILDLIFE

DESTROY THIS CONTAINER WHEN EMPTY — NEVER RE-USE
Decontaminate by washing with a strong alkaline solution and detergent, rinse with water. Purture and crush beyond any possible re-use. Rinse equipment and dispose of wastes by burying in noncrop lands away from water supplies.

GENERAL INFORMATION Apply 2 to 3 pints per acre in 10 to 15 gallons spray solution per acre consistent with crop growth and soil coverage. Application by aircraft should be made in accordance with Federal Aviation Regulations.

DIRECTIONS FOR USE

VETCH AND ALFALFA To control Aphids. Apply 2 pints per acre in sufficient water for uniform coverage. Apply after 20 to 25 mowings and scatter in 1/2" stalk samples and first eggs are visible. Repeat at 7 to 10 day intervals as long as egg laying activity remains high. Do not apply within 12 days of picking or harvest as forage.

PEAS To control Aphids. Use 2 pints per acre in sufficient water for uniform coverage when infestation first appears. Repeat 2 weeks later if necessary. Do not apply within 10 days of picking.

CORN To control European Corn Borer. Apply 2 pints per acre in sufficient water for uniform coverage. Apply after 20 to 25 mowings and scatter in 1/2" stalk samples and first eggs are visible. Repeat at 7 to 10 day intervals as long as egg laying activity remains high. Do not apply within 12 days of picking or harvest as forage.

POISON SIGNS (Symptoms)
Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth, and nose muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms of the label and subject thereto the Buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

NOTE TO PHYSICIAN

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth, and nose muscle spasms and coma. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

AGRICULTURAL DIVISION 
LITTLE ROCK, ARKANSAS
OLIN CORPORATION