

# METHYL PARATHION



**ANTIDOTE AND FIRST AID TREATMENT  
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES  
OF SUSPECTED POISONING**

Atropine is the emergency antidote for Methyl Parathion poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use.

**Internal:** If the material has been swallowed, induce vomiting immediately by introducing a finger in the throat or by giving a table-spoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet. (Note to Physician: — Therapeutic doses of atropine appear effect as an antidote. 2-PAM may also be used as an adjunct to atropine.)

**External:** If spilled on skin, remove all contaminated clothing and wash immediately with soap and running water. For eyes, wash immediately with running water for at least 10 minutes.

## DANGER

**Keep unprotected humans and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated. Do not apply when weather conditions favor drift of spray from the crop area being treated.**

**COMBUSTIBLE LIQUID. Keep away from heat and open flame.**

**PROTECT FROM TEMPERATURES BELOW 40° F.**

### NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special consequential or contingent damages arising from a breach of this warranty.


USDA Reg. No. 1258-510

LR335D-12S

6224617

# 4 lb.

## EMULSIFIABLE



### ACTIVE INGREDIENTS:

O,O-dimethyl O-p-nitrophenyl phosphorothioate ..... 45.2%  
Methylated Aromatic Petroleum Derivatives ..... 50.8%

### INERT INGREDIENTS:

Total ..... 4.0%  
100.0%

Contains 4 lbs. Methyl Parathion per U. S. Gallon at 68° F.

## DANGER

### KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, or on skin or on clothing. Do not breath vapors or spray mist. Wear clean natural rubber gloves, clean waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for protection against Methyl Parathion mixtures. Wash hands, arms and face thoroughly with soap and warm water after handling and before eating or smoking. Wash clothing with soap and hot water before reuse. Do not contaminate feed or foodstuffs.



# POISON

SEE ANTIDOTE LEFT PANEL



Applications should be made by aircraft per acre.

### DI

**COTTON:** For thrips, boll weevil, etc. use 1 to 2 quarts per acre. For mite, boll weevil, etc. use 1 to 2 quarts per acre. For mite, boll weevil, etc. use 1 to 2 quarts per acre. For mite, boll weevil, etc. use 1 to 2 quarts per acre.

**ALFALFA AND VETCH:** 1/2 to 1 pint in spray per acre. Do not apply to alfalfa or vetch for your area. Do not apply to alfalfa or vetch for your area.

**BARLEY, OATS, WHEAT:** apply 1/2 to 1 pint per acre. Do not apply to barley, oats, wheat for your area. Do not apply to barley, oats, wheat for your area.

**This product is toxic to fish and aquatic life. Do not apply to streams, rivers, or ponds.**

**This product is toxic to birds and mammals. Do not apply to crops or areas where birds and mammals are present.**

**DESTROY THIS PRODUCT AFTER USE. Decontaminate equipment; rinse with water.**

# METHYL PARATHION

## 4 lb.

### EMULSIFIABLE

3/14/77

#### ANTIDOTE AND FIRST AID TREATMENT CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

Atropine is the emergency antidote for Methyl Parathion poisoning. Consult your physician about obtaining an adequate supply of 1-100 grain atropine tablets for emergency use.

**Internal:** If the material has been swallowed, induce vomiting immediately by introducing a finger in the throat or by giving a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet. (Note to Physician: Therapeutic doses of atropine appear effect as an antidote. 2-PAM may also be used as an adjunct to atropine.)

**External:** If spilled on skin, remove all contaminated clothing and wash immediately with soap and running water. For eyes, wash immediately with running water for at least 10 minutes.

Keep unprotected humans and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated. Do not apply when weather conditions favor drift of spray from the crop area being treated.

**COMBUSTIBLE LIQUID.** Keep away from heat and open flame.

PROTECT FROM TEMPERATURES BELOW 40 F.

#### NOTICE TO BUYER

Small text block containing regulatory information and company details, including references to EPA and USDA regulations.

USDA Reg. No. 1258-510      LR 335112      6224617

#### ACTIVE INGREDIENTS:

O,O-dimethyl O-p-nitrophenyl phosphorothioate      45.2%

Methylated Aromatic Petroleum Derivatives      50.8%

#### INERT INGREDIENTS:

Total      4.0%

100.0%

Content: 4 lb. Methyl Parathion per U.S. Gallon at 68 F.

Applications show  
acre, consistent  
made by aircraft  
per acre.

#### DIPLOMA

**COTTON:** For the  
material, brevity  
the methyl  
and red  
part  
tor  
id  
ers  
prof

#### ALFALFA AND V

su  
al  
Do

#### BARLEY, OATS, F

pin  
tic  
f

This product is  
streams. Birds an


This product is h  
residues on crops  
Cooperative Agr

**DESTROY THIS C**  
Decontaminate b  
gent; rinse with  
reuse

# METHYL PARATHION

## 4 lb.

### EMULSIFIABLE



#### ACTIVE INGREDIENTS:

O,O-dimethyl O-p-nitrophenyl phosphorothioate ..... 45.2%  
 Methylated Aromatic Petroleum Derivatives ..... 50.8%

#### INERT INGREDIENTS:

Total ..... 4.0%  
 Total ..... 100.0%

Contains 4 lbs. Methyl Parathion per U. S. Gallon at 68° F.

## DANGER

### KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED INHALED OR ABSORBED THROUGH SKIN RAPIDLY ABSORBED THROUGH SKIN REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, or on skin or on clothing. Do not breath vapors or spray mist. Wear clean natural rubber gloves, clean waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for protection against Methyl Parathion mixtures. Wash hands, arms, and face thoroughly with soap and warm water after handling and before eating or smoking. Wash clothing with soap and hot water before re-use. Do not contaminate feed or foodstuffs.



## POISON

(SEE ANTIDOTE LEFT PANEL)



Applications should be made in 3 to 10 gallons of spray solution per acre, consistent with crop growth and good coverage. Applications made by aircraft should be in a minimum of 3 gallons spray solution per acre.

### DIRECTIONS FOR USE

**COTTON:** For the control of cotton fleahopper, thrips, red spider mite, boll weevil and cotton leafworm use 1/2 to 1 pint (0.25 to 0.50 lbs. actual methyl parathion) per acre. Apply when infestation first appears and repeat applications as necessary. For cotton bollworm use 1 to 2 quarts per acre. Consult your state agricultural experiment station for exact dosage rate and timing of applications pertaining to your local conditions. Do not apply within 5 days of hand picking. Workers entering fields within 24 hours of application should wear protective clothing.

**ALFALFA AND VETCH:** For the control of spotted alfalfa aphid apply 1/2 to 1 pint in sufficient water. Apply in early spring. Consult your state agricultural experiment station for specific recommendations for your area. Do not apply within 15 days of harvest.

**BARLEY, OATS, RYE and WHEAT:** For the control of green bug aphid apply 1/2 to 1 pint in sufficient water. Consult your state agricultural experiment station for more specific recommendations for your area. Do not apply within 15 days of harvest.

### PRECAUTIONS IN USING

**This product is toxic to wildlife. Keep out of lakes, ponds and streams. Birds and other wildlife in treated areas may be killed.**

**This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.**

**DESTROY THIS CONTAINER WHEN EMPTY — NEVER RE-USE**  
 Decontaminate by washing with a strong alkali solution and detergent; rinse with water. Puncture and crush beyond any possible reuse.