



TURFCIDE*

EMULSIFIABLE TERRACLO[®] FUNGICIDE

CONTROLS BROWN PATCH OF CERTAIN TURF

and certain soil-borne diseases of Ornamentals

ACTIVE INGREDIENT:

Pentachloronitrobenzene 24%

INERT INGREDIENTS: 76%

Total 100%

Contains 2 lbs. of Pentachloronitrobenzene
per U. S. gallon at 68° F.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid inhaling spray mist. This material may cause skin irritation. Wash hands and face thoroughly after using. Do not use or store near heat or open flame. Use adequate ventilation. Keep container closed. Avoid contamination with feed or foodstuffs.

**ONE QUART
NET CONTENTS**

DIRECTIONS FOR USE

LAWNS (Brown Patch — *Rhizoctonia solani*): For Southern or warm season lawns such as St. Augustine, Bermuda and similar grasses: Make one application in the fall or spring at first indication of infection. Mix 1 qt. in sufficient water (10-15 gals.) to cover 1,000 sq. ft. Apply by means of a sprinkler can, sprayer or any other convenient method of obtaining even coverage. Following application, the treated area should be lightly watered to insure movement through the grass to the soil level. If the treated area is subjected to unusually heavy rainfall, or flooded, or if the disease is severe or reappears, the area should be retreated 3-4 weeks later. Under certain growing conditions, a temporary discoloration of the grass occasionally may occur. This causes no harm and will disappear in a short time.

ORNAMENTALS


AZALEA AND CAMELLIA (Azalea Petal blight and Camellia flower blight): Apply as a drench under plants at a rate of 1½ qts. in 30 gallons of water per 150 sq. ft. Begin application prior to opening of buds and repeat every 3 to 4 weeks through the bloom period.

IMPORTANT NOTICE: Since the use of this product is beyond the control of the seller, seller makes no warranty of any kind, express or implied, concerning the use of this product. User assumes all risk of use or handling whether in accordance with directions or not.

AGRICULTURAL DIVISION **Olin**
FERTILIZER DIVISION

TURFCIDE, TERRACLO[®] and OLIN are OMCC trademarks

LR381-10 6224817
USDA Registration No. 1258-588





TURFCIDE*

EMULSIFIABLE TERRACLOR FUNGICIDE

CONTROLS BROWN PATCH OF CERTAIN TURF

and certain soil-borne diseases or Ornamentals

ACTIVE INGREDIENT:

Pentachloronitrobenzene 24%

INERT INGREDIENTS:

76%

Total 100%

Contains 2 lbs. of Pentachloronitrobenzene
per U. S. gallon at 68° F.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid inhaling spray mist. This material may cause skin irritation. Wash hands and face thoroughly after using. Do not use or store near heat or open flame. Use adequate ventilation. Keep container closed. Avoid contamination with feed or foodstuffs.

ONE QUART
NET CONTENTS

AGRICULTURAL DIVISION
LITTLE ROCK, ARKANSAS



OLIN MATHIESON CHEMICAL CORPORATION

DIRECTIONS FOR USE

LAWNS (Brown Patch — Rhizoctonia solani): For Southern or warm season lawns such as St. Augustine, Bermuda and similar grasses: Make one application in the fall or spring at first indication of infection. Mix 1 qt. in sufficient water (10-15 gals.) to cover 1,000 sq. ft. Apply by means of a sprinkler can, sprayer or any other convenient method of obtaining even coverage. Following application, the treated area should be lightly watered to insure movement through the grass to the soil level. If the treated area is subjected to unusually heavy rainfall, or flooded, or if the disease is severe or reappears, the area should be retreated 3-4 weeks later. Under certain growing conditions, a temporary discoloration of the grass occasionally may occur. This causes no harm and will disappear in a short time.

ORNAMENTALS

AZALEA AND CAMELLIA (Azalea Petal blight and Camellia flower blight): Apply as a drench under plants at a rate of 1½ qts. in 30 gallons of water per 150 sq. ft. Begin application prior to opening of buds and repeat every 3 to 4 weeks through the bloom period.

IMPORTANT NOTICE: Since the use of this product is beyond the control of the seller, seller makes no warranty of any kind, express or implied, concerning the use of this product. User assumes all risk of use or handling whether in accordance with directions or not.

LR381-10 6224817

USDA Registration No. 1258-588

TURFCIDE, TERRACLOR and OLIN are OMCC trademarks

