TRISODIUM PHOSPHATE CHLORINATED PINK CLEANER SANITIZER

ACTIVE INGREDIENTS

Sodium Hypochlorite	3.25%
Sodium Phosphate expressed as Na ₃ PO ₄ .12H ₂ O.	91.75%
INERT INGREDIENT, Sodium Chloride	5.00%
TOTAL	100.00%

DANGER **KEEP OUT OF REACH OF CHILDREN.**

HARMFUL IF SWALLOWED. MAY CAUSE BURNS OR DAMAGE TO THE EYES. DO NOT GET ON SKIN OR IN EYES. IF CONTACT WITH EYES OCCURS, FLUSH WITH PLENTY OF WATER FOR 15 MINUTES AND GET MEDICAL ATTENTION. IF CONTACT WITH SKIN OCCURS, FLUSH WITH WATER. AVOID CONTAMINA-TION OF FOOD.

FIRST AID: If swallowed, drink milk, raw egg whites, gelation solution, or if these are not available, drink large quantities of water. Call a physician.

DIRECTION FOR USE

To sanitize glasses, dishes, mugs, knives, trays, food utensils and equipment use the following procedure:

1. Scrape and then prewash with Trisodium Phosphate Pink solution (1 oz. or 2 level tbs. per quart of water) or other detergent or compatible cleaner.

11

OLIN CORPORATION 120 LONG RIDGE ROAD, STAMFORD, CONN. 06904

2. Kinse in potable water.

3. Sanitize in Trisodium Phosphate Chlorinated Pink solution. (2) lavel tbs. or 1 oz. per gallon of potable water.) Immerse all utensils for at least two minutes or contact time specified by governing sanitary code.

4. After sanitizing rinse in clear running potable water. (Note: Some local health authorities do not permit a final rinse but require sanitized utensils to be placed on a rack or drainboard to air dry.)

5. Fresh Trisodium Phosphate Chlorinated Pink solution should be made up each morning or just before use and as frequently during the day as is necessary.

DIRECTIONS FOR CLEANING AND DEODORIZING SURFACES Use 1 oz. (2 level tbs.) per quart of water and apply this solution to porcelain, wood, and enameled surfaces such as sinks, refrigerators, etc.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke and flame.

300 LBS. NET

Sin CHEMICALS

USDA Reg. No. 1258-731

JP-44-Rev. 771

TRISODIUM PHOSPHATE CHLORINATED PINK

ACTIVE INGREDIENTS

Sodium Hypochlorite	3.25%
Sodium Phosphate expressed as Na ₃ PO ₄ .12H ₂ O	91.75%
INERT INGREDIENT, Sodium Chloride	5.00%
TOTAL	100.00%

DANGER KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED. MAY CAUSE BURNS OR DAMAGE TO THE EYES DO NOT GET ON SKIN OR IN FYES. IF CONTACT WITH EYES OCCURS, FLUSH WITH PLENTY OF WATER FOR 15 MINUTES AND GET MEDICAL AFTENTION IF CONTACT WITH SKIN OCCURS FLUSH WITH WATER AVOID CONTAMINA TION OF FOOD

FIRST AID: It swamwed, drink milk, raw egg whites, unlation solution, or if these are not available, drink large guantities of writer Call a physician.

DIRECTION FOR USE

To sanitize glasses, dishes, mugs, knives, trays, food utensils and equipment use the following procedure:

1. Scrape and then prewash with Trisodium Phosphate Pink solution (1 oz. or 2 level tbs. per quart of water) or other detergent or compatible cleaner.



CLEANER SANITIZER

2. Hinse in potable water.

3. Sanitize in Triscolium Phosphate Chlorinated Pink solution. (2 level tbs. or 1 oz. per gallon of potable water.) Immerse all utensils for at least two minutes or contact time specified by governing sanitary code.

4. After sanitizing rinse in clear running potable water. (Note: Some local health authorities do not permit a final rinse but require sanitized utensils to be placed on a rack or drainboard to air dry.)

5. Fresh Trisodium Phosphate Chlorinated Pink solution should be made up each morning or just before use and as frequently during the day as is necessary.

DIRECTIONS FOR CLEANING AND DEODORIZING SURFACES Use 1 oz. (2 level tbs.) per quart of water and apply this solution to porcelain, wood, and enameled surfaces such as sinks, refrigerators, etc.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke and flame.

300 LBS. NET



OLIN CORPORATION 120 LONG RIDGE ROAD, STAMFORD, CONN. 06904

USDA Reg. No. 1258-731 JP-44-Rev. 771