


NOTE: This label will only be used on the 5 gal. and 55 gal. drum.
This complete label will be on the front panel of both drums
therefore the warning statement will always be on the front
panel of both drums.



lin

Terraclor[®] Super X

Thielaviopsis,

Thielaviopsis,

EMULSIFIABLE — Soil Fungicide

Terraclor[®] Plus Terrazole[®]

Controls Rhizoctonia, Pythium, and Fusarium — Soil-borne seedling diseases of cotton.

ACTIVE INGREDIENTS:

Pentachloronitrobenzene 23.0%

5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole 6.1%

INERT INGREDIENTS: 70.9%

TOTAL 100.0%

Contains 2 lbs. of Pentachloronitrobenzene and 0.5 lb. of 5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole per U.S. gallon at 68° F.

Terrazole, Terraclor, Terraclor[®] Super X, and Olin are OLIN trademarks.

*Patent applied for.

USDA Reg. No. 1258-740

DIRECTIONS FOR USE ON COTTON (Seedling Disease Complex — Rhizoctonia, Pythium, and Fusarium): For soil in-furrow spray applications at planting time, use 2-3 qts. per acre mixed with 12-15 gallons of water. Spray all the soil that surrounds and covers the seed. Two nozzles work best; center the front nozzle over the open furrow to spray soil around the seed and the rear nozzle to spray covering soil as it fills the furrow.

COTTON SEED TREATMENT: Mix 12 oz. with 1-1½ pints of water and spray onto 100 lbs. of seed. Soil applications are required for later stages of pre-emergent and post-emergent damping-off. Treated seed should be labeled "Treated seed—do not use for food, feed or oil purposes."

NOTICE TO BUYERS: No warranty of any kind, express or implied, is made concerning the use of this product. User assumes all risk and liability resulting from handling, use or application.

2-166

27005

lin

AGRICULTURAL DIVISION

Commercial Development Department
745 Fifth Ave., New York, N.Y. 10022
Olin Mathieson Chemical Corporation

1258-740

01/19/1966

1/1