

Olin *Terraclor Super-X*

SOIL FUNGICIDE – GRANULAR

Controls Rhizoctonia, Pythium, Thielaviopsis and Fusarium—
Soil-borne seedling diseases of cotton.

ACTIVE INGREDIENTS:

Pentachloronitrobenzene (Terraclor)	10.0%
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole (Terrazole*)	2.5%

INERT INGREDIENTS:	87.5%
TOTAL 100.0%	

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not inhale dust. Do not get on skin or in eyes. May cause skin irritation. Wash thoroughly all exposed skin. In case of eye contact, flush with plenty of water. Repeated contact may be harmful. Wash thoroughly all contaminated clothing before reuse. **Use with adequate ventilation.** Keep container closed. Do not contaminate feed or food stuffs

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

DIRECTIONS FOR USE ON COTTON: (Seedling Disease Complex—Rhizoctonia, Pythium, Thielaviopsis and Fusarium).

For soil in-furrow application at planting time use 10 to 15 lbs. per acre (per 13,000 linear feet based on 40 in. rows). Apply over the seed and to the covering soil, using suitable equipment.

PRECAUTIONS IN USING

Rinse equipment and dispose of wastes by burying in non-crop land away from water supplies. Empty bags should be disposed of by burying with wastes or burning (KEEP OUT OF SMOKE).

Terraclor Super-X,[®] Terraclor,[®] Terrazole,[®] and Olin are trademarks of OMCC.

*U.S. Patents 3,260,588 and 3,260,725; others pending.

LR346A-01R
USDA Reg. No. 1258-758

21

Olin

Terraclor Super-X

SOIL FUNGICIDE – GRANULAR

Controls Rhizoctonia, Pythium, Thielaviopsis and Fusarium—
Soil-borne seedling diseases of cotton.

ACTIVE INGREDIENTS:

Pentachloronitrobenzene (Terraclor)	10.0%
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole (Terrazole*)	2.5%

INERT INGREDIENTS:	87.5%
TOTAL 100.0%	

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed.

Use with adequate ventilation.

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

DIRECTIONS FOR USE ON COTTON: (Seedling Disease Complex—Rhizoctonia, Pythium, Thielaviopsis and Fusarium).

For soil in-furrow application at planting time use 10 to 15 lbs. per acre (per 13,000 linear feet based on 40 in. rows). Apply over the seed and to the covering soil, using suitable equipment.

PRECAUTIONS IN USING

Rinse equipment and dispose of wastes by burying in non-crop land away from water supplies. Empty bags should be disposed of by burying with wastes or burning (KEEP OUT OF SMOKE).

Terraclor Super-X,[®] Terraclor,[®] Terrazole,[®] and Olin are trademarks of OMCC.

*U.S. Patents 3,260,588 and 3,260,725; others pending.

LR346A-01R
USDA Reg. No. 1258-758