

ACCEPTED
 4/1/77
 2000

AMMO-PHOS WITH POTASH

CONTAINING 0.25% CHLORDANE

FERTILIZER-GUARANTEED ANALYSIS

Total Nitrogen (N)	%
Available Phosphoric Acid (P ₂ O ₅)	%
Soluble Potash (K ₂ O)	%
Sulfur - Combined (S)	%

PESTICIDE INGREDIENT STATEMENT

ACTIVE INGREDIENT:

Technical Chlordane 0.25%*

INERT INGREDIENTS: 99.75%

TOTAL 100.00%

*Equivalent to 0.15% Octachloro - 4, 7 - methanotetra-hydroindane and 0.10% related compounds.

CAUTION
KEEP OUT OF REACH OF CHILDREN

Avoid breathing dusts. Avoid contact with skin. In case of contact with skin, wash with soap and water. Wash thoroughly with soap and water after handling. Do not contaminate feed or foodstuffs.

NOTICE TO BUYER

Olin warrants that this product conforms to the description on this label and is reasonably fit for use as directed hereon. Olin neither makes nor authorizes any representative, agent or other person to make any other warranty or representation, express or implied, with respect to this product. Because unforeseeable factors beyond Olin's control prevent it from eliminating all risks of use of chemical products, even though reasonably fit for such use, this product is sold upon condition that the buyer and user assume all risks and liability, except as stated in sentence one, resulting from the storage, handling or use of this product, including, without limitation, damage to plants, crops and animals to which the product is applied, failure to control pests, compatibility with other products, drift, contamination of equipment or personal injury.

GENERAL DIRECTIONS

POTATOES: For the control of Japanese Beetle larvae, White-fringed Beetle larvae, White Grubs and Wireworms.

BROADCAST APPLICATION: Spread 1200 to 1500 pounds evenly over the soil surface just prior to planting and work evenly into the top 3 to 6 inches of soil.

ROW TREATMENT: At planting time apply 400 to 500 pounds per acre in a band and work into the soil to give uniform coverage of the principal root growth area.

NOTE: Recommendations may vary from place to place, depending upon soil types. For more specific information concerning your area consult your State agricultural experiment station.

USE PRECAUTIONS

This material is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply to any area not specified on the label. Do not apply where runoff is likely to occur.

Empty bags should be disposed of by burying or burning. If burned, keep out of smoke.

Net Weight 50 Lbs.

EPA Reg. No. 1258-768

LR418B-08V

AGRICULTURAL DIVISION 
LITTLE ROCK, ARKANSAS
OLIN CORPORATION