



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.

CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

DESTROY THIS CONTAINER WHEN EMPTY — NEVER RE-USE

Do not store or use this container for any other purpose. It is not safe to use for food or drink. It is not safe to use for any other purpose. It is not safe to use for any other purpose. It is not safe to use for any other purpose.

USDA Reg. No. 1258-774

LR4-7B-74 6224679

DIRECTIONS FOR USE

Application should be made only by trained persons using approved protective equipment. Do not apply with the wind. Do not spray in the presence of children or pets. Do not spray in the presence of children or pets. Do not spray in the presence of children or pets.

Rates are given in terms of amount of Parathion 6-3 per acre. Do not use water for more than 100 gallons per acre. Do not use water for more than 100 gallons per acre.

NOT FOR HOME USE STOP! READ THE LABEL

POISON

See side panels
for antidote
and precautions



CAN KILL YOU

DANGER

Keep out of reach
of children

PARATHION— METHYL PARATHION 6-3

ACTIVE INGREDIENTS:

Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)	56.8%
O, O-dimethyl O-p-nitrophenyl phosphorothioate	28.4%
Xylene Range Aromatic Solvent	7.0%

INERT INGREDIENTS:

TOTAL

EMULSIFIABLE

100.0%

(Contains 6 lbs. parathion and 3 lbs. methyl parathion per gallon at 68° F.)

ALFALFA, CLOVER, VETCH—Use 1.5 to 2.0 qt. for army worms, up to 3rd instar; blister beetle, alfalfa weevil, larvae; up to 3rd instar; grasshopper, for aphids, green bug. Do not apply within 10 days of harvest.

COTTON—Use 1.5 to 2.0 qt. for leafhoppers, Surinam leaf miner, budworms, cotton leafworm, brown cotton leafworm, variegated leafworm, 1st, 2nd, 3rd instars; for boll weevil, leafhopper, cotton rootworm, caterpillar, 1st, 2nd, 3rd instars; for bollworms, tobacco budworm, armyworm, up to 3rd instar; for mealybugs, aphids, and spider mites. Do not apply within 10 days of harvest. Do not enter treated fields within 24 hours of application and wear protective clothing.

BARLEY, OATS, WHEAT—Use 1.5 to 2.0 qt. for sprays, green bug, brown wheat mite, Petalioch, stink bug, armyworm, up to 3rd instar; leafhopper, grasshoppers. Do not apply for Barley. Do not apply for Wheat. Do not apply within 15 days of harvest.

SUGAR BEETS—Use 1.5 to 2.0 qt. for sprays, armyworm, up to 3rd instar; for Colorado beetles, flea beetles, grasshoppers, leafhoppers, leaf miners, and sugar beet weevils. Do not apply within 20 days of harvest. 60 days after harvest are to be fed to livestock.

SOYBEANS—Use 1.5 to 2.0 qt. for sprays, armyworm, up to 3rd instar; for Colorado beetles, flea beetles, grasshoppers, leafhoppers, leaf miners, and sugar beet weevils. Do not apply within 20 days of harvest.

ACCEPTED

July - 20 - 1971

UNOFFICIAL COPY OF THE LABEL
FOR INFORMATION ONLY
DO NOT USE FOR OFFICIAL PURPOSES
UNITED STATES DEPARTMENT OF AGRICULTURE

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake, conscious, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor for immediately.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated areas where there is danger of drift.

Do not rub eyes or mouth with hands if you feel sick in any way. STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section and if a doctor cannot come, take victim to clinic or hospital.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms of the label and subject thereto the Buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

AGRICULTURAL DIVISION
LITTLE ROCK, ARKANSAS
OLIN CORPORATION

Olin

NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large doses. Twenty (20) mg. intravenously or intramuscularly as soon as cyanosis or vertigo. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM (chloride) is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cyanosis and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear water proof pants, coat, hat, rubber boots or rubber overshoes. 2. Wear safety goggles. 3. Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. 4. Wear heavy duty natural rubber gloves.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.