

NET WEIGHT 25 LBS.

OLIN TERRACLOR^(R) SUPER X - ^(R)DI-SYSTON
GRANULAR

SOIL FUNGICIDE - SYSTEMIC INSECTICIDE

TERRACLOR^(R) plus TERRAZOLE* plus ^(R)DI-SYSTON

Controls many seedling diseases and early season insects of cotton.

Terrazole*, Terraclor^(R), Terraclor^(R) Super X, and Olin are Olin trademarks. (*Patent applied for).

^(R)DI-SYSTON is a Registered TM of Farbenfabriken Bayer A.G., Chemagro Corporation, licensee.


ACTIVE INGREDIENTS:



0,0-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate.....	6.50%
Pentachloronitrobenzene.....	6.50%
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole.....	1.63%

INERT INGREDIENTS:.....85.37%

TOTAL 100.00%

USDA Reg. No. 1258-xxx



DANGER! -- (red) (18 pt. caps)
 POISON  -- (red) (18 pt. caps)
 KEEP AWAY FROM CHILDREN (12 pt. caps)

See Side Panels for Antidote and Other Warnings

SIDE PANEL

DANGER! -- (red)

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN. RAPIDLY
ABSORBED THROUGH THE SKIN. (18 pt. caps).

Do Not Get In Eyes, On Skin, Or Clothing.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. Wear a mask effective for protector against Di-Syston poisoning.

SIDE PANEL (cont'd)

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before re-use.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day, and change outer clothing.

Do Not Breathe Dust.

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Do Not Contaminate Food or Feed Products.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Keep all unprotected persons out of the operating area or vicinity.

Destroy empty bags and cartons by burning. Stay away from smoke and fumes.

Keep Out Of Reach Of Children.

ATROPINE IS AN ANTIDOTE FOR (R) DI-SYSTON
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES
OF SUSPECTED POISONING

AC

Sep-15-1966

1558-776

First Aid: Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contaminated, wash with flowing water for at least 15 minutes.

NEVER GIVE ANYTHING BY MOUTH
TO AN UNCONSCIOUS PERSON

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.


BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE ON COTTON

For control of Seedling Disease Complex -- Rhizoctonia, Pythium, Thielaviopsis, Fusarium, and for early season control of thrips, aphids and mites: For soil in-furrow application at planting time use 15 lbs. per acre. (1.5 lbs. per 1300 linear feet of furrow). Apply over seed and covering soil using suitable application equipment.

NOTICE TO BUYER: No warranty of any kind, express or implied, is made concerning the use of this product. User assumes all risk and liability resulting from handling, use or application.

Olin
AGRICULTURAL DIVISION
745 Fifth Ave., New York, N.Y. 10022
Olin Mathieson Chemical Corporation



BEST DOCUMENT AVAILABLE

27