

## **PLEASE NOTE**

**This image contains more than one label  
approved for this product on this date.**

# Terracolor Super-X<sup>®</sup>

## SOIL FUNGICIDE

<sup>®</sup>  
Di-Syston *with* SYSTEMIC  
INSECTICIDE

### ACTIVE INGREDIENTS:

Pentachloronitrobenzene (Terracolor)..... 6.50%

5-Ethoxy-3-trichloromethyl  
-1, 2, 4-thiadiazole (Di-Syston)..... 1.63%

O, O-Diethyl S-[2-(ethylthio) ethyl]  
phosphorodithioate (Di-Syston)..... 6.50%




INERT INGREDIENTS..... 85.37%

Total..... 100.00%

### DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED  
THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH SKIN.  
Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or  
Clothing. Do Not Contaminate Food or Feed Products.



BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE


BEST DOCUMENT AVAILABLE




GRANULAR  
**Terraclor Super-X<sup>®</sup>**  
SOIL FUNGICIDE  
WITH  
**Di-Syston<sup>®</sup>** SYSTEMIC  
INSECTICIDE

DIRECTIONS FOR USE ON COTTON

For control of Seeding Disease Complex — Rhizoctonia, Pythium, Thielaviopsis, Fusarium, and for early season control of thrips, aphids and mites. For soil in-furrow application at planting time use 15 lbs. per acre (1.5 lbs. per 1,300 linear feet of furrow based on 40 inch rows). Apply over seed and covering soil using suitable application equipment.



**ANTIDOTE AND FIRST AID TREATMENT**  
**ATROPINE IS AN ANTIDOTE FOR DI-SYSTON<sup>®</sup>**  
**CALL A PHYSICIAN IMMEDIATELY IN ALL CASES**  
**OF SUSPECTED POISONING**



First Aid: Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contaminated, wash with flowing water for at least 15 minutes.

**NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON**  
**NOTE TO PHYSICIAN —**

**ANTIDOTE:** Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

**WARNING**

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.  
Wash thoroughly with soap and water before eating or drinking. Bathe at the end of the work day, and change outer clothing.  
Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.  
While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone. Keep all unprotected persons out of the operating area or vicinity.

**PRECAUTION IN USING:**

This material is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not apply where runoff is likely to occur. Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.  
Rinse equipment and dispose of wastes by burying in non-crop lands away from water supplies. Empty bags should be disposed of by burying with wastes or burning. If burned KEEP OUT OF SMOKE.

**NOTICE TO BUYER**

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

Terraclor, Terrazole and **Olin** are OMCC trademarks.  
\*U. S. Patents 3,260,588 and 3,260,725; others pending.

DI-SYSTON is a Reg. TM U. S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corporation licensee.  
†U. S. Patent No. 2,769,010, Canadian Patent No. 518,967.

USDA Reg. No. 1258-776  
12349C-098

Soil temperature, moisture and tillth should be favorable for good germination and emergence. Excessive soil moisture and high temperatures can possibly damage seed germination. Planting should be delayed until soil is very near the seed, however, the use of a fungicide such as Terraclor Super-X, considerably lessens this hazard.

ACCEPTED  
OCT 8 1968  
UNDER THE FEDERAL INSECTICIDE ACT  
OF 1947  
1258-776  
TO ATTACHED COMMENTS

89-9-6

84-500

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

**NEXT**

**LABEL**


1258-776

10/08/1968

1/2

# Olin GRANULAR Terraclor Super-X<sup>®</sup>

## SOIL FUNGICIDE WITH Di-Syston<sup>®</sup> SYSTEMIC INSECTICIDE

**ACTIVE INGREDIENTS:**

Pentachloronitrobenzene	6.50%
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole	1.63%
O,O-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate	6.50%
<b>INERT INGREDIENTS:</b>	<b>85.37%</b>
<b>TOTAL</b>	<b>100.00%</b>

U.S. Patent No. 2,759,010

**DANGER****KEEP OUT OF REACH OF CHILDREN**

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH SKIN. Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or Clothing. Do Not Contaminate Food Or Feed Products.

**POISON**

See Side Panels for Antidote and Other Warnings.

**NOTICE TO BUYER**

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damage arising from a breach of this warranty.

**ANTIDOTE AND FIRST AID TREATMENT**

**ATROPINE IS AN ANTIDOTE FOR DI-SYSTON<sup>®</sup>**  
**CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING**

**First Aid:** Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contaminated, wash with flowing water for at least 15 minutes.

**NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**TO PHYSICIAN:**

**ANTIDOTE:** Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

**DIRECTIONS FOR USE ON COTTON**

For control of Seedling Disease Complex — Rhizoctonia, Pythium, Thielaviopsis, Fusarium, and for early season control of thrips, aphids and mites. For soil in-furrow application at planting time use 15 lbs. per acre (1.5 lbs. per 1300 linear feet of furrow based on 40 inch rows). Apply over seed and covering soil using suitable application equipment. Soil temperature, moisture and tilth should be favorable for good germination and emergence. Systemic insecticides can possibly damage seed germination resulting in stand reduction when placed on or very near the seed, however, the addition of a fungicide such as Terraclor Super-X, considerably lessens this hazard.

\*U. S. Patents 3,260,588 and 3,260,725; others pending.

Terraclor Super-X, Terraclor, Terrazole, and Olin are trademarks of OMCC.

USDA Reg. No. 1258-776

LR349C-09R 6024045

## WARNING

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day, and change outer clothing.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Keep all unprotected persons out of the operating area or vicinity.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

This material is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not apply where runoff is likely to occur.

Di-Syston is a Reg. TM U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corporation licensee.

BEST DOCUMENT AVAILABLE