



# Terraclor Super-X<sup>®</sup>

## SOIL FUNGICIDE

# Di-Syston<sup>®</sup> WITH SYSTEMIC INSECTICIDE GRANULAR

## WARNING — DANGER

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day, and change outer clothing.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Keep all unprotected persons out of the operating area or vicinity.

This material is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not apply where runoff is likely to occur.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Rinse equipment and dispose of wastes by burying in non-crop land away from water supplies. Empty bags should be disposed of by burying with wastes or burning (KEEP OUT OF SMOKE).

Do not plant any root crop not registered for PCNB in rotation on PCNB treated soils.

Di-Syston is a Reg. TM U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corporation licensee.

Terraclor Super-X,® Terraclor,® Terrazole,® and Olin are trademarks of Olin Corporation

### ACTIVE INGREDIENTS:

Pentachloronitrobenzene 6.50%

5-Ethoxy-3-trichloromethyl  
-1,2,4-thiadiazole\* 1.63%

O,O-Diethyl S-[2-(ethylthio)ethyl]  
phosphorodithioate† 6.50%

INERT INGREDIENTS: 85.37%

TOTAL 100.00%

\*U. S. Patents 3,260,588 and 3,260,725; others pending.

†U. S. Patent No. 2,759,010

## DANGER KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED  
THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH  
SKIN. Do Not Breathe Dust. Do Not Get In Eyes, On Skin,  
Or Clothing. Do Not Contaminate Food Or Feed Products.



# POISON



See Side Panel for Antidote and Other Warnings

EPA Reg. No. 1258-776-AA

### NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damage arising from a breach of this warranty.



### ANTIDOTE AND FIRST AID TREATMENT ATROPINE IS AN ANTIDOTE FOR DI-SYSTON<sup>®</sup> CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

**First Aid:** Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contaminated, wash with flowing water for at least 15 minutes.

**NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

#### TO PHYSICIAN:

**ANTIDOTE:** Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

### DIRECTIONS FOR USE ON COTTON

For control of Seeding Disease Complex — Rhizoctonia, Pythium and Fusarium, and for early season control of thrips, aphids and mites.

Apply as a soil in furrow application at planting time with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage.

Application Method	Lbs. drilled row per acre	Lbs. 1300 lb. ft. of row based on 40 in. spacing
DRILL PLANTING	15	15
HILL-DROP PLANTING	5	25

Soil temperature, moisture and till should be favorable for good germination and emergence. Systemic insecticides can pass by damaging seed germination when placed in or very near the seed. However, the addition of a fungicide such as Terraclor Super-X considerably lessens this hazard. Do not allow the feeding or grazing of cotton foliage by livestock.

DO NOT SHIP WITH OR STORE NEAR FEED OR FOODSTUFFS.

LR349E-03U 6124926