

PM32 1258-782

1023

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

28 AUG 1992

Garrett B. Schifilliti
Olin Corporation
350 Knotter Drive
Cheshire, CT 06410

Subject: PACE® Superchlorinator & Shock Treatment
EPA Registration No. 1258-782
Your Amendment Dated June 8, 1992

Dear Mr. Schifilliti:

This is in response to your label modification submitted in response to PR Notice 91-7.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to one comment: submit five copies of the labeling before you release the product for shipment bearing the amended labeling. A stamped copy is enclosed for your records.

In your next label amendment application for this product, submit for our records the entire labeling: include the use directions for all the uses for which the product is registered.

Note that very soon, at the time of reregistration of hypochlorite products, you will be required to place the statement of Practical Treatment (First Aid) on the front panel, and to use the following text for the Environmental Hazards section:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

If you have any questions about these comments, you may call Wallace Powell at 703-305-6938.

Sincerely,



Ruth G. Douglas
Product Manager (32)
Antimicrobial Program Branch
Registration Division (H-7504C)

Enclosure

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, in skin or on clothing. Do not handle with bare hands. When handling, wear rubber gloves and goggles or face shield and use only thoroughly clean dry utensils. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment)


If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. **If inhaled:** Remove person to fresh air. Call a physician immediately. **If swallowed:** Drink large quantities of water. Do not induce vomiting. Call a physician immediately. **If in eyes:** Flush with cold water for at least 15 minutes. Call a physician immediately.

CHEMICAL HAZARDS. DANGER: Strong oxidizing agent. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. Avoid any contact with flame or burning materials, such as a lighted cigarette. Do not contaminate with moisture, garbage, dirt, organic matter, chemicals, including other pool chemicals, pool chlorinating compounds, household products, cyanuric acid pool stabilizers, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags or any other foreign matter.

ENVIRONMENTAL HAZARD: This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.

Olin POOL CARE HOTLINE Call Monday through Friday, 9:00 a.m. to 4:00 p.m. Eastern Time with your questions concerning pool water care.
Toll-Free 800-222-2348

Olin CHEMICALS
 Water Products and Services Division
 Olin Corporation 120 Long Ridge Road, Stamford, CT 06904
 POOL CARE® is a registered trademark of Olin Corporation



ALWAYS USE ENTIRE CONTENTS WHEN OPENED

POOL CARE® SUPERCHLORINATOR AND SHOCK TREATMENT controls algae, kills bacteria and destroys organic contaminants.

DIRECTIONS FOR POOL USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always adjust pH between 7.2 and 7.4 prior to using POOL CARE® SUPERCHLORINATOR AND SHOCK TREATMENT.

SUPERCHLORINATION OF STABILIZED POOLS: Superchlorinate by broadcasting over a large area in the deep end of the pool. Use 1 lb. per 15,000 gallons of pool water. Superchlorinate every 14 days when the water temperature is below 80°F. Superchlorinate every 7 days anytime the water temperature is above 80°F, bathing loads are heavy, pool water appears dull or hazy, or unpleasant chlorine like smell is present, excessive eye irritation occurs, or after heavy rain. Pool should not be entered until the chlorine residual is 1.0-3.0 ppm.

SHOCK TREATMENT FOR CONTROL OF ALGAE. If algae develops with red color and slimy feeling, shock treatment is necessary.

Superchlorinate by broadcasting over a large area of the pool surface of Use 1 lb. per 8,000 gallons of water. If the pool sides or bottom develop algae, POOL CARE® SUPERCHLORINATOR AND SHOCK TREATMENT as close to the algae as possible. Note: Prolonged contact with pool surfaces may cause staining or etching. Immediately after treatment thoroughly clean pool by scrubbing surface of vacuum and cycle through filter. If necessary, repeat the treatment. Pool should not be entered until the chlorine residual is 1.0-3.0 ppm.

WINTERING. While the water is still clear and clean, prepare for long pool season by gradually applying 1 lb. POOL CARE® SUPERCHLORINATOR AND SHOCK TREATMENT per 8,000 gallons of water. Run the filter until completely dispersed. Cover the pool with a pool cover and prepare the heater, pump and filter components for wintering according to the manufacturer's directions.