


# Olin

# Terraclor Super-X

## SOIL FUNGICIDE



# WITH THIMET<sup>®</sup> SYSTEMIC INSECTICIDE GRANULAR

### WARNING

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day, and change outer clothing.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Remove unprotected persons and domestic animals from operating and adjacent areas where this product may drift; prohibit re-entry until drift and vapor dissipate.

Sweep up and bury spillage, whether it occurs indoors or in the

<b>ACTIVE INGREDIENTS:</b>	
Pentachloronitrobenzene	6.50%
5-Ethoxy-3-trichloromethyl -1,2,4-thiadiazole	1.63%
Phorate [O,O-Diethyl S-(ethylthio) methyl phosphorodithioate]	6.50%
<b>INERT INGREDIENTS:</b>	<b>85.37%</b>
<b>TOTAL</b>	<b>100.00%</b>

## DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS BY SKIN CONTACT, INHALATION,  
OR SWALLOWING

ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT MAY,  
WITHOUT SYMPTOMS PROGRESSIVELY INCREASE  
SUSCEPTIBILITY TO THIMET POISONING

Do Not Breathe Dust. Do Not Get In Eyes. Do Not  
Clothing. Do Not Contaminate Food Or Feed Products.



ANTIDOTE AND F  
ATROPINE IS AN  
CALL A PHYSICIAN I  
OF SUSPEC

**First Aid:** Remove patient imr  
product is present. Remove c  
skin with plenty of soap and w  
duct. If swallowed, induce vom  
water. Have patient lie down a  
ated, wash with flowing water

**NEVER GIVE ANYTHING BY MC**

**Physicians' Note:** Warning sym  
tightness in chest, blurred visio  
vation, sweating, nausea, vomit

**Treatment:** Give atropine intra  
milligrams (3 to 6 tablets, 1-10  
as required until pupils dilate  
may be required during the fi  
Clear chest by postural draina  
administration may be necessa

# iper-X<sup>®</sup>

## THIMET ECTICIDE



**ANTIDOTE AND FIRST AID TREATMENT**  
**ATROPINE IS AN ANTIDOTE FOR THIMET<sup>®</sup>**  
**CALL A PHYSICIAN IMMEDIATELY IN ALL CASES**  
**OF SUSPECTED POISONING**

**First Aid:** Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contaminated, wash with flowing water for at least 15 minutes.

**NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON**

**Physicians' Note:** Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**Treatment:** Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1 100 grain each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams, or more, may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48

0%  
3%  
0%  
7%  
10%

ucts.

# WARNING

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day, and change outer clothing.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Remove unprotected persons and domestic animals from operating and adjacent areas where this product may drift; prohibit re-entry until drift and vapor dissipate.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Rinse equipment and dispose of wastes by burying in non-crop lands away from water supplies. Empty bags should be disposed of by burying with wastes or burning. If burned KEEP OUT OF SMOKE. This material is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not apply where runoff is likely to occur.

Terraclor Super-X<sup>®</sup> and **Olin** are trademarks of OMCC.

THIMET<sup>®</sup> is a trademark of American Cyanamid Company.

**DO NOT SHIP WITH OR STORE NEAR FEED OR FOODSTUFFS.  
KEEP OUT OF REACH OF DOMESTIC ANIMALS**

## ACTIVE INGREDIENTS:

Pentachloronitrobenzene ..... 6.50%

5-Ethoxy-3-trichloromethyl  
-1,2,4-thiadiazole ..... 1.63%

Phorate [O,O-Diethyl S-(ethylthio)  
methyl phosphorodithioate] ..... 6.50%

INERT INGREDIENTS: ..... 85.37%

TOTAL ..... 100.00%

# DANGER

**KEEP OUT OF REACH OF CHILDREN**

POISONOUS BY SKIN CONTACT, INHALATION,  
OR SWALLOWING

ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT MAY,  
WITHOUT SYMPTOMS PROGRESSIVELY INCREASE  
SUSCEPTIBILITY TO THIMET POISONING

Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or  
Clothing. Do Not Contaminate Food Or Feed Products.



# POISON



See Side Panel for Antidote and Other Warnings

\*U. S. Patents 3,260,588 and 3,260,725; others pending.

## NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damage arising from a breach of this warranty.



**ANTIDOTE  
ATROPHINE  
CALL A**

**First Aid:** Remove product is present on skin with plenty of water. If swallowed, have patient lie on his side, do not induce vomiting, wash with water. **NEVER GIVE ANY FOOD OR DRINK.**  
**Physicians' Note:** Watch for symptoms of tightness in chest, difficulty in breathing, cyanosis, sweating, etc. **Treatment:** Give 100 milligrams (3 to 6 tablets) of atropine as required until symptoms may be required. Clear chest by physical administration method. Repeat every 2 hours. Repeated use of atropine warning, cause inhibition of cholinesterase in cholinesterase regeneration.

For control of Seedling  
for early season control  
Apply as a soil in-furrow  
applicator properly calibrated

Application Methods  
DRILL PLANTING  
HILL-DROP PLANTING

Soil temperature  
suitable for germination  
insecticides  
when placed on soil  
in addition of a  
considerably

USDA Reg. No.

Pentachloronitrobenzene	6.50%
5-Ethoxy-3-trichloromethyl -1,2,4-thiadiazole	1.63%
Phorate [O,O-Diethyl S-(ethylthio) methyl phosphorodithioate]	6.50%
<b>INERT INGREDIENTS:</b>	<b>85.37%</b>
<b>TOTAL</b>	<b>100.00%</b>

# DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS BY SKIN CONTACT, INHALATION,  
OR SWALLOWING

ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT MAY,  
WITHOUT SYMPTOMS PROGRESSIVELY INCREASE  
SUSCEPTIBILITY TO THIMET POISONING

Do Not Breathe Dust Do Not Get In Eyes, On Skin, Or  
Clothing. Do Not Contaminate Food Or Feed Products



## POISON



See Side Panel for Antidote and Other Warnings

\*U. S. Patents 3,260,588 and 3,260,725; others pending.

### NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damage arising from a breach of this warranty.



**ANTIDOTE AND FIRST AID TREATMENT**  
**ATROPINE IS AN ANTIDOTE FOR THIMET®**  
**CALL A PHYSICIAN IMMEDIATELY IN ALL CASES**  
**OF SUSPECTED POISONING**

**First Aid:** Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contaminated, wash with flowing water for at least 15 minutes.

**NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON**

**Physicians' Note:** Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**Treatment:** Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1 100 grain each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams, or more, may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

### DIRECTIONS FOR USE ON COTTON

For control of Seedling Disease Complex — Rhizoctonia, Pythium and Fuzarium and for early season control of thrips, aphids and mites.

Apply as a soil in-furrow application at planting time with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage.

Application Method	lbs./drill row per acre	lbs./1300 lin. ft. of row based on 40 in. spacings
DRILL PLANTING	15	1.5
HILL-DROP PLANTING	5	0.5

Soil temperature, moisture and tilth should be favorable for good germination and emergence. Systemic insecticides can possibly damage seed germination when placed on or very near the seed, however, the addition of a fungicide such as Terraclor Super-X, considerably lessens this hazard.

USDA Reg. No. 1258-789

LR425B-09R

6024044

9/3/68