

TOXAPHENE—METHYL PARATHION

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

6 LB. — 3 LB.

EMULSIFIABLE

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene Containing 67-69% Chlorine)	52.4%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	26.2%
Xylene Range Aromatic Solvent	15.4%

INERT INGREDIENTS:

.....	6.0%
Total	100.0%

(Contains 6 lbs. Toxaphene and 3 lbs. Methyl Parathion per U. S. Gallon at 68° F.)

For ground
acre, consid
should be i

COTTO

Ins

Thrips,
Fleahopper

Boll Weevil,
Grasshopper,
Fleahoppers,
Lygus bugs,
Thrips,
Fleabeetle

Start applica
tions at 3
tation is un

*AIRPLANES
swaths so t
season cont

Workers en
Do not appl
Do not graz
late applica

DESTROY

Decontam
gent; rins
re-use.

Do not us

ANTIDOTE AND FIRST AID TREATMENT

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING



Atropine is the emergency antidote for Methyl Parathion poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use.

Internal: If the material has been swallowed, induce vomiting immediately by introducing a finger in the throat or by giving a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet.

External: If spilled on skin, remove all contaminated clothing and wash immediately with soap and running water. For eyes, wash immediately with running water for at least 10 minutes.

NOTE TO PHYSICIAN: Methyl Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine; Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives.

WARNING

Keep unprotected humans and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated.

Highly toxic to fish and wildlife. Keep out of lakes, ponds and streams. Birds and other wildlife in treated areas may be killed. Do not apply to any area not specified on the label. Do not apply when weather conditions favor drift of spray from the crop area being treated.



POISON



CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.
See antidote and first aid treatment in left panel

DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, or on skin or on clothing. Do not breathe vapors or spray mist. Wear clean rubber gloves, clean water-proof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for protection against Methyl Parathion mixtures. Wash hands, arms and face thoroughly with soap and warm water after handling and before eating or smoking. Wash clothing with soap and hot water before re-use. Do not contaminate feed or foodstuffs.

ACCEPTED

MAY 27, 1970

TOXAPHENE—METHYL PARATHION

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.



ANTIDOTE AND FIRST AID TREATMENT CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

Atropine is the emergency antidote for Methyl Parathion poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use.

Internal: If the material has been swallowed, induce vomiting immediately by introducing a finger in the throat or by giving a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet.

External: If spilled on skin, remove all contaminated clothing and wash immediately with soap and running water. For eyes, wash immediately with running water for at least 10 minutes.

NOTE TO PHYSICIAN: Methyl Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine; Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives.

WARNING

Keep unprotected humans and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated.

Highly toxic to fish and wildlife. Keep out of lakes, ponds and streams. Birds and other wildlife in treated areas may be killed. Do not apply to any area not specified on the label. Do not apply when weather conditions favor drift of spray from the crop area being treated.

6 LB. — 3 LB.

EMULSIFIABLE

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene Containing 67-69% Chlorine)	52.4%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	26.2%
Xylene Range Aromatic Solvent	15.4%

INERT INGREDIENTS:

Total	100.0%
(Contains 6 lbs. Toxaphene and 3 lbs. Methyl Parathion per U. S. Gallon at 68° F.)	



POISON



CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING
See antidote and first aid treatment in left panel

DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, or on skin or on clothing. Do not breathe vapors or spray mist. Wear clean rubber gloves, clean water-proof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for protection against Methyl Parathion mixture. Wash hands, arms and face thoroughly with soap and warm water after handling and before eating or smoking. Wash clothing with soap and water before re-use. Do not contaminate feed or foodstuffs.

For ground
acre, consid
should be

COTTO

In

Thrips,
Fleahopper

Boll Weevil
Grasshopper
Fleahoppers
Lygus bugs
Thrips,
Fleabeetle

Start applic
cations at
tation is ur

*AIRPLANE
swaths so
season cont
Workers er
Do not app
Do not gra
late applica

DESTROY
Decontan
gent; rin
re-use.

Do not u

ME--METHYL PARATHION

6 LB. — 3 LB.

EMULSIFIABLE

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene Containing 67-69% Chlorine)	52.4%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	26.2%
Xylene Range Aromatic Solvent	15.4%

INERT INGREDIENTS: 6.0%

Total 100.0%

(Contains 6 lbs. Toxaphene and 3 lbs. Methyl Parathion
per U. S. Gallon at 68° F.)



POISON



CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

See antidote and first aid treatment in left panel

DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, or on skin or on clothing. Do not breathe vapors or spray mist. Wear clean rubber gloves, clean water-proof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for protection against Methyl Parathion mixtures. Wash hands, arms and face thoroughly with soap and warm water after handling and before eating or smoking. Wash clothing with soap and hot water before re-use. Do not contaminate feed or foodstuffs.

For ground equipment, apply in approximately 3 to 10 gallons of spray solution per acre, consistent with crop growth and good coverage. Applications by aircraft should be in a minimum of 3 gallons of spray solution per acre.

Directions For Use

COTTON — EARLY SEASON CONTROL PROGRAM

Insect	Begin Treatment	Amount of this material per acre — Ground Machines*
Thrips, Fleahopper	4 leaf stage or earlier where necessary. Apply 2 - 4 applications at 7 day intervals	1/3-2/3 pt.

MID and LATE SEASON CONTROL PROGRAM

Boll Weevil, Grasshoppers, Fleahoppers, Lygus bugs, Thrips, Flea beetle	Tarnished & Rapid plant bugs, Cotton leafworms Climbing cutworms Armyworms Bollworm	1 1/3 quarts
--	--	-----------------

Start applications when insects are present in damaging numbers and repeat applications at 3 to 5 day intervals, (depending upon severity of infestation) until infestation is under control, or as directed by your state agricultural experiment station.

*AIRPLANES: In plane applications of sprays and dusts, it is essential to flag the swaths so they will meet or overlap. Increase the dosage in the chart 50% for early season control applications made by plane.

Workers entering fields with 24 hours of treatment should wear protective clothing. Do not apply within 5 days of hand picking.

Do not graze dairy animals or animals being finished for slaughter in fields receiving late applications. Do not feed gin waste to livestock.

DESTROY THIS CONTAINER WHEN EMPTY—NEVER RE-USE

Decontaminate by washing with a strong alkali solution and detergent; rinse with water. Puncture and crush beyond any possible re-use.

CAUTION COMBUSTIBLE LIQUID.

Do not use or store near heat or open flame. Keep container closed.

LR430C-12S 6224798 USDA Reg. No. 1258-794