


Terraclor 6.5%

Di-Syston Plus

6.5% GRANULAR

SOIL FUNGICIDE - SYSTEMIC INSECTICIDE



1258-507

ACTIVE INGREDIENTS:

Pentachloronitrobenzene 6.5%
O,O-Diethyl S-2-(ethylthio)ethyl phosphorodithioate 6.5%

INERT INGREDIENTS:

87.0%
Total 100.0%

U.S. Patent No. 2,789,010

DANGER

KEEP OUT OF REACH OF CHILDREN



POISON



ANTIDOTE AND FIRST AID TREATMENT

MORPHINE IS AN ANTIDOTE FOR DI-SYSTON
GIVE IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

First Aid: Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contaminated, wash with flowing water for at least 15 minutes.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

TO PHYSICIAN:

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2 PAM is a secret drug and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its then label description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions or under abnormal conditions. In combination with other materials or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

Terraclor and Olin are trademarks of Olin Corp.
"DI-SYSTON" is a Reg. TM of Farbenfabriken Bayer A. G.

EPA Reg. No. 1258-809-AA

BR44 9 W 6424906

DANGER

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day, and change outer clothing.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves and goggles. If cotton gloves are used, they should be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

Wear a mask or respirator of a type recommended by the U. S. Bureau of Mines to give adequate protection against this material.

Keep all unprotected persons out of the operating area or vicinity.

DIRECTIONS FOR USE ON COTTON

For control of damping-off (*Rhizoctonia solani*) and other soil-borne rot diseases of the root system, apply at planting time. Apply 1/2 lb. per acre to the soil around the seeds and cover with soil. When using granular application, properly calibrated to insure accurate placement and distribution.

Apply to soil in the row between the seed and the soil surface. Do not apply to the soil surface. Do not apply to the soil surface.

Temperature of soil at the time of application should be favorable for growth of the cotton plant. Do not apply to soil which is too dry or too wet. Do not apply to soil which is too hard or too soft. Do not apply to soil which is too cold or too hot.

USE PRECAUTIONS

When emptying bags into equipment, pour downwind and as low as possible, as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

This material is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not apply where run-off is likely to occur.

Rinse equipment and dispose of wastes by burying in non-crop lands away from water supplies.

Do not plant any root crop not registered for PCNB in rotation on PCNB treated soil.

DESTROY THIS CONTAINER WHEN EMPTY. NEVER REUSE.