


 **lin GRANULAR**

Terraclor 6.5%

SOIL FUNGICIDE

WITH **THIMET**[®] **SYSTEMIC INSECTICIDE** 6.5%



ACTIVE INGREDIENTS:

Pentachloronitrobenzene 6.50%

Phorate [O,O-Diethyl S-(ethylthio) methyl phosphorodithioate] 6.50%

INERT INGREDIENTS:

TOTAL 100.00%

DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING

ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS PROGRESSIVELY INCREASE SUSCEPTIBILITY TO THIMET POISONING

Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or Clothing. Do Not Contaminate Food Or Feed Products.



POISON



ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS AN ANTIDOTE FOR THIMET[®]

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

First Aid: Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contamin-

WARNING ← RED

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day, and change outer clothing.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

USE PRECAUTIONS

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Remove unprotected persons and domestic animals from operating and adjacent areas where this product may drift; prohibit re-entry until drift and vapor dissipate.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Rinse equipment and dispose of wastes by burying in non-crop lands away from water supplies. Empty bags should be disposed of by burying with wastes or burning. If burned KEEP OUT OF SMOKE. This material is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not apply where runoff is likely to occur.

DIRECTIONS FOR USE ON COTTON

Phorate [O,O-Diethyl S-(ethylthio)
methyl phosphorodithioate] 6.50%
INERT INGREDIENTS: 6.50%
TOTAL 100.00%

DANGER
KEEP OUT OF REACH OF CHILDREN
POISONOUS BY SKIN CONTACT, INHALATION,
OR SWALLOWING

ABSORBED THROUGH SKIN
REPEATED INHALATION OR SKIN CONTACT MAY,
WITHOUT SYMPTOMS PROGRESSIVELY INCREASE
SUSCEPTIBILITY TO THIMET POISONING

Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or
Clothing. Do Not Contaminate Food Or Feed Products.



POISON



ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS AN ANTIDOTE FOR THIMET®
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES
OF SUSPECTED POISONING

First Aid: Remove patient immediately from the area where this product is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of this product. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. If eyes are contaminated, wash with flowing water for at least 15 minutes.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

Physicians' Note: Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1 100 grain each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams, or more, may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

DO NOT SHIP WITH OR STORE NEAR FEED OR FOODSTUFFS.
KEEP OUT OF REACH OF DOMESTIC ANIMALS

THIMET® is a trademark of American Cyanamid Company.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day, and change outer clothing.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

USE PRECAUTIONS

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Remove unprotected persons and domestic animals from operating and adjacent areas where this product may drift; prohibit re-entry until drift and vapor dissipate.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Rinse equipment and dispose of wastes by burying in non-crop lands away from water supplies. Empty bags should be disposed of by burying with wastes or burning. If burned KEEP OUT OF SMOKE. This material is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not apply where runoff is likely to occur.

DIRECTIONS FOR USE ON COTTON

For control of damping-off (*Rhizoctonia solani*) and for early season control of thrips, aphids and mites.

Apply as a soil in-furrow application at planting time with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage.

Application Method	lbs./drill row per acre	lbs./1300 lin. ft. of row based on 40 in. spacings
DRILL PLANTING	15	1.5
HILL-DROP PLANTING	5	0.5

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damage arising from a breach of this warranty.

USDA Reg. No. 1258-xxx

LR447A-02R 6024029

AMERICAN CYANAMID COMPANY
NEW YORK, N. Y.
PHILADELPHIA, PA.
CHICAGO, ILL.
SAN FRANCISCO, CALIF.

AMERICAN CYANAMID COMPANY

