

# TOXAPHENE—METHYL PARATHION

## 8 LB. — 2 LB.

### NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

COTTG

EMULSIFIABLE

### ANTIDOTE AND FIRST AID TREATMENT CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING



Atropine is the emergency antidote for Methyl Parathion poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use.

**Internal:** If the material has been swallowed, induce vomiting immediately by introducing a finger in the throat or by giving a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet.

**External:** If spilled on skin, remove all contaminated clothing and wash immediately with soap and running water. For eyes, wash immediately with running water for at least 10 minutes.

**NOTE TO PHYSICIAN:** Methyl Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine; Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives.

### Red → WARNING

Keep unprotected humans and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated.

Highly toxic to fish and wildlife. Keep out of lakes, ponds and streams. Birds and other wildlife in treated areas may be killed.

Do not apply to any area not specified on the label. Do not apply when weather conditions favor drift of spray from the crop area being treated.

Do not use or store near heat or open flame. Keep drum tightly closed when not in use.

### ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene Containing 67-69% Chlorine)	67.2%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	16.8%
Xylene Range Aromatic Solvent	11.7%
<b>INERT INGREDIENTS:</b>	4.3%
Total	100.0%

(Contains 8 lbs. Toxaphene and 2 lbs. Methyl Parathion per U. S. Gallon at 63° F.)

**RED POISON**

**CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**  
See antidote and first aid treatment in left panel

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, or on skin or on clothing. Do not breathe vapors or spray mist. Wear clean rubber gloves, clean waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for protection against Methyl Parathion mixtures. Wash hands arms and face thoroughly with soap and warm water after handling and before eating or smoking. Wash clothing with soap and hot water before re-use. Do not contaminate feed or foodstuffs.

Net Contents \_\_\_\_\_ Gallons

EMULSIFIABLE  
METHYL PARATHION  
TOXAPHENE  
NO HARMFUL RESIDUES  
CONTAINS NONE

AGRICULTURAL DIVISION **Union Bug**

© 1961 Union Carbide Corporation

Insect  
Aphids, ✓  
Thrips, ✓  
Flea hopper ✓  
  
Boll Weevil, ✓  
Grasshoppers, ✓  
Flea hoppers, ✓  
Lygus bugs, ✓  
Thrips, ✓  
Flea beetle ✓  
  
Start applications at 3 1/2 tation is under  
  
Workers enter Do not apply Do not graze late application  
  
\*AIRPLANES: swaths so the season control in a minimum  
  
**BARLEY, C**  
**any form**  
**ace cutw**  
**water for**  
**days of**  
**animals**  
  
Rinse spray lands away NEVER REUSE  
  
USDA Reg

DE  
RI  
SI  
WTH  
W

# METHYL PARATHION

## LB. - 2 LB.

EMULSIFIABLE

**INGREDIENTS:**

Technical Chlorinated Camphene (76-69% Chlorine)	67.2%
o-nitrophenyl phosphorothioate	16.8%
Aromatic Solvent	11.7%
Stearic Acid	4.3%
<b>Total</b>	<b>100.0%</b>

(Contains 8 lbs. Toxaphene and 2 lbs. Methyl Parathion per U. S. Gallon at 63° F.)



**SEE A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**  
See antidote and first aid treatment in left panel

### DANGER

KEEP OUT OF REACH OF CHILDREN

NOT TO BE SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE THE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, or on clothing. Do not breathe vapors or spray mist. Wear clean rubber gloves, clean work clothes and goggles. Replace gloves frequently and destroy used gloves. Wear a respirator of a type passed by the U. S. Department of Agriculture for protection against insecticides. Wash hands, arms and face thoroughly with soap and warm water after eating or smoking. Wash clothing with soap and hot water before re-use. Do not feed or foodstuffs.

Net Contents \_\_\_\_\_ Gallons

**Directions For Use**

**COTTON - EARLY SEASON CONTROL PROGRAM**

Insect	Begin Treatment	Amount of this material per acre - Ground Machines*
Aphids, Thrips, Fleahopper	4 leaf stage or earlier where necessary. Apply 2 - 4 applications at 7 day intervals	1 to 1-1/4 pints

**MID and LATE SEASON CONTROL PROGRAM**

Boll Weevil, Grasshoppers, Fleahoppers, Lygus bugs, Thrips, Fleabeetle	Tarnished & Rapid plant bugs, Cotton leafworms, Climbing cutworms, Armyworms, Bollworm, Aphids	2 to 4 pints
--	--	--------------

Start applications when insects are present in damaging numbers and repeat applications at 3 to 5 day intervals, (depending upon severity of infestation) until infestation is under control, or as directed by your state agricultural experiment station.

Workers entering fields within 24 hours of treatment should wear protective clothing. Do not apply within 5 days of hand picking. Do not graze dairy animals or animals being finished for slaughter in fields receiving late applications. Do not feed gin waste to livestock.

\*AIRPLANES: In plane applications of sprays and dusts, it is essential to flag the swaths so they will meet or overlap. Increase the dosage in the chart 50% for early season control applications made by plane. Applications made by plane should be in a minimum of three gallons of diluted spray solution per acre.

**BARLEY, OATS, RYE, RICE and WHEAT:** For control of armyworms, grasshoppers, webworms, climbing and surface cutworms use 2 pints per acre in sufficient water for uniform coverage. Do not apply within 15 days of harvest. Do not feed treated forage to dairy animals or to animals being finished for slaughter.

Rinse spray equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. DESTROY THIS CONTAINER WHEN EMPTY - NEVER REUSE.

USDA Reg. No. 1258-xxxx

LR450-07R



AGRICULTURAL DIVISION  
 UNITED STATES DEPARTMENT OF AGRICULTURE  
 WASHINGTON, D. C.