



MOSQUITO DUST 101

CONTAINS BAYTEX

ACCEPTED

NOV 14 1968

NOTED THE FOLLOWING
FOR INFORMATION
ED UNDER
TO ATTACHED COMMENTS

50 LBS. NET

ACTIVE INGREDIENT:

O,O-Dimethyl O-/4-(methylthio)
-m-tolyl phosphorothioate†.... 1.0%
INERT INGREDIENTS: 99.0%
Total 100.0%

†U.S. Patent No. 3,042,703

BAYTEX is Reg. TM in U.S. and Canadian Pat. Offs.
by Farbenfabriken Bayer A.G., Chemagro Corporation
licensee.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before re-use. Avoid contamination of feed and foodstuffs.

To Physician: ANTIDOTE—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

USDA Reg. No. 1258-XXXX

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

Empty bags should be
disposed of by burning
(KEEP OUT OF SMOKE)

SUGGESTIONS FOR USE

Mosquito Dust 101 is an organic phosphate insecticide dust formulated especially and for use only by Mosquito Abatement Districts, Public Health Officials and Commercial Pest Control Operators.

Mosquito Dust 101 is recommended for use wherever Mosquitoes breed. It provides long residual control and is effective against DDT-resistant as well as non-resistant strains.

For mosquito larvae control, applications should be made by means of power-operated dusters or by aircraft, to moist areas, standing water, shallow ponds, dumps, catch basins, and around the edges of larger ponds, lakes, marshes, swamps and tidal areas, and similar areas where mosquitoes breed.

Apply at the rate of 5 to 20 lbs. per acre, uniformly. Repeat as necessary. Use the higher rate where pools of water are greater than one foot in depth.

PRECAUTIONS IN USING

This material is highly toxic to shrimp, crayfish and crabs. Do not apply where these are important resources.

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed.


Do not use on or apply in a manner to allow drift to crops to be used for food or forage.

LR453-09R
6223371

AGRICULTURAL DIVISION



1000 1000 1000 1000 1000



50-485 (N)

ACTIVE INGREDIENT:

O,O-Dimethyl O-[4-(methylthio)-3-tolyl] phosphorothioate	1.0%
INERT INGREDIENTS	99.0%
Total	100.0%

U.S. Patent No. 3,042,703

BAYTEX is Reg. TM in U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corporation licensees.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before re-use. Avoid contamination of feed and foodstuffs.

To Physician: ANTIDOTE—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

USDA Reg. No. 1258-IDXX



SUGGESTIONS FOR USE

Mosquito Dust 101 is an organic phosphate insecticide dust formulated especially and for use only by Mosquito Abatement Districts, Public Health Officials and Commercial Pest Control Operators.

Mosquito Dust 101 is recommended for use wherever Mosquitoes breed. It provides long residual control and is effective against DDT-resistant as well as non-resistant strains.

For mosquito larvae control, applications should be made by means of power-operated dusters or by aircraft, to moist areas, standing water, shallow ponds, dumps, catch basins, and around the edges of larger ponds, lakes, marshes, swamps and tidal areas, and similar areas where mosquitoes breed.

Apply at the rate of 5 to 20 lbs. per acre, uniformly. Repeat as necessary. Use the higher rate where pools of water are greater than one foot in depth.

PRECAUTIONS IN USING

This material is highly toxic to shrimp, crayfish and crabs. Do not apply where these are important resources.

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed.

Do not use on or apply in a manner to allow drift to crops to be used for food or forage.

NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

Empty bags should be disposed of by burning
(KEEP OUT OF SMOKE)

12153-09R
622357