

# METHYL PARATHION

## 4 lb.



**ANTIDOTE AND FIRST AID TREATMENT**  
**CALL A PHYSICIAN IMMEDIATELY IN ALL CASES**  
**OF SUSPECTED POISONING**

Atropine is the emergency antidote for Methyl Parathion poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use.

**Internal:** If the material has been swallowed, induce vomiting immediately by introducing a finger in the throat or by giving a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet. (Note to Physician: — Therapeutic doses of atropine appear effect as an antidote. 2-PAM may also be used as an adjunct to atropine.)

**External:** If spilled on skin, remove all contaminated clothing and wash immediately with soap and running water. For eyes, wash immediately with running water for at least 10 minutes.

### DANGER

Keep unprotected humans and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated. Do not apply when weather conditions favor drift of spray from the crop area being treated.

**COMBUSTIBLE LIQUID. Keep away from heat and open flame.**

**PROTECT FROM TEMPERATURES BELOW 40° F.**


### NOTICE TO BUYER

Seller makes no warranty, express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions, or under abnormal conditions, or in combination with other materials, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

USDA Reg. No. 1258-833

LR298D-12S

6224617



**POISON**  
 (SEE ANTIDOTE LEFT PANEL)



## EMULSIFIABLE LIQUID

### ACTIVE INGREDIENTS:

O,O-dimethyl O-p-nitrophenyl phosphorothioate .....	45.3%
Xylene Range Aromatic Solvent .....	48.7%

### INERT INGREDIENTS:

.....	6.0%
Total .....	100.0%

Contains 4 lbs. Methyl Parathion per U. S. Gallon at 68° F.

## DANGER

### KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, or on skin or on clothing. Do not breath vapors or spray mist. Wear clean natural rubber gloves, clean waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for protection against Methyl Parathion mixtures. Wash hands, arms, and face thoroughly with soap and warm water after handling and before eating or smoking. Wash clothing with soap and hot water before re-use. Do not contaminate feed or foodstuffs.

Applica  
 acre, co  
 made by  
 per acre

COTTO  
 mife, be  
 lbs. act  
 appears  
 use 1 to  
 ment st  
 taining  
 picking.  
 should

ALFALFA  
 1/2 to 1  
 state ag  
 for you

BARLEY  
 apply 1/2  
 experim  
 Do not

This pro  
 streams  
 This pro  
 residues  
 Cooper  
 DESTRO  
 Deconta  
 gent; ri  
 reuse.

# METHYL PARATHION

## 4 lb.

### EMULSIFIABLE LIQUID

#### INGREDIENTS:

O-p-nitrophenyl phosphorothioate .....	45.3%
Aromatic Solvent .....	48.7%
EMULSIFIERS .....	6.0%
Total .....	100.0%

Methyl Parathion per U. S. Gallon at 68° F.

## DANGER

### KEEP OUT OF REACH OF CHILDREN

IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN, RAPIDLY WASH WITH SOAP AND WATER. REPEATED INHALATION OR SKIN CONTACT MAY, IN SOME CASES, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION. Do not swallow or get in eyes, or on skin or on clothing. Avoid vapors or spray mist. Wear clean natural rubber gloves, clean protective clothing and goggles. Replace gloves frequently and destroy them. Use a mask or respirator of a type passed by the U. S. Department of Health for protection against Methyl Parathion mixtures. Wash hands, arms, face and clothing with soap and warm water after handling and before eating. Wash hands and face with soap and hot water before re-use. Do not use in animal feed or foodstuffs.

Applications should be made in 3 to 10 gallons of spray solution per acre, consistent with crop growth and good coverage. Applications made by aircraft should be in a minimum of 3 gallons spray solution per acre.

### DIRECTIONS FOR USE

**COTTON:** For the control of cotton fleahopper, thrips, red spider mite, boll weevil and cotton leafworm use 1/2 to 1 pint (0.25 to 0.50 lbs. actual methyl parathion) per acre. Apply when infestation first appears and repeat applications as necessary. For cotton bollworm use 1 to 2 quarts per acre. Consult your state agricultural experiment station for exact dosage rate and timing of applications pertaining to your local conditions. Do not apply within 5 days of hand picking. Workers entering fields within 24 hours of application should wear protective clothing.

**ALFALFA AND VETCH:** For the control of spotted alfalfa aphid apply 1/2 to 1 pint in sufficient water. Apply in early spring. Consult your state agricultural experiment station for specific recommendations for your area. Do not apply within 15 days of harvest.

**BARLEY, OATS, RYE and WHEAT:** For the control of green bug aphid apply 1/2 to 1 pint in sufficient water. Consult your state agricultural experiment station for more specific recommendations for your area. Do not apply within 15 days of harvest.

### PRECAUTIONS IN USING

This product is toxic to wildlife. Keep out of lakes, ponds and streams. Birds and other wildlife in treated areas may be killed.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DESTROY THIS CONTAINER WHEN EMPTY — NEVER RE-USE**  
Decontaminate by washing with a strong alkali solution and detergent; rinse with water. Puncture and crush beyond any possible reuse.



# POISON

(SEE ANTIDOTE LEFT PANEL)

