


ACCEPTED
127/72



DANGER-POISON-PRECAUTIONS ☠

CAN KILL YOU IF SWALLOWED
This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT
This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED
This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

DESTROY THIS CONTAINER WHEN EMPTY — NEVER RE-USE.
Decontaminate by washing with a strong alkali solution and detergent; rinse with water. Puncture and crush beyond any possible re-use. Rinse equipment and dispose of wastes by burying in non-crop lands away from water supplies.

CAUTION — COMBUSTIBLE LIQUID
Do not use or store near heat or open flame. Keep container closed. PROTECT FROM TEMPERATURES BELOW 40° F.

DIRECTIONS FOR USE

Applications should be made in 3 to 10 gallons of spray solution per acre consistent with crop growth and good coverage. Applications made by aircraft should be in a minimum of 3 gallons spray solution per acre.

RICE: For control of stink bug use 1/2 to 1 pint per acre. Do not apply within 15 days of harvest. Do not feed treated forage to dairy animals or animals being finished for slaughter.

WHEAT, OATS and BARLEY: — For control of greenbug and other aphid, cutworm and armyworm use 3/4 to 1 1/4 pints per acre. For chinch bug, flea beetle and grasshopper, use 2 pts. per acre. For applications greater than 1 1/2 pints per acre, do not apply after the heads begin to form, otherwise not within 15 days of harvest. Do not feed treated forage to dairy animals or animals being finished for slaughter.

NOT FOR HOME USE
STOP! READ THE LABEL



CAN KILL YOU

POISON
See side panels for antidote and precautions

DANGER
Keep out of reach of children

MAGNUM® 44
EMULSIFIABLE

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene Containing 67-69% Chlorine)	37.2%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	37.2%
Xylene Range Aromatic Solvent	22.6%
INERT INGREDIENTS:	3.0%
Total	100.0%

(Contains 4 lbs. Toxaphene and 4 lbs. Methyl Parathion per U. S. Gallon at 68° F.)

COTTON — EARLY SEASON CONTROL PROGRAM

Insect	Begin Treatment	Amount of this material per acre Ground Machines*
Thrips, Fleahopper	4 leaf stage or earlier where necessary. Apply 2 - 4 applications at 7 day intervals	1 2 - 2 3 pt.

MID and LATE SEASON CONTROL PROGRAM

Boll Weevil, Fleahoppers, Lygus Bugs, Thrips,	Tarnished & Rapid plant bugs, Cotton leafworms, Armyworms, Bollworm	1 quart
---	---	---------

Start applications when insects are present in damaging numbers and repeat applications at 3 to 5 day intervals, depending upon severity of infestation until infestation is under control, or as directed by your state agricultural experiment station.

*AIRPLANES: In plane applications of spray and dusts, it is essential to flag the swaths so they will meet or overlap. Increase the dosage in the chart 50% for early season control applications made by plane.

Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours of treatment should wear protective clothing.

Do not graze dairy animals or animals being finished for slaughter in fields receiving late applications. Do not feed gin waste to livestock.

TESTED
7/72

NOT FOR HOME USE
STOP! READ THE LABEL

POISON
See side panels
for antidote
and precautions



DANGER
Keep out of reach
of children

CAN KILL YOU

MAGNUM[®] 44

EMULSIFIABLE

INGREDIENTS:

Camphene (Technical Chlorinated Camphene containing 67-69% Chlorine)	37.2%
Dimethyl O-p-nitrophenyl phosphorothioate	37.2%
Paraffinic Range Aromatic Solvent	22.6%
Stearic Acid	3.0%
Total	100.0%

(Contains 4 lbs. Camphene and 4 lbs. Methyl Parathion per U. S. Gallon at 68° F.)

OTTOMAN — EARLY SEASON CONTROL PROGRAM

Begin Treatment	Amount of this material per acre - Ground Machines*
4 leaf stage or earlier, where necessary. Apply 2 - 4 applications at 7 day intervals	1 2 - 2 3 pt.
MID and LATE SEASON CONTROL PROGRAM	
Tarnished & Rapid plant bugs, Cotton leafworms, Armyworms, Bollworm	1 quart

Applications when insects are present in damaging numbers and repeat applications at 3 to 5 days, (depending upon severity of infestation) until infestation is under control, or as advised by your state agricultural experiment station.

In plane applications of spray and dusts, it is essential to flag the swaths so they do not overlap. Increase the dosage in the chart 50% for early season control applications.

Do not enter fields within 7 days of hand picking or harvest. Workers entering fields within 24 hours of application should wear protective clothing. Do not feed dairy animals or animals being finished for slaughter in fields receiving late applications. Do not feed gin waste to livestock.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Methyl Parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for Methyl Parathion protection. (4) Wear heavy duty, natural rubber gloves.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.


IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

LR471C-04V

EPA Reg. No. 1258-835

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms of the label and subject thereto the Buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.



AGRICULTURAL DIVISION

LITTLE ROCK, ARKANSAS

OLIN CORPORATION