

ZINC OMADINE[®] POWDER

INDUSTRIAL MICROBIOSTAT

ACTIVE INGREDIENT: Zinc 2-pyridinethiol 1-oxide* 95%
INERT INGREDIENTS: 5%

*Zinc Pyrithione

WARNING: KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED. CAUSES EYE IRRITATION. DO NOT TAKE INTERNALLY. AVOID CONTACT WITH SKIN. DO NOT GET INTO EYES. IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER; FOR EYES, GET MEDICAL ATTENTION.

NOTE: DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY MIXING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

EPA Reg. No. 1258-840 EPA Est. 1258-NY-3

Directions For Aqueous Metal Coolant and Cutting Fluid Solutions.

To inhibit bacterial growth add an initial dose of 75 ppm zinc 2-pyridinethiol 1-oxide to the solution (0.75 lbs. Zinc Omadine Powder per 10,000 lbs. of solution) and repeat this dosage every 25 days or as needed.

Directions for control of mildew and "pink stain" microorganisms for PVC plastics (non-food use):

To inhibit the growth of mildew and "pink stain" microorganisms, a use level of 0.1 to 0.2% of Zinc Omadine Powder (based on total formulation weight) is recommended. It may be added at any time during the formulation procedure. Use care to avoid clumping.

lin CHEMICALS

SPECIALTY PRODUCTS DEPARTMENT OLIN CORPORATION
120 LONG RIDGE ROAD, STAMFORD, CONN. 06904

SP-1D-276

ACCEPTED