# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



# United States: Environmental Protection Office of Pesticide Programs Agency

DEC 2 3 2008

Arch Chemical, Inc. 1955 Lake Park Drive, Suite 100 Smyrna, GA 30080

Attention: Garret B. Schifilliti

Senior Regulatory Manager

Subject: Zinc Omadine 48% Dispersion Industrial Microbiostat

EPA Registration No. 1258-841

Your Amendment Dated December 2, 2008

This will acknowledge receipt of your notification of changes to the Storage and Disposal Statements for the "Container Rule", submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification dated December 2, 2008 is in compliance with PR Notice 98-10 and is acceptable. This Notification has been added to your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimorobials Division (7510C)

Mease read instructions on re	Form Ap	proved	. Ol∿., ,√o. 20	70-0060	. Approval expires 2-28-95		
<b>\$EPA</b>	ency	✓	Registrat Amendm Other		OPP Identifier Number		
Application for Pesticide - Section I							
1. Company/Product Number 1258-841	ł .	2. EPA Product Manager  Marshall Swindell  3. Proposed Classification  ✓ None Restricted					
4. Company/Product (Name) Zinc Omadine 48% Dispersion Industrial Microbiostat			PM# 33				
5. Name and Address of Appl Arch Chemicals, Inc. 1955 Lake Park Drive Smyrna, GA 30080	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.						
onex :: inc.		Product Name					
Section - II							
Amendment - Explain  Resubmission in respo	Final printed labels in repsonse to Agency letter dated "Me Too" Application.  Other - Explain below.						
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  * Notification of changes to Storage & Disposal Statements for the "Container Rule".  * Submittal of Electronic Labels.  This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.							
Section - III							
1. Material This Product Will Be Packaged In:							
Child-Resistant Packaging  Yes  No  No			Water Soluble Packaging 2. Type of Yes No			Container  Metal Plastic Glass	
* Certification must be submitted		o. per ontainer Pack	Paper Other (Specify)				pecify)
3. Location of Net Contents I	tainer	5. Lo	ocation of Labe	l Directio	ns		
Label Container  6. Manner in Which Label is Affixed to Product Paper glued Stenciled  Other							
Section - IV							
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)							
Name Garrett B. Schifilliti			Title Senior Regulatory Manager			Telephone No. (Include Area Code) (203) 271-4154	
I certify that the staten I acknowledge that any both under applicable I			imprisonment	•	6. Date Application Received (Stamped)		
2. Signature / Sancitt Substillate			3. Title Senior Regulatory Manager				,
4. Typed Name Garrett B. Schifilliti	/	5. Date	12/02/08				

# Zinc Omadine 48% Dispersion Industrial Microbiostat

#### **ACTIVE INGREDIENT:**

Zinc, 2-pyridinethiol-1-oxide....48% Inert Ingredients..........52% Total.......100%

EPA Reg. No. 1258-841 EPA Est. No. 1258-NY-3

## KEEP OUT OF REACH OF CHILDREN

### DANGER

SEE FIRST AID & ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

MANUFACTURED FOR: Arch Chemicals, Inc. 1955 Lake Park Drive Smyrna, GA 30080

Made in the USA.

OMADINE® is a registered trademark of Arch Chemicals, Inc.

Net Weight 25 Lbs.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mists. Users must wear protective eyewear (goggles, safety glasses, or face shield), long sleeved shirt and long pants, socks, chemical resistant gloves and chemical resistant footwear. Users must wear a fit tested, NIOSH approved full face respirator equipped with a combination organic vapor/P-100 prefilter. When mixing and loading, or cleaning equipment, wear a chemical resistant apron. Wash thoroughly after handling with soap and water, and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

### **FIRST AID:**

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

In case of emergency, for additional information call 1-800-654-6911.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not freeze. Store above 50°F. Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

PESTICIDE DISPOSAL: [For containers > 5 gallons] Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

PESTICIDE DISPOSAL: [For containers < 5 gallons] Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling. We recommend that users contact Arch Chemicals Technical Service for formulation assistance.

Overview: A minimum cost effective use level recommendation can only be established through testing of a specific formulation intended for use in a specific application. Formulations differ in their composition and as a result, of their susceptibility to microbial attack. Conditions of use and the performance expectations differ from product to product. A warranted high performance preserved product, for example, that is under consideration for use in severe tropical environments, is likely to need a high dose of biocide. Testing at biocide use levels would be recommended at 3000, 4000 and 5000 ppm. As the product adds cost to the formulation and as performance requirements need to be met, laboratory and field tests are conducted to establish the antimicrobial performance of this product. An unwarranted preserved product that is not intended for use in severe environments would likely need a lower dose. Again, a recommendation would be made for testing at lower concentrations based on formulation, performance and cost considerations.

DRY FILM PRESERVATION: THIS PRODUCT PROTECTS THE APPLIED DRY FILM ITSELF AND DOES NOT PROTECT THE UNDERLYING SURFACE FROM ATTACK BY ALGAE OR BACTERIA.

For the Dry Film Preservation of Flooring and Other Non-Food Contact Adhesives, Caulks, Sealants, Grouts and Patching Compounds:

Adhesives: For fungal control add 1500 ppm of this product and for bacterial control add 4800 ppm. (Add 1.5 lbs. of this product to 1000 lbs. of adhesive to control fungus and add 4.8 lbs. per 1000 lbs. of adhesive to control bacteria.)

Caulks/Sealants: For fungal control add 4100 ppm of this product and for bacterial control add 10000 ppm of this product. (Add 4.1 lbs. of this product per 1000 lbs. of caulk/sealant to control fungus, add 10 lbs. of this product per 1000 lbs. to control bacteria.)

Grouts/Patching Compounds: For fungal control add 2000 ppm of this product and for bacterial control add 8000 ppm of this product. (Add 2 lb. of this product to 1000 lbs. of grouts/patching compounds to control fungus and 8 lbs. of this product per 1000 lbs. to control bacteria.)

For the Dry Film Preservation of Aqueous Latex and Other Types of Architectural and Industrial Non-Marine Paints and Coatings Including Powder Coatings: Addition of up to 10000 ppm of this product can inhibit the growth of algae, bacterial slime, mildew, and other fungi. It can be added at any time during the formulation procedure. For example, the dry film of a house paint having a density of 10 lbs. per gallon can be protected against the growth of algae, bacterial slime, mildew and other fungi by the addition of 10000 ppm of this product. (Add 10 lbs. of this product to 100 gallons of wet paint.)

For the Dry Film Preservation of Residential Latex Paints Against Fungus or Algae: Use a minimum of 5000 ppm of this product. For maximum protection against the growth of fungus or algae, use 10,000 ppm of this product. For control of bacterial growth on the dry paint film surface, use 5000 ppm of this product. (Add a minimum of 5 lbs. of this product to 100 gallons of wet paint, with a density of 10 lbs per gallon, to control fungus or algae. Add a maximum of 10.0 lbs. of this product to 100 gallons.)

For the Dry Film Preservation of Joint Compounds, Glazing Compounds and Wood Fillers: Addition of up to 10000 ppm (10.0 lbs. of this product per 1000 lbs. of formulation) of this product will inhibit microbial growth (bacteria and fungi) in the dry film of these products. This product can be added at any time during the formulation procedure.

For the Control of Mildew and Bacteria In Styrene Butadiene and Natural Rubber, Thermoplastic Resins, and Textiles Used In the Manufacture of the Following Non-Food/Non Medical Products: Rubber bands, Carpet Fibers; Carpet Backings; Rubber or Rubber Backed Bath Mats; Foam Underlay For Carpets; Synthetic, Non-Leather Materials; Foam Stuffing for Cushions and Mattresses; Wire and Cable Insulation; Vinyl, Linoleum and Synthetic Floor Coverings; Wall Coverings; Plastic Furniture; Athletic Flooring and Mats; Mattress Liners, Covers or Ticking, Molding; Mats; Gaskets; Weather Stripping; Coated Fabrics For Furniture Cushions, Boat Covers, Sails, Tents; Tarpaulins; Awnings; Non-Surgical Rubber Gloves; Garbage Bags, Refuse Containers; Bathtub Appliques; Garden Hose; Non-Potable Water Pipe; Ductwork for industrial, hospital, residential, and commercial heating and cooling; Shower Curtains: Sponge or Fiber Mops: Household Use Sponges: Toilet Brush Receptacles. Toothbrush Receptacles (Non Bristle Contact), Non-Medical Scrub Brushes; Sink Mats and Drain Boards; Storage Containers: Soap Dish Holders: Towel Bars and Components of Footwear. Addition of up to 8000 ppm (8 lbs./1000 lbs. of formulation) of this product can inhibit the growth of mildew & bacteria in styrene butadiene rubber & thermoplastic resins such as vinvl chloride-vinvl acetate copolymers, polyurethanes. polyamides, polyolefins, polystyrene, polyesters and acrylonitrile copolymers. It can be added at a time during the formulation procedure that will insure uniform distribution throughout the polymer system. Add by pouring or by use of metering equipment. For example, to inhibit mildew growth in polyurethane footwear components, add 4000 ppm (4 lbs./1000 lbs. of formulation) of this product to the polyurethane formulation.

For the In Can Preservation of Latex Emulsions, Clay, Mineral, Pigment and Guar Gum Slurries Used In the Manufacture of Adhesives, Caulks, Patching Compounds, Sealants and Grouts: A dosage of up to 10,000 ppm is recommended to control bacteria and fungi. This dosage is equivalent to 10 lbs. of this product per 1000 lbs. of slurry. It may be added at any time during the formulation procedure.

To Inhibit the Growth of Bacteria and Fungi In Dry Wall and Gypsum, Pearlite, Plaster-Like, Mineral Based, or Cellulose Derived Building Materials Used In the Manufacture of Ceilings, Ceiling Tile, Walls and Partitions: Addition of up to 8000 ppm of this product (8 lbs. of product per 1000 lbs. of the formulation, i.e., wet slurry) will inhibit the growth of bacteria and fungi. It can be added at any time during the formulation procedure. Alternatively the product may be added to latex or other types of coating systems routinely applied to the surfaces of walls, ceiling tiles, partitions, etc. at the same dosage as above.

**To Inhibit Bacterial and Fungal Growth On Laundered Fabrics:** Fabrics to be treated include nylon, polypropylene, polyethylene, polyesters, cellulosics and blends of these polymers. At a sour density of 8.3 pounds per gallon, add 6-18 ounces of this product per 1000 lbs dry weight of fabric to reach a use level of 38-112 ppm. Apply to the sour operation and run for a minimum of five minutes. Product is to be used in industrial applications. Product is not intended for use in residential, commercial or institutional settings.

INDIRECT FOOD CONTACT USES: To Control Growth of Bacteria and Fungi In Adhesives Used For Food Packaging: For food packaging adhesives, at use temperatures up to 120°F, and subject to Good Manufacturing Practices, including the conditions specified in 21 CFR 175.105 (a) and (b), add a dosage of 1500 ppm to a maximum of 2000 ppm of this product (1.5 to 2.0 lb. of this product per 1000 lbs. of food packaging adhesive) at a point where thorough mixing will take place.

ZINC OMADINE® PRODUCT LICENSING & PATENT NOTICE This product contains ZINC OMADINE® and may be used in the preparation of paints with zinc oxide in accordance with the label and processes, compositions and methods claimed in U.S. Patents 6,096,122; 5,939,203; 5,883,154; 5,562,995; and 5,518,774; European Patents 0963291; 0857087; and 0807152; and their other corresponding foreign patents. Purchase of this product from Arch Chemicals, Inc. gives the purchaser a nonexclusive license to use this product in the processes, compositions and methods claimed in the above-mentioned patents, and the royalty for this license is incorporated into the purchase price of the product.

(001258-00841.20082611.ZincOmadine48%DispersionLabelContainerRule)