

for the property Sun Protected $^{f e}$ **sticks** ATTE - 250 to proceed and the second of t

Precautionary Statements

HAZAROS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be tatal if swallowed. Do not be tin eyes, on skin, or on clothing. Do not hardle with bare hands. Wear goggles or tace shield and use rubber gloves or only thoroughly clean, dry utensils when thandling, Irritating to nose and throat. Avoid breathing dust and tumes. Remove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment)

11 swallowed: Feed large amounts of milk and/or water and induce vomiting. Call a physician immediately.

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention.

Il inhaled: Remove person to tresh air. Let immediate medical attention.

CHEMICAL HAZARDS

DA NGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirl, organic matter or other chemicals (including other pool chemicals) or any other loreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of lire and explosion. Avoid any contact with flaming or burning material, such as a lighted city on the proposition of the propo

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not contaminate lakes, ponds or streams by cleaning of equipment or disposal of wastes.

equipment or disposal of wastes.

AODITIONAL POOL CARE RECOMMENDATIONS

ph — Maintaining ph In the ideal range of 7, 2-7, 6 is extremely important to the efficacy of your chlorine and swimming comfort. Test for ph often with a suitable test kit. Adjust ph as necessary, using products such as "PACE ph I "linus" or "PACE ph Pluse".

Superchlorination — Superchlorination — It is addition hypochlorite product such as "PACE super Chlorinator & Shock Treatment" is recommended to burn out the organic material your filter can't handle and keep your water sparkling clear. Use as directed on the label, sepically during excessive heat, when bathing loads are high, when water becomes dull looking or hazy, when there is a "chlorine" like small or excessive eye irritation, or after heavy rains.

irritation, or after heavy rains.

Shock Treatment — If aligae appear, shock treat your pool with a calcium hypochlorite product such as "PACE Super Chlorinator & Shock Treatment." Follow label directions An alternate method is to put 2 PACE sticks (approx. 14, 6 oz.) in the skimmer for each 10,000 gailons of water. Run pump and litter until totally dissolved (approx. 2 days). Thoroughly clean pool by scrubbing surface of aligae growth, vacuum, and cycle through filter. Pool should not be used until chlorine residual is from 1.0-3.0 ppm.

TO DETERMINE POOL CAPACITY

Rectangular Pools: Multiply length x width x average depth x 7.5 $\cdot\cdot$ pool capacity (U.S

Round Pools: Multiply radius (½ diameter) x radius x average depth x 23.5 — pool capacity (U.S. gallons).

Olin


CHEMICALS Consumer Products, OLIN Corporation 120 Long Ridge Road, Stamford CT 06904

6PS-379BS



concentrated

pool chlorinating



35

For use in feeders, skimmers or floaters

DIRECTIONS FOR POOL USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

labeling.

PACE concentrated pool chlorinating sticks, containing 89% available chlorine, are designed to dissolve slowly and provide a steady source of available chlorine in swimming pools. Sticks control growth of algae and effectively kill many bacteria, thus helping to keep the pool in a santary condition. One stick weighs approximately 7.3 ounces. If any chlorine residual is present, it is possible to increase the residual in pool water by 5.0 pom by using one stick per 10.000 gallons of water.

For best results, place PACE sticks in the feeder following the manufacturer's directions or into a dissolving basket. Bloating container or the plastic leaf strainer of the surface skimmer. One not permit sticks to contact plastic pool lining or metal objects. Do not throw sticks directly into pool.

START UP

In a clean pool with no visible algae, bring chlorine residual to 1.0-1.5 parts per million (ppm) as follows:

- (ppm) as follows:

 1. For each 10 000 gallons of water, put one HACE stick (approx. 7.3 oz.) in a plastic leaf strainer in the surface stillminer.

 2. Run pump and filter until totally dissolved (approx. 2 days).

 3. Test for chlorine residual, using a suitable test kit.

 4. If obliging residual is religiously a page and one MCC shipt per 20,000 anless, wish.

- J. lest for chlorine residual, using a suitable test kit.

 If chlorine residual is below 1.0 ppm, add one PACE stick per 20,000 gallons, wait until dissolved and check residual. Pool can be used when residual is between 1.0 and 3.0 ppm.

 The day after the pool's chlorine residual reaches 1.0-1.5 ppm use cyanuric acid (e.g. PACE Slabilizer and Conditioner) to stabilize your pool. Follow label directions. Adjust pH to the ideal range of 7.2-7.5.

 An alternate procedure is to use PACE concentrated pool chlorinating granules to achieve an initial chlorine residual of 1.0-1.5 ppm. Follow label directions for start up and then follow Step 5 above.

REGULAR CARE

Place PACE concentrated pool chlorinating sticks in feeder following feeder manufacturer's directions. Alternately, place one PACE stick (approx. 7.3 oz.) in a skimmer or floater for each 10,000 gallons of water each week, or as needed to maintain the pool's chloriner esidual from 1.0-1.5 ppm.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place. EMERGENCY HANDLIME: In case of containnation or decomposition, do not reseal container. It possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

18



RESEARCH CENTER 275 SOUTH WINCHESTER AVENUE, NEW HAVEN, COLINECTICUT 06511

₩ 27

Sun Protected®



16 1979 58-863

UNDER THE AND RODENTICIDE AND PUNOSCID OMIC POISON REGISTER NO.

Sun Protected®



HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be tatal it swallowed. Do not get in eyes, on skin, or on clothing. Do not hardle with bare hands, Wear goggles or face shield and use rubber gloves or only thoroughly clean, dry utensits when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID (Practica) Treatment)

If swallowed: Feed large amounts of milk and/or water and induce vomiting. Call a physician (mmediately,

if on State: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical

If Inhaled; Remove person to fresh air. Get immediate medical attention CHEMICAL HAZARDS

CHEMICAL HACARDS
DA NGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only into water.
Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heart. Ilbertation of hazardous gases, and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use PACE sticks in any effortanting device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion. Do not permit sticks to contact plastic pool linings or metal objects. Do not throw sticks directly into pool.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not contaminate lakes, pends or streams by cleaning of equipment or disposal of wastes.

ADDITIONAL POOL CARE RECOMMENDATIONS

pH — Maintaining pH in the ideal range of 7.2-7.6 is extremely important to the efficacy of your chlorine and swimming comfort. Test for pH often with a suitable test kit. Adjust pH as necessary, using products such as "PACE pH Minus" or "PACE pH Plus"."

Supershiprination — Superchlorination with a calcium hypochlorite product such as
"PACE Super Chlorinator & Shock Treatment" is recommended to burn out the organic
material your filter can't handle and keep your water sparkling clear. Use as directed on
the label, especially during excessive heat, when bathing loads are high, when water
becomes dull looking or hazy, when there is a "chlorine" like smell or excessive eye
irritation, or after heavy rains.

Shock Treatment—If algue appear, shock freat your pool with a calcium hypochlorite product such as "PACE Super Chlorinator & Shock Treatment." Follow laced directions. An alternate method is to put 2 PACE sitcks (approx. 14, 6 oz.) in the skimmer for each 10,000 gallons of water. Run pump and filter until totally dissolved (approx. 2 days). Thoroughly clean pool by scrubbing surface of algue growth, vacuum, and cycle through filter. Pool should not be used until chlorine residual is from 1.0-3.0 ppm.

TO DETERMINE POOL CAPACITY

Rectangular Pools: Multiply length x width x average depth x 7.5 = pool capacity (U.S. gallons).

Round Pools: Multiply radius (1/2 diameter) x radius x average depth x 23.5 = pool capacity (U.S. gallons).

Olin **CHEMICALS** Consumer Products **OLIN** Corporation

120 Long Ridge Road, Stamford, CT 06904

6PS-379RS



concentrated pool chlorinating **sticks**

For use in feeders, skimmers or floaters

DIRECTIONS FOR POOL USE

It is a violation of Federal law to use this product in a manner inconsistent with its

labeling.

PACE concentrated pool chlorinating sticks, containing 89% available chlorine, are designed to dissolve slowly and provide a steady source of available chlorine in swimming pools. Sticks control growth of algae and effectively kill many bacteria, thus helping to keep the pool in a santary condition. Ohe stick weighs approximately 7.3 ounces, if any chlorine residual is present, it is possible to increase the residual in pool water by 5.0 ppm by using one stick per 10,000 galions of water.

For best results, place PACE sticks in the feeder following the manufacturer's directions or into a dissolving basket, floating container or the plastic leaf strainer of the surface skimmer. Oo not permit sticks to contact plastic pool lining or metal objects. Do not throw sticks directly into pool.

START UP

In a clean pool with no visible algae, bring chlorine residual to 1,0-1.5 parts per million (ppm) as follows:

- 1. For each 10,000 gallons of water, put one PACE stick (approx. 7.3 oz.) in a plastic leaf strainer in the surface administr.
- 2. Run pump and filter until totally dissolved (approx. 2 days).
- 3. Test for chlorine residual, using a suitable test kit.
- If chlorine residual is below 1.0 ppm, add one PACE stick per 20,000 gallons, wait until dissolved and check residual. Pool can be used when residual is between 1.0 and 3.0 ppm.
- and 3.6 ppin.

 5. The day after the pool's chlorine residual reaches 1.0-1.5 ppm use cyanuric acid
 (e.g. PACE Stabilizer and Conditioner) to stabilize your pool. Follow label directions.
 Adjust pH to the ideal range of 7.2-7.6.

An alternate procedure is to use PACE concentrated pool chlorinating granules to achieve an initial chlorine residual of 1,0-1.5 ppm. Follow label directions for start up and then follow Step 5 above.

REGINAR CARE

Place PACE concentrated pool chlorinating sticks in feeder following feeder manufacturer's directions. Alternately, place one PACE stick (approx. 7.3 oz.) in a skimmer of Hoaler for seach 10,000 gallons of water each week, or as needed to maintain the pool's chlorine residual from 1.0-1.5 ppm.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Stors in a cool, dry, west-ventilated area away from heat or open fiame. Do not reuse empty container. Risse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place. EMERBENCY MANDLINE: In case of contamination of ecomposition, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

6PS-379LS

