



**OCI™ - 90**

# DRY CHLORINATING COMPOUND

## FOR INDUSTRIAL USE

For repackaging or formulating as a disinfectant, sanitizer, bactericide, fungicide and algicide.

Active Ingredient: Trichloro-s-Triazinetrione . . . . .	99%
Inert Ingredients . . . . .	1%
Available Chlorine . . . . .	89%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER!**

SEE PRECAUTIONARY STATEMENT AND  
FIRST AID INFORMATION ON BACK LABEL

EPA Reg. No. 1258-855

EPA Est. 1258-LA-1

**NET WT. 100 LBS. (45.4kg)**


**Olin CHEMICALS**  
 Consumer Products • Olin Corporation  
 120 Long Ridge Road  
 Stamford, Connecticut 06904

**ACCEPTED**

1258-855

AUG 16 1979

UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT FOR ECONOMIC PEST CONTROL UNDER NO.



### GENERAL DIRECTIONS FOR FORMULATING:

OCI-90 is to be used only for repackaging or formulating as a disinfectant, sanitizer, fungicide, bactericide, and algicide. OCI-90 may be thoroughly mixed with sodium bicarbonate to obtain a formulated product. Before the new product can be lawfully distributed in interstate commerce, registration by the Environmental Protection Agency is required.

### STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat and open flame. Do not reuse empty container. Rinse container thoroughly with water to dissolve all material before discarding. Place empty container in trash collection or dispose of in approved landfill area or bury in a safe place. **EMERGENCY HANDLING:** In case of contamination or decomposition of product, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose or throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

#### FIRST AID (Practical Treatment):

**If Swallowed:** Feed large amounts of milk or water and induce vomiting. Call a physician immediately.

**If on Skin:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

**If in Eyes:** Flush with cold water for at least 15 minutes. Get medical attention.

**If Inhaled:** Remove person to fresh air. Get medical attention.

#### CHEMICAL HAZARDS:

**DANGER:** Strong oxidizing agent. Use only clean, dry utensils. Contamination with moisture, dirt, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat liberation of hazardous gasses, and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. OCI-90 decomposes at 430°-480°F with liberation of heat and harmful gases. Do not use OCI-90 in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

#### ENVIRONMENTAL HAZARD:

This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.

OIC-90-679