

**DANGER**

Avoid contamination—highly corrosive.

**HANDLE WITH CARE**

Contamination may result in fire, explosion and hazardous fumes. Keep away from children. Causes eye damage. Can cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin. DO NOT get in eyes, on skin or on clothing. Avoid inhalation of dust.

**FIRST AID**

**Personal Contact**—brush off excess chemical and flush skin with cold water for at least 15 minutes.

**For Eyes**—flush with cold water for at least 15 minutes. Get immediate medical attention.

**If Swallowed**—feed bread soaked in milk followed by olive oil or cooking oil. Call a Physician immediately.

**STRONG OXIDIZING AGENT**

Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals or other chlorinated granular or tablet products as fire or explosion may result. Use only dry, clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**TO DETERMINE POOL CAPACITY:**

**Rectangular Pools:** Multiply length x width x average depth x 7.5 = pool capacity (U.S. gallons).


**Round Pools:** Multiply radius (1/2 diameter) x radius x average depth x 23.6 = pool capacity (U.S. gallons).

**Olin CHEMICALS**

Consumer Products—OLIN Corporation  
170 Long Ridge Road  
Stamford, CT 06904



**concentrated  
pool chlorinating  
granules**



**DIRECTIONS FOR POOL USE**

Scatter directly over surface of pool. Each ounce of product will provide approximately 0.4 p.p.m. of available chlorine in 10,000 gallons of water.

**START UP**

In a clean pool with no visible algae, bring chlorine residual to 1.0-1.5 p.p.m. as follows:

1. Add 1/2 capful (approx. 3 oz.) of PACE Granules for each 10,000 gallons of water.
2. Test for chlorine residual, using a suitable test kit.
3. If chlorine residual is below 1.0 p.p.m., continue to add PACE Granules at a rate of 1 oz. per 10,000 gallons until this level is reached.

The day after your chlorine residual reaches 1.0-1.5 p.p.m., use cyanuric acid (e.g. PACE Stabilizer & Conditioner) to stabilize your pool. Follow label directions.

Adjust pH to the ideal range of 7.2-7.6.

**REGULAR CARE**

Add 1/2 capful (approx. 3 oz.) of PACE Granules for each 10,000 gallons every other day, or as needed to maintain your chlorine residual from 1.0-1.5 p.p.m.

**ADDITIONAL POOL CARE RECOMMENDATIONS**

**pH**—Maintaining pH in the ideal range of 7.2-7.6 is extremely important to the efficacy of your chlorine and swimming comfort. Test for pH often with a suitable test kit. Adjust pH as necessary, using products such as "PACE pH Minus" or "PACE pH Plus."

**Superchlorination**—Superchlorination with a calcium hypochlorite product such as "PACE Super Chlorinator & Shock Treatment" is recommended to burn out the organic material your filter can't handle and keep your water sparkling clear. Use as directed on the label, especially during excessive heat, when bathing loads are high, when water becomes dull looking or hazy, when there is a "chlorine" like smell or excessive eye irritation, or after heavy rains.

**Shock Treat**—If algae appear, shock treat your pool with a calcium hypochlorite product such as "PACE Super Chlorinator & Shock Treatment." Follow label directions. An alternate method is to add 3 1/2 capfuls (approx. 21 oz.) of PACE Granules for each 10,000 gallons of water. Allow the pool to stand until the chlorine residual drops to 3.0 p.p.m.

SIDE PANEL

