

ACCEPTED
 1022
 UNDER FEDERAL INSECTICIDE
 ACT AND FEDERAL FERTILIZER ACT
 REGISTERED WITH THE ENVIRONMENTAL PROTECTION AGENCY
 (Signature)

13"

AMMO-PHOS Lawn FERTILIZER

2-7 8"
 3 4"

12-12-12

Balan Pr...
 He... Added

MINIMUM ANALYSIS

Total Nitrogen (N)	12%
Avail. Phos. Acid (P ₂ O ₅)	12%
Soluble Potash (K ₂ O)	12%
Sulfur-Combined (S)	10%

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. IN CASE OF CONTACT, FLUSH WITH WATER. IN CASE OF EYES, GET MEDICAL ATTENTION. DO NOT CONTAMINATE FEED OR FOODSTUFFS.

Read carefully and use only as directed. This product, properly applied, kills the seeds of these annual grasses and weeds as they germinate. Annual bluegrass, smooth crabgrass, hairy crabgrass, goosegrass, silver crabgrass, wild rice, foxtail, green foxtail, yellow foxtail and barnyardgrass, watergrass.

When applied according to instructions, these established turf grasses are tolerant. Perennial bluegrass, perennial ryegrass, fescue (except fine leaf), bahiagrass, Bermudagrass, Centipede, St. Augustine and Zoysia.

WHEN TO APPLY: Apply to established turf grasses before annual grasses and weeds germinate. Consult your local agricultural weed specialist for optimum application time for your area.

To control crabgrass, foxtail, barnyardgrass, and goosegrass, apply in late winter or early spring. A second application may be made 4 to 6 months later for continued control of annual weed grasses which germinate in the late summer or fall.


To control annual bluegrass (Poa annual) apply in late summer or early fall or to germination. An additional application may be made 6 months later.

Elimination of heavy infestations of annual bluegrass may result in thin turf areas. Proper fertilizing and watering will fill in these spots.

Re-seeding or overseeding should be delayed at least three months after application of chemical which controls annual weeds may also affect desirable turfgrass seedlings.

Do not apply in the spring on turf planted the previous fall. Do not apply to St. Augustine or dichondra lawns, or to newly sprigged areas of Bermuda grass, Centipede until they are well established.

HOW TO APPLY: For best results, mow lawn and apply Ammo Phos Lawn Fertilizer with Herbicide at the rate of 20 pounds per 1,000 square feet. Use a fertilizer spreader. Apply evenly for best results.



Over	Over	Over
6	5 2/3	6 1/2

Use a fertilizer spreader. Apply evenly for best results.

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. AVOID CONTACT WITH SKIN, EYES AND CLOTHING IN CASE OF CONTACT. FLUSH WITH WATER IN CASE OF EYES. GET MEDICAL ATTENTION. DO NOT CONTAMINATE FEED OR FOODSTUFFS.

Read carefully and use only as directed. This product properly applied will control the annual grasses and weeds as they germinate in the spring and summer. For best results, use this product in the spring and summer.

When applied to established turf areas, it will control and prevent the growth of annual grasses, weeds, and weeds which germinate in the spring and summer. For best results, use this product in the spring and summer.

WHEN TO APPLY: Apply to established turf areas before annual grasses and weeds germinate. Control of broadleaf weeds is best for late summer and fall.

For best results, apply this herbicide to established turf areas in the spring and summer. A second application may be made in the late summer or fall.


For best results, apply this herbicide in late summer or fall. For best results, apply this herbicide in late summer or fall.

Elimination of heavy infestations of annual bluegrass may result in thin turf areas. Proper fertilizing and watering will fill in these spots.

Prevention or overseeded should be delayed at least three months after application as chemical which controls annual weeds may also affect viable turfgrass seedlings.

Do not apply to the same area if you have applied the previous fall. Do not apply to the same area if you have applied the previous fall. Do not apply to the same area if you have applied the previous fall.

HOW TO APPLY: For best results, mow lawn and apply Ammo-Phos lawn fertilizer with Herbicide at the rate of 20 pounds per 1,000 square feet. Use a fertilizer spreader. Apply evenly for best results.



Apply Ammo-Phos Lawn Fertilizer with Herbicide to your lawn.

For best results, mow lawn and apply Ammo-Phos lawn fertilizer with Herbicide at the rate of 20 pounds per 1,000 square feet. Use a fertilizer spreader. Apply evenly for best results.

Dec 22 1976
100-5923

AMMO-PHOS

AMMO-PHOS

Lawn FERTILIZER

Lawn FERTILIZER

\$6.49

COVERS 2,500 SQUARE FEET

AMMO-PHOS
Lawn FERTILIZER

AMMO-PHOS
Lawn FERTILIZER

AMMO-PHOS
LAWN FERTILIZER

AMMO-PHOS

AMMO-PHOS LAWN FERTILIZER

BETASAN® Herbicide added
to control crabgrass, weeds

PESTICIDE GUARANTEE

ACTIVE INGREDIENTS:
S-(10,0-diisopropyl phosphorodithioate) ester of
N-(2-mercapthoethyl) benzenesulfonamide

INERT INGREDIENTS
Total
*U. S. Pat. No. 3,205,253

KEEP OUT OF REACH OF CHILDREN
(See additional Cautions on back panel)

AMMO-PHOS...made only by **Olin** 1/2"

1.44%
98.56%
100.00%

AMMO-PHOS
AND **Olin** ARE
OLIN CORPORATION
TRADEMARKS

AMMO-PHOS
LAWN FERTILIZER

