

**DIRECTIONS FOR NEWLY FILLED POOLS:** At the start of the pool season add HOLD at the rate of 1 ounce (approx. 2 level tbs.) per 1,000 gallons of pool water to control algae and bacteria. Test the chlorine residual with a pool test kit and if below 1.0 to 1.5 ppm chlorine residual repeat dosage until 1.0 to 1.5 ppm is obtained. If pool is not stabilized, it can be stabilized by adding 6 ozs. (approximately 12 level tbs.) per 10,000 gallons every other day for at least 4 weeks.

**SUBSEQUENT DOSAGE:** Subsequently add HOLD at the rate of 3 ozs. (approx. 6 level tbs.) per 10,000 gallons of pool water every other day or as often as needed to maintain a 1.0 to 1.5 ppm chlorine residual. Two level tbs. of HOLD (approx. 1 oz.) per 5,000 gallons of water will provide approximately 1.0 ppm available chlorine

**MAINTENANCE OF PH:** PH should be maintained in the 7.2-7.6 range. **USE A POOL TEST KIT FOR PH AND RESIDUAL CHLORINE DETERMINATION.**

**SUPERCHLORINATION DURING POOL SEASON:** During the pool season superchlorinate with 1 oz. of HOLD (approx. 2 level tbs.) per 1,000 gallons of pool water every two weeks when the pool water temperature is below 80°F. and every week when the average pool water temperature is above 80°F. in order to minimize odors, and control algae. Before entering pool, check the chlorine residual with a pool test kit and if above 2.0 ppm, allow the pool to stand until the chlorine residual drops to 2.0 ppm.

HOLD is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, or ponds.

**DANGER! AVOID INHALATION OF DUST. DO NOT GET INTO EYES, ON SKIN OR ON CLOTHING. STRONG OXIDIZER, CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE**

Keep from contact with clothing and other combustible materials. Do not store near combustible materials. Store in tightly closed container. Remove and wash contaminated clothing promptly. While HOLD by itself is not a combustible material, it must not be mixed or contaminated with any foreign material such as household products, soap products, paint products, solvents, acids, pool chemicals, vinegar, beverages, oils, pine oil, dirty rags, etc. Contamination or mixing with these types of chemicals and products may result in fire and the fire can be of great intensity. Prevent any burning material such as a lighted cigarette from falling into product. Drench fires with water. Flush spilled product with water. Keep in a cool dry place in original container. Always replace container lid. Do not reuse empty container. Wash empty container thoroughly with water and discard.

**ANTIDOTE:** External- flood skin or eyes with plenty of water for 15 minutes. If irritation to skin persists, get medical attention. For eyes- call a physician immediately. Internal- drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil, or beaten eggs. Call a physician immediately.

**Olin CHEMICALS**

Hypochlorite Products Olin Corporation 110 Long Ridge Rd. Stamford Conn. 06304

HTH BRAND

**HOLD™**

**POOL CHLORINE CONCENTRATE**

**DISSOLVES  
QUICKLY AND  
COMPLETELY**



**STABILIZED  
FOR EXTENDED  
CHLORINE LIFE**

ACTIVE INGREDIENT: Sodium dichloro-s-triazinetrione..... 99%  
 INERT INGREDIENTS: ..... 1%  
 \* AVAILABLE CHLORINE: ..... 63%

**DANGER: KEEP OUT OF REACH OF CHILDREN**

**STRONG OXIDIZER**

May Be Fatal If Swallowed. May cause eye damage. May Cause Irritation of Skin, Nose, and Throat. Dust May Be Harmful If Swallowed. Mix only with water. Do not mix with any other pool chemicals. May cause fire if contaminated. See antidote statement and other required statement on back panel.

**NET WT. 5 LBS.**

EPN Reg. # 1258-898

3-11-72  
11-5-77

**DIRECTIONS FOR NEWLY FILLED POOLS:** At the start of the pool season add HOLD at the rate of 1 ounce (approx. 2 level tbs.) per 1,000 gallons of pool water to control algae and bacteria. Test the chlorine residual with a pool test kit and if below 1.0 to 1.5 ppm chlorine residual repeat dosage until 1.0 to 1.5 ppm is obtained. If pool is not stabilized, it can be stabilized by adding 6 ozs. (approximately 12 level tbs.) per 10,000 gallons every other day for at least 4 weeks.

**SUBSEQUENT DOSAGE:** Subsequent add HOLD at the rate of 1 ounce (approx. 2 level tbs.) per 10,000 gallons of pool water every other day or as often as needed to maintain a 1.0 to 1.5 ppm chlorine residual. Two level tbs. of HOLD (approx. 1 oz.) per 5,000 gallons of water will provide approximately 1.0 ppm available chlorine.

**MAINTENANCE OF PH:** PH should be maintained in the 7.2 - 7.6 range. USE A POOL TEST KIT FOR PH AND RESIDUAL CHLORINE DETERMINATION.

**SUPERCHLORINATION DURING POOL SEASON:** During the pool season superchlorinate with 1 oz. of HOLD (approx. 2 level tbs.) per 1,000 gallons of pool water every two weeks when the pool water temperature is below 80°F and every week when the average pool water temperature is above 80°F in order to minimize odors, and control algae. Before entering pool, check the chlorine residual with a pool test kit and if above 2.0 ppm, allow the pool to stand until the chlorine residual drops to 2.0 ppm.

HOLD is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, or ponds.

**CAUTION:** Keep from contact with clothing and other combustible materials. Do not store near combustible materials. Store in tightly closed container. Remove and wash contaminated clothing promptly. While HOLD by itself is not a combustible material, it must not be mixed or contaminated with any foreign material such as household products, soap products, paint products, solvents, acids, pool chemicals, vinegar, beverages, oils, pine oil, dirty rags, etc. Contamination or mixing with these types of chemicals and products may result in fire and the fire can be of great intensity. Prevent any burning material such as a lighted cigarette from falling into product. Drench fires with water. Flush spilled product with water. Keep in a cool dry place in original container. Always replace container lid. Do not reuse empty container. Wash empty container thoroughly with water and discard.

**ANTIDOTE:** External: flush skin or eyes with plenty of water for 15 minutes. If irritation to skin persists, get medical attention. For eye contact, a physician immediately. Internal: drink large quantities of water or milk. Follow with milk if none is available. Get to hospital as soon as possible. Call a physician immediately.

**Olin CHEMICALS**

10000 W. 10th Street, Omaha, Nebraska 68147

HITH BRAND

# HOLD

## POOL CHLORINE CONCENTRATE

**DISSOLVES  
QUICKLY AND  
COMPLETELY**



**STABILIZED  
FOR EXTENDED  
CHLORINE LIFE**

**ACTIVE INGREDIENT:** Sodium dichloro-s-triazinetrione 99  
**INERT INGREDIENTS:** 1  
**AVAILABLE CHLORINE:** 13

**DANGER** - Irritant to eyes, nose and throat.

May be fatal if swallowed. May cause eye damage.

May be fatal if inhaled. May cause respiratory distress.

May be fatal if swallowed. May cause eye damage.

May be fatal if swallowed. May cause eye damage. May cause irritation of Skin, Nose, and Throat. Dust May Be Harmful If Swallowed. Mix only with water. Do not mix with any other pool chemicals. Always use from the recommended. See antidote statement and other important statement on label panel.

**NET WT. 5 LBS.**