BEST AVAILABLE COPY

Olin Corporation 350 Knotter Drive P.O. Box 566 Cheshire, CT 06410-0586

Gentlemen:

Subject: Fast Pace Fool Chlorinating Granules EPA Registration No. 1258-909 Amendment Application of January 15, 1985

1. Submit and/or cite all data required for registration/reregistration of your-product under FIFRA mec. 3(c)(5) when the Agency requires all --registrants of similar products to submit such data.

2. Subsit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the label is enclosed for your records.

We are changing our records to reflect the change in product name from "Hold Fool-Chlorine Concentrate" to "Fast Pace" Fool Chlorinating Granules." From here on, our records will reflect this name as the primary name for which the registration was issued. Inquires for this product should mention this as the primary name.

Sincerely yours,

istillo

Product Manager (32) Disinfectants Branch

<u></u>		 	_	CONCURRENCES			·	
SYMBOL D								
				-				
DATE						[
EPA Form 13	320-1 (4-81)		-		•		OFFI	CIAL FILE COPY

FEB 4 1985

REG# 1258-909

ľ

FRONT PANEL SUN PROTECTED FAST WEW)PACE

Concentrated ' Pool Chlorinating Granules

Active Ingredient: Trichloro-s-triazinetrione - 62.0% Inert Ingredients: 38% Available Chlorine: 5**5**% DANGER

KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and Additional Precautions on Back Panel EPA REG. NO. 1258-909 EPA EST. NO.

NEW WT. 4 LBS. (1.8Kg)

FEB4 1985 U.

SIDE PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER:

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves and only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and was contaminated clothing before reuse.

If in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention. If inhaled: Remove person to fresh air. Get immediate medical attention.

CHEMICAL HAZARDS: DANGIN: Strong oxidizing agent. Use only clean, dry utensil. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use PACE Granules in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion. - ENVIRONMENTAL HAZARD: This product is toxic to fish. Do not contaminate lakes, ponds or streams by cleanin gof equipment or disposal of wastes.

STORAGE AND DISPOSAL: Keep product dry in lightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dfissolve all material before discarding. Securely wrap container in several layers of newspaper and discard in trash. 5

1-

2

EMERGENCY HANDLING: In case of contamination or decomposition, do not reseal container. If possible, isolate container in open and well ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury it in a safe place.

TO DETERMINE POOL CAPACITY: Rectangular Pools: Multiply lenght x width x average x depth x 7.5 = pool capacity (gals.) Round Pools: Multiply radius (1/2 diameter)xradiusxaverage depth x 23.6 = pool capacity.

Consumer Products - OLIN Corporation 120 Long Ridge Road

BACK PANEL SUN PROTECTED FAST PACE

Concentrated Pool Chlorinating Granules ,

- Protects against bacteria and algae
 Stabilized (Sun Protected) for extended chlorine life

 - Fast dissolving • Totally soluble

ł

í

Scatter directly over the surface of the pool

SIDE PANEL

FAST PACE

Concentrated Pool Chlorinating

Granules

. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Directions for Pool Use manner inconsistent with is labeling. Scatter directly over surface of pool. Each ounce of product will provide approximately 0.4 ppm of available chlorine in 10,000 gallons of water.

Start Up In a clean plool with no visible algae, bring chlorine residual to '.0-1.5 ppm as follows:

Add 1/2 capful (approx. 3 oz.) of PACE Granules for each 10,000 gallons of water.
 Test for chlorine residual, using a suitable test kit.
 If chlorine residual is below 1.0 ppm continue to add PACE[®] Granules at a rate of 1 oz. per 10,000 gallons until this level is reached.

The day after your chlorine residual reaches 1.0-1.5 ppm, use cyanuric acid (e.g. PACE Stabilizer & Conditioner) as needed to stabilize your pool. Follow label directions. Adjust pH to the ideal range of 7.2-7.6.

Regular Care

Add 1/2 capful (approx. 3 oz) PACE Granules for each 10,000 gallons every other day, or as needed to maintain your chlorine residual from 1.0-1.5 ppm.

DDITIONAL POOL CARE RECOMMENDATIONS

soda ach

pH - Maintaining pH in the ideal range of 7.2-7.6 is extremely important to the efficiency of your chlorine and swimming comfort. Test for pH often with a suitable test kit. Adjust pH as necessary, using products such as "PACE pH-Plus" or PACE pH-Minus dry Ac Superchlorination - Superchloriantion with a calcium hypochlorite product such as "PACE Super Chlorinator & Shock Treatment" is recommended to burn out the ogranic material your filter can't handle and keep your water sparkling clear. Use as directed on the label, especially during excessive heat, when bathing loads are high, when water becomes dull looking or hazy, when there is a "chlorine" like smell or excessive eye irritation, or after heavy rains.

Shock Treat - If algae appear, shock treat your pool with a calcium hypochlorite product such as "PACE Super Chlorinator & Shock Treatment." Follow label directions. An alternate method is to add 3 1/2 capfuls (approx. 21 oz.) of PACE Granules for each 10,000 gallons of water. Allow the pool to stand until the chlorine residual drops to 3.0 ppm.