


NET WT.  
30 LBS.

**Olin**  
**hth**  
**BAGETTES**



## DRY CHLORINE TABLETS FOR SWIMMING POOLS (60 PRE-MEASURED EASY-TO-USE ½ LB. BAGS)

### ACTIVE INGREDIENT:

Calcium Hypochlorite\* ..... 70%

INERT INGREDIENTS: ..... 30%

\* Available Chlorine ..... 70%

### DIRECTIONS FOR USE IN POOLS THAT ARE NOT STABILIZED OR CONDITIONED.

1. For use in pools of 40,000 gallons or more capacity.
2. For initial chlorination add 1 HTH Bagette for each 8,000 gallons of water. After 4 hours check chlorine residual and if below 0.6 to 1.0 ppm repeat dosage until this chlorine residual is obtained.
3. Apply HTH Bagettes daily or as needed to maintain 0.6 to 1.0 ppm. One 8 oz. HTH Bagette per 40,000 gallons will apply approximately 1.0 ppm available chlorine.
4. Maintain a pH value of 7.2-7.6
5. Use a good pool test kit to determine pH and residual chlorine values.
6. Add HTH Bagettes to surface skimmer, dissolving basket or floating container. Do not permit HTH Bagettes to contact steel or plastic pool lining. Run filter operation 24 hours a day.
7. The bag itself does not dissolve—it's disposable. When the product has dissolved throw bag away and replace with a new one.

### DIRECTIONS FOR STABILIZING POOL WITH CYANURIC ACID AND USING HTH BAGETTES (40,000 GALLONS OR MORE CAPACITY).

## DANGER

KEEP OUT OF THE REACH OF CHILDREN

MAY PRODUCE SEVERE CHEMICAL BURNS.

DO NOT ALLOW CONTACT WITH EYES, SKIN,  
MUCOUS MEMBRANES, OR CLOTHING.

MAY BE HARMFUL OR FATAL IF SWALLOWED

**STRONG OXIDIZER. CONTACT WITH OTHER  
MATERIAL MAY CAUSE FIRE OR EXPLOSION.**

**Keep from contact with clothing and other combus-  
tible materials. Store in tightly closed container.  
Remove and wash contaminated clothing promptly.**

1. While HTH Bagettes by itself is not a combustible material, it must not be mixed or contaminated with any foreign materials such as, household products, soap products, paint products, solvents, acids, pool chemicals, vinegar, beverages, oil, pine oil, dirty rags, etc. Contamination or mixing with these types of chemicals and products may result in fire and the fire can be of great intensity.

2. Prevent any burning material such as a lighted cigarette from falling into any container of HTH Bagettes.

3. If fire occurs, drench with water and cool the surrounding drums and area with water.

4. Keep in a cool, dry, clean place in original container. Always replace cover. Do not store in any other container.

**Calcium Hypochlorite \*** ..... 70%  
**INERT INGREDIENTS:** ..... 30%  
**\* Available Chlorine** ..... 70%

**DIRECTIONS FOR USE IN POOLS THAT ARE NOT STABILIZED OR CONDITIONED.**

1. For use in pools of 40,000 gallons or more capacity.
2. For initial chlorination add 1 HTH Bagette for each 8,000 gallons of water. After 4 hours check chlorine residual and if below 0.6 to 1.0 ppm repeat dosage until this chlorine residual is obtained.
3. Apply HTH Bagettes daily or as needed to maintain 0.6 to 1.0 ppm. One 8 oz. HTH Bagette per 40,000 gallons will apply approximately 1.0 ppm available chlorine.
4. Maintain a pH value of 7.2-7.6
5. Use a good pool test kit to determine pH and residual chlorine values.
6. Add HTH Bagettes to surface skimmer, dissolving basket or floating container. Do not permit HTH Bagettes to contact steel or plastic pool lining. Run filter operation 24 hours a day.
7. The bag itself does not dissolve—it's disposable. When the product has dissolved throw bag away and replace with a new one.

**DIRECTIONS FOR STABILIZING POOL WITH CYANURIC ACID AND USING HTH BAGETTES (40,000 GALLONS OR MORE CAPACITY).**

1. Clean or backwash filter. Adjust pH to 7.2-7.6 range.
2. Chlorinate by adding 1 HTH Bagette for each 8,000 gallons. After four hours check chlorine residual and if below 1.0 to 1.5 ppm repeat dosage until this chlorine residual is obtained.
3. Add cyanuric acid slowly through surface skimmer at the rate of 2 lbs. per 5,000 gallons of water while filter system is operating.
4. Apply HTH Bagettes daily or as needed to maintain 1.0 to 1.5 ppm chlorine residual as measured periodically by a suitable test kit. One HTH 8 oz. Bagette per 40,000 gallons will apply approximately 1.0 ppm available chlorine. Always maintain the pH range between 7.2-7.6 ppm.
5. To prevent build up of algae superchlorinate using one HTH Bagette per 4,000 gallons of water every 14 days when the average pool water temperature is below 80°F. and every 7 days when the water temperature is above 80°F. Before entering pool, check the chlorine residual if above 2.0 ppm allow the pool to stand until the chlorine residual drops to 2.0 ppm.

Note: All ppm on this label represent ppm available chlorine.

**KEEP OUT OF THE REACH OF CHILDREN**

**MAY PRODUCE SEVERE CHEMICAL BURNS.**

**DO NOT ALLOW CONTACT WITH EYES, SKIN, MUCOUS MEMBRANES, OR CLOTHING.**

**MAY BE HARMFUL OR FATAL IF SWALLOWED**

**STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE OR EXPLOSION.**

**Keep from contact with clothing and other combustible materials. Store in tightly closed container. Remove and wash contaminated clothing promptly.**

1. While HTH Bagettes by itself is not a combustible material, it must not be mixed or contaminated with any foreign materials such as, household products, soap products, paint products, solvents, acids, pool chemicals, vinegar, beverages, oil, pine oil, dirty rags, etc. Contamination or mixing with these types of chemicals and products may result in fire and the fire can be of great intensity.

2. Prevent any burning material such as a lighted cigarette from falling into any container of HTH Bagettes.

3. If fire occurs, drench with water and cool the surrounding drums and area with water.

4. Keep in a cool, dry, clean place in original container. Always replace cover. Do not store in any other container.

5. Handle container with care. Do not drop, roll or skid. Keep upright.

6. Dispose of spilled HTH Bagettes by flushing with large amounts of water.

7. Do not reuse empty container. Wash empty container thoroughly with water. Discard clean empty container in a safe place.

**ANTIDOTE: EXTERNAL—Flood skin or eyes with plenty of water for 15 minutes. If irritation to skin persists, get medical attention. For eyes-call physician immediately.**

**INTERNAL—Drink milk, gelatin solution, or egg whites. Follow with milk of magnesia, vegetable oil or beaten eggs. Call physician immediately.**

**This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, or ponds.**

**Olin HTH Bagettes Dry Chlorine Tablets for Swimming Pools will control growth of algae and effectively kill many bacteria.**

**Olin CHEMICALS**

**HYPOCHLORITE PRODUCTS · OLIN CORPORATION  
120 Long Ridge Road, Stamford, Connecticut 06904**

EPA Reg No. 1258 917 AA

Notes: Label for 1/2 dozen bag...

129

**DANGER: KEEP OUT OF THE REACH OF CHILDREN.**  
STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE OR EXPLOSION.  
See antidote statement and other required warning statement on the back panel. Mix only with water. May cause fire if contaminated.  
1/2 LB. (8 oz.)

NOTE: "Directions for Use in Stabilized and Unstabilized Swimming Pools: See directions on the label on the container"

**DANGER:** FATAL OR HARMFUL IF SWALLOWED. MAY PRODUCE SEVERE CHEMICAL BURNS. DO NOT ALLOW CONTACT WITH EYES, SKIN, MUCOUS MEMBRANES, OR CLOTHING. STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE OR EXPLOSION. Keep from contact with clothing and other combustible materials. Do not store near combustible materials. Remove and wash contaminated clothing promptly. While HTH by itself is not a combustible material, it must not be mixed or contaminated with any foreign material such as household products, soap products, paint products, solvents, acids, pool chemicals, vinegar, beverages, oils, pine oil, dirty rags, etc. Contamination or mixing with these types of chemicals and products may result in fire and the fire or explosion can be of great intensity. Prevent any burning material such as a lighted cigarette from falling into product. Drench fires with water. Flush spilled product with water. Keep in a cool, dry place in original container. Discard clean bag in a safe place.

**ANTIDOTE:** External - flood skin or eyes with plenty of water for 15 minutes. If irritation to skin persists, get medical attention. For eyes - call a physician immediately. Internal - drink milk, gelatin solution or egg whites. Follow with milk of magnesia, vegetable oil, or beaten eggs. Call physician immediately.  
HTH is an Olin Corporation trademark  
1169 U. S. Patent Number 3154495  
Hypochlorite Products • Olin Corporation  
120 Long Ridge Road, Stamford, Conn. 06904



ACTIVE INGREDIENT: Calcium Hypochlorite ..... 70%  
INERT INGREDIENTS: ..... 30%  
Available Chlorine ..... 70%  
EPA Reg. No. 1258-917