Directions For USE. To destroy moldew anoid, and forago one occars on application of which rough was a drog, use the following procedure.

ាក់ តែបានប្រជាពលមាន ម<mark>ាជាមាន ២. មិន ទៅសមាន ភពលី ម៉ាន់នេះ គ្រ With បានស</mark>្រាប់ ប្រជាពលមាន បានប្រើបានប្រើបាន បានប្រ ការប្រជាពលមាន បានប្រជាពលមាន មិន មិនិយា នៃព្រះបានប្រជាពលមាន ប្រជាពលមាន បានប្រជាពលមាន បានប្រជាពលមាន បានប្រើបានប ប្រជាពលមាន បានប្រជាពលមាន បានប្រជាពលមាន បានប្រជាពលមាន បានប្រជាពលមាន បានប្រជាពលមាន បានប្រជាពលមាន បានប្រជាពលមាន ប

The solution of the solution o

- . So see and prove thatensis and also a
- . Wash with a good detergent or compatible cleans.
- 3. Bit so with clean water
- Sanctive in an Olin Super Similizer solution of level the in 5 gals of waters supprior 175 ppm/. Immerse all utensils for at least two minutes. Place sand thred utensils on a rack or drainboard to air dry.

Birdbaths. To aid in the control of the growth of algae and bacteriz rinse clean birdbath regularly with Olin Super Sanitizer solution (1 level this of Olin Super Sanitizer per gal of water) (approx 845 ppm). After 2 minutes rinse with clean water and refill.

NOTE. All ppm on the label represent ppm available chloring

warning! May be Fatal or Harmful of Swalloweri. May produce chemical burns. Do not get on skin or in eyes. Avoid breathing spray 1921. In case of skin and eye contact flish with plenty of water it in station percent. Get medical attention. For eyes, get prompt medical attention. Strong exidere. Do not one with anything but water. For eyes result from contact with heat needs, organic, combosoble is to an avoid result from contact with heat needs, organic, combosoble is to an automate or one household products soap products paint to a test and the solvent products of the household products soap products paint to be a test and forming materials of the lighter against before this question according to be seen as the paint of th



FOR HOUSEHOLD USE



AVAILABLE CHLORINE

ACTIVE INGREDIENT - Catolian Hypotherical INERT INGREDIENTS

12

WARNING
KEEP OUT OF REACH OF CHILDREN
SEE WARNING STATEMENT OF CHILDREN

NET WT 2 185

Clin offmo.

HV - HI - HILL PHIP CO. The Superior Services

DIRECTIONS FOR USE: To destroy mildew, mold, and fungus on contact on asphalt and wood roofs and siding, use the following procedure:

(1) Clean roof or siding by brushing and hosing with clean water. (2) Mix 4 level tbs. (approx. 3,380 ppm) of Olin Super Sanitizer per one gal. of water. (3) Apply solution liberally with a brush, sponge or spray to roof and siding. (4) Thirty minutes after application, rinse by thoroughly hosing with clean water. (5) Repeat application when new growth appears. (6) CAUTION: This solution may burn or discolor foliage or lawn around the house. Protect or prevent foliage from coming in contact with solution on surfaces coated with old lead or oil paint. Colors and surfaces may be bleached or faded by this treatment. Thoroughly flush with water all plants or ground around plants coming in contact with solution.

Deodorizing and Disenfecting Toilets, Washbowls, and Lavatory Floors, Refuse containers, doghouses, and cat litter boxes.

(1) Wash with a good detergent. (2) Mix 1 level ths. (approx. 845 ppm) of Olin Super Sanitizer per gal. of water. (3) Wipe washbowls, faucets, and toilet seats with solution. Swab lavatory floors with solution. Rinse clean refuse containers, doghouses, and cat litter boxes with solution. For toilet bowls add 1 level ths. (approx. 1130 ppm) to the residual water in the bowl and swab with this solution. Sanitizing glasses, dishes, food utensils.

- 1. Scrape and prewash utensils and glasses.
- 2. Wash with a good detergent or compatible cleaner.
- 3. Rinse with clean water.
- 4. Sanitize in an Olin Super Sanitizer solution. (1 level this. in 5 gals. of water) (approx. 175 ppm). Immerse all utensils for at least two minutes. Place sanitized utensils on a rack or drainboard to air dry.

Birdbaths: To aid in the control of the growth of algae and bacteria rinse clean birdbath regularly with Olin Super Sanitizer solution (1 level tbs. of Olin Super Sanitizer per gal. of water) (approx. 845 ppm). After 2 minutes rinse with clean water and refill.

NOTE: All ppm on the label represent ppm available chlorine.

warring! May Be Fatal or Harmful if Swallowed. May produce chemical burns. Do not get on skin or in eyes. Avoid breathing spray mist. In case of skin and eye contact, flush with plenty of water. If irritation persists, get medical attention. For eyes, get prompt medical attention. Strong oxidizer. Do not mix with anything but water. Fire may result from contact with heat, acids, organic, combustible or foreign materials such as household products, soap products, paint products, solvents, pool chemicals, pine oil, dirty rags, etc. Prevent any burning material such as a lighted cigarette from falling in this container Flush spilled product by flushing with water. Drench fire with water. Keep in a cool, dry place in original container. When measuring, use only a clean, plastic or enamel spoon. Always replace cap. Do not reuse empty container. Wash empty container thoroughly with water and discard empty container in safe place.

