



Terrazole

25% EMULSIFIABLE

For Commercial Use Only
Controls certain soil-borne diseases
of ORNAMENTALS

ACTIVE INGREDIENT	
5-Ethyl-3-thiothiuronium(1,2,4)-thiazole-6-yl	25.0%
INERT INGREDIENTS**	
TOTAL	
100.0%	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
KEEP OUT OF REACH OF CHILDREN
DANGER

Excessive causes nausea, dizziness, drowsiness, and loss of consciousness. Do not inhale vapors. Do not get in eyes, on or in clothing. Wear goggles and protective clothing. Wash thoroughly with soap and water after handling. Do not eat, drink, or smoke while handling.

STATEMENT OF PRACTICAL TREATMENT (First Aid Procedures)

If swallowed: Do not induce vomiting. Drink or sip a large quantity of milk, egg whites, or light-colored oil. Do not eat. Do not drink large quantities of water. A physician should be consulted for medical attention.
If in eyes: Flush with plenty of water for medical attention.
If on skin: Wash with plenty of soap and water. Do not use oil or alcohol on affected areas.
If inhaled: Remove to fresh air.
Note to Physician: Product causes mild irritation and the presence of petroleum products in soil. Do not use on plants with sensitive diseases.

ENVIRONMENTAL HAZARDS
Do not apply directly to lakes, ponds, or streams. Do not use on plants with sensitive diseases.

PHYSICAL OR CHEMICAL HAZARDS
Flammable liquid. Do not use near open flames.

DIRECTIONS FOR USE

For use on ornamental plants, trees, shrubs, and vines. Do not use on food crops.

GENERAL INFORMATION
Terrazole is a soil fungicide for control of damping-off, root and stem diseases caused by *Fusarium* and *Phytophthora*.
Use only at recommended rates. Do not use on plants that are stressed. Do not mix with other chemicals other than those listed. Do not use this product on plants.

RECOMMENDATIONS
For bedding and bench plants, trees with water in a soil depth of four to six inches and large plants. The directions below should be carefully followed to assure uniform application of the fungicide. To improve penetration of the fungicide, the directions should be followed with an equal quantity of water applied either by sprinkling or irrigation.

- BEDDING PLANTS**
Alyceae, Cactaceae, Chrysanthemum, Coleus, Datura, Euphorbia, Marigold, Passiflora, Fuchsia, Solanum, Staphylea, Verbena, Verbena, Zinnia.
- FOLIAGE PLANTS**
Anemone, Antigonon, Amaryllidaceae, Begonia, Calla, Calceolaria, Cyclamen, Fuchsia, Geranium, Impatiens, Nippon-Icarus, Poinsettia, Primula, Ranunculus, Spigelia.
- HERBACEOUS AND WOODY**
Asteraceae, Begonia, Chrysanthemum, etc.

- BEDDING PLANTS** (Four to six deep) - Add 1/2 to 1 to 25 gallons of water and apply by hand or flood bed with a hose. Repeat applications as needed. Do not use this product on plants with sensitive diseases.
- TROPICAL FOLIAGE, HERBACEOUS and WOODY PLANTS** (Four to six deep) - Add 1/2 to 1 to 25 gallons of water and apply by hand or flood bed with a hose. Repeat applications as needed. Do not use this product on plants with sensitive diseases.
- Bed and Bench Plantings** - Add 1/2 to 1 to 25 gallons of water and apply by hand or flood bed with a hose. Repeat applications as needed. Do not use this product on plants with sensitive diseases.
- Pot Plantings** - Use 1/2 to 1 to 25 gallons per 100 sq. ft. of soil. Do not use this product on plants with sensitive diseases.

STORAGE AND DISPOSAL

PROHIBITIONS - Do not use this product on food crops. Do not use on plants with sensitive diseases. Do not use on plants with sensitive diseases.

ACCEPTED
MAY 14 1982
U.S. Federal Insecticide, Fungicide, and Rodenticide Act
EPA REG. NO. 100-100-0100

1258-931

NET CONTENTS
55 GALLONS