



CCH®

(Commercial Calcium Hypochlorite)

For formulating or repackaging of products for use as Economic Poisons (algae and bacteria)

Active Ingredient-Calcium Hypochlorite*65%
Inert Ingredients. 35%
*AVAILABLE CHLORINE.65%

DANGER:

KEEP OUT OF REACH OF CHILDREN

MAY PRODUCE SEVERE CHEMICAL BURNS. DO NOT ALLOW CONTACT WITH EYES, SKIN, MUCOUS MEMBRANES, OR CLOTHING. FATAL OR HARMFUL IF SWALLOWED.

STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE OR EXPLOSION.

EPA REG NO 1258-938-AA-50607

Olin CHEMICALS

Consumer Products ♦ Olin Corporation

120 Long Ridge Road, Stamford, Conn. 06904

100 LBS. NET

ACCEPTED
FEB 23 1973
UNITED STATES FEDERAL INSECTICIDE
FUNGICIDE AND REPLICANT CIDE ACT
FOR ECONOMIC POISON REGISTRATION
EPA UNIT NO. 1258-938-938

Keep from contact with clothing and other combustible materials. Do not store near combustible materials. Store in tightly closed container. Remove and wash contaminated clothing promptly.

1. While CCH by itself is not a combustible material, it must not be mixed or contaminated with any foreign material such as, household products, soap products, paint products, solvents, acids, pool chemicals, vinegar, beverages, oil, pine oil, dirty rags, etc. Contamination or mixing with these types of Chemicals and products may result in fire and the fire can be of great intensity.
2. Prevent any burning material such as a lighted cigarette from falling into any containers of CCH.
3. If fire occurs, drench with water and cool the surrounding drums and area with water.
4. Use only a clean, dry, metal cup to measure CCH. Any contamination or foreign matter on the cup may result in fire.
5. Keep in a cool, dry, clean place in the original container. Always replace cover. Do not store in any other container.
6. Handle container with care. Do not drop, roll, or skid. Keep upright.
7. Dispose of spilled CCH by flushing with large amounts of water.
8. Do not reuse empty container. Wash empty container thoroughly with water. Discard clean empty container in a safe place.

ANTIDOTE: EXTERNAL – Flood skin or eyes with plenty of water for 15 minutes. If irritation to skin persists, get medical attention. For eyes – CALL PHYSICIAN

IMMEDIATELY. INTERNAL – Drink milk, gelatin solution or egg whites. Follow with milk of magnesia, or vegetable oil. CALL PHYSICIAN IMMEDIATELY.