Important — Federal law requires that treated seed be dyed to impart an unnatural color and that bags containing treated seed shall be labeled with the following information:

This seed has been treated with

Pentachloronitrobenzene and

5-Ethoxy-3-(trichloromenthyl)-1,2,4-thiadiazole

### WARNING

DO NOT USE FOR FEED, FOOD OR OIL PURPOSES.
STORE AWAY FROM FEEDS AND FOODSTUFFS

#### USE CAUTIONS

This product is toxic to fish. Keep out lakes, streams and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DESTROY THIS CONTAINER WHEN EMPTY - NEVER REUSE.

## COMBUSTIBLE LIQUID.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Keep container closed. Use with adequate ventilation.

#### NOTICE TO BUYER

Seller makes no warranty express or implied, by operation of law or otherwise, except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of his product contrary to label instructions, or under abnormal conditions, or in combination with other materials or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special consequential or contingent damages arising from a breach of this warranty.

Terra-Coat, \* Terraclor, \* Terrazole, \* and Olin are trademarks of Olin Corporation ACCEPTED

# Terra-Guat 205-LF

## SEZD TREATMENT FUNCICIDE

Terraclor\* Plus Terrazole\*

WITH DYE

**ACTIVE INGREDIENTS:** 

INERT INGREDIENTS:

Pentachloronitrobenzene
5-Ethoxy-3-(trichlorometnyl)-1,2,4-thiadiazole\*

5.8% 71.0%

23.2%

TOTAL 100.0%

Contains 2 lbs. of Pentachloronitrobenzene and 0.5 lb of 5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole per U S gatlon at 68 F.
\*US Patents 3,260 588 and 3,260 725 others pending

# WARNING KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED. Do not inhale spray mist. Do not get on skin, on clothing or in eyes. May cause skin irritation. Wash thoroughly all exposed skin. Contact may be harmful. Wash thoroughly all contaminated clothing before reuse. In case of eye contact, flush with plenty of water Do not contaminate feed or foodstuffs.

**\*\*LOW FREEZE FORMULA:**—This product is formulated in a special solvent to enable storage down to minus (-) 20° F.

AGRICULTURAL DIVISION CITTLE ROCK ARKANSAS

OLIN CORPORATION

#### DIRECTIONS FOR USE

Controls certain seed and soil-borne seedling diseases. Apply Terra-Coat 205-LF undiluted directly to seed (or mix with one to two parts of water as required for optimum seed coverage) at dosage rates indicated in the chart below. This product contains a dye to indicate treated seed.

Planting Seeds	Application Rates in fluid ounces	Seedling Disease Complex
Barley	2 - 4 oz. bushel	Covered Smut
Beans	2 oz. bushel	Rhizoctonia, Phythium, Thielaviopsis and Fusarium
Corn	2 oz. 100 lbs.	
Cotton	12-16 oz./100 lbs.	
* <u>Pe</u> anuts	2 - 4 oz. 100 los.	
Peas	2 - 4 oz. bushel	
Sorghum	2 oz. 100 lbs.	
Soybeans	2 - 4 oz. bushel	
Rice	2 - 4 oz. bushel	
Safflower	2 - 4 oz. 100 lbs.	Seed-borne rust, Rhizoctonia, Phythium, Thielaviopsis and Fusarium
Sugar Beet	6 - 12 oz 100 lbs.	Aphanomyces, Rhizoctonia, Phythium, Thielaviopsis and Fusarium
Wheat	2 oz bushel	Common Smut or Bunt, Rhiz- octonia, Phythium, Thiela- viopsis and Fusarium

\*Note. In the treatment of Peanuts, do not dilute with water

LR494-01W

EPA Reg. No. 1258-944

W. 2 13/3

124,8-94

important — Federal law requires that treated seed be dyed to impart an unnatural color and that bags containing treated seed shall be labeled with the following information:

This seed has been treated with

Pentachloronitrobenzene and

5-Ethoxy-3-(trichloromenthyl)-1,2,4-thiadiazole

#### WARNING

DO NOT USE FOR FEED, FOOD OR OIL PURPOSES.
STORE AWAY FROM FEEDS AND FOODSTUFFS

#### USE CAUTIONS

This product is toxic to fish. Keep out lakes, streams and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DESTROY THIS CONTAINER WHEN EMPTY - NEVER REUSE.

### COMBUSTIBLE LIQUID.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Keep container closed. Use with adequate ventilation.

#### NOTICE TO BUYER

Seller makes no warranty express or implied by operation of law or otherwise except that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty shall not extend to the use of this product contrary to label instructions or under abnormal conditions, or in combination with other materials or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any injury or damage resulting from such use. Seller shall not be responsible for special, consequential or contingent damages arising from a breach of this warranty.

Terra-Coat, \* Terraclor, \* Terrazole, \* and Olin are trademarks of Olin Corporation

# Terra-Guat 205-LF

# SEED TREATMENT FUNCICIDE

Terraclor\* Plus Terrazole\*

WITH DYE

**ACTIVE INGREDIENTS:** 

Pentachloronitrobenzene
5-Ethoxy-3-(trichlorometnyl)-1,2,4-thiadiazole\*

23.2°° 5.8°°

INERT INGREDIENTS:

71.0°°

TOTAL 100.0%

Contains 2 lbs. of Pentachlorunitrobenzene and 0.5 lb. of 5-Erhoxy-3 trichloromethyl 1.2.4 thiadiazole per U. S. gallor at 68. F. 1U.S. Patents 3.060,588 and 3.260,725, others hending

# WARNING KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED Do not phale spray mist. Do not get on skin on clothing or in eyes. May cause skin irritation. Wash thoroughly all exposed skin. Contact may be karnt. Wash thoroughly all contaminated clothing before reuse. In case of eye contact, flush with plenty of water. Do not contaminate feed or foods: 1fs.

\*\*Thus product is formulated in a special solvent to enable storage down to minus (-) 20° F.

AGRICULTURAL DIVISION Clin

OLIN CORPORATION

#### DIRECTIONS FOR USE

Controls certain seed and soil-borne seedling diseases. Apply Terra-Coat 205-LF undiluted directly to seed (or mix with one to two parts of water as required for optimum seed coverage) at dosage rates indicated in the chart below. This product contains a dye to indicate treated seed.

Planting Seeds	Application Rates in fluid ounces	Seedling Disease Complex
Barley	2 - 4 oz bush€l	Covered Smut
Beans	2 oz bushel	
Corn	2 oz. 100 lbs.	Rhizoctonia, Phythium,
Cotton	12-16 oz./100 lbs.	Thielaviopsis and
*Peanuts	2 - 4 oz. 100 lbs.	Fusarium
Peas	2 - 4 oz bushel	
Sorghum	2 oz 100 lbs	
Soybears	2-4 oz bushel	
Rice	2 - 4 oz bushel	
Saffiower	2 - 4 oz = 100 lbs	Seed-borne rust, Rhizoctonia, Phythium, Thielaviopsis and Fusarium
Sugar Beet	6 - 12 oz 100 lbs	Aphanomyces, Rhizoctonia, Phythium, Thielaviopsis and Fusarium
Wheat	2 oz - bushe'	Common Smut or Bunt, Rhiz- octonia, Phythium, Thiela- viopsis and Eusarium

<sup>\*</sup>Note In the treatment of Peanuts, do not dilute with water

LR494-01W

EPA Reg. No. 1258-944

17. 23.1373

ACCEPTED

121,6-74