

**PRECAUTIONARY STATEMENTS:**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER:** Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

**PERSONAL PROTECTIVE EQUIPMENT(PPE):**

Applicators and other handlers must wear: long sleeved shirt and long pants, socks and shoes, chemical-resistant gloves (such as rubber or waterproof gloves), goggles and face shield.

**USER SAFETY REQUIREMENTS:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact our State Water Board or Regional Office of the EPA

**TRIADINE® 10**  
**INDUSTRIAL MICROBIOSTAT**

**Active Ingredients:**

Sodium 2-pyridinethiol-1-oxide	6.56%
Hexahydro-1,3,5-tris (2-hydroxyethyl)-s-triazine	65.9%
Inert Ingredients	27.54%
Total	100.0%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**


**SEE SIDE PANEL FOR FIRST AID & ADDITIONAL PRECAUTIONS**

**Net Wt 25 Lbs.**

**ARCH CHEMICALS, INC.**  
**501 MERRITT SEVEN**  
**NORWALK, CT 06856**

**EPA Reg. No. 1258-990**  
**EPA Est. No. 1258-NY-3**

**Triadine® is a registered trademark of Arch Chemicals, Inc.**



**FIRST AID:** IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.  
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Avoid alcohol. Do not give anything by mouth to an unconscious person.  
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container or label with you when calling a poison control center or doctor or going for treatment.  
In case of emergency, for additional information call 1-800-654-6911.

**CHEMICAL HAZARDS:** Do not store or mix with strong oxidizing agents or strong (concentrated) acids. In case of contamination, do not reseal container. If possible, isolate container in open air or well-ventilated area. Fumes caused by contamination may be hazardous.

1258-990

10/6/2004

Page 183

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

**STORAGE AND DISPOSAL:**

This pesticide is a chelating agent and should not be used with other chelating agents or chlorine. Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Do not store above 100 degrees F. (38 deg. C.). Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Do not reuse empty container. Triple rinse container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**FOR THE IN-CAN PRESERVATION OF LATEX EMULSIONS USED IN ADHESIVES, CAULKS, PATCHING COMPOUNDS, SEALANTS, PASTES GROUTS AND PAINTS:** To inhibit microbial growth in latex emulsions for a period of up to 1 year, a dosage of up to 1500 ppm of this product (0.15 lbs. of this product per 100 lbs. of emulsion) is recommended. This product may be added at any time during the formulation procedure by pouring from the container.

**FOR THE PRESERVATION OF AQUEOUS ANALYTICAL AND DIAGNOSTIC REAGENTS USED IN CHEMICAL AND CLINICAL ANALYSIS:** Addition of 300 ppm to 500 ppm of this product inhibits the growth of bacteria in aqueous analytical and diagnostic reagents (0.03 lb. to 0.05 lb. of this product per 100 lbs. of reagent).

**IN AQUEOUS SYNTHETIC FIBER LUBRICANTS (SPIN FINISHES):** Addition of up to 1000 ppm of this product will inhibit the growth of bacteria and the formation of slime in synthetic fiber lubricants for periods of two to four weeks during use. (0.1 lb. of this product per 100 lbs. of lubricant).

**IN AQUEOUS-BASED INKS:** Addition of up to 5000 ppm of this product will inhibit the growth of bacteria and fungi in aqueous-based inks. (0.5 lbs. of this product per 100 lbs. of ink).


**TO INHIBIT THE GROWTH OF BACTERIA AND FUNGI IN AQUEOUS METALWORKING, CUTTING, COOLING AND LUBRICATING FLUIDS:** Add up to 2000 ppm (0.2% v/v) of this product to the solution (20 gallons per 10,000 gallons) by pouring from container as needed. When adding fresh, diluted fluid to compensate for dragout or other losses, add this product to the make-up fluid according to the above directions.

Frequent checks (at least once a week) of the bacterial and fungal population in the system should be made using standard microbiological plate count procedures or any of the commercial "dip-stick" type devices. When the bacterial count reaches  $10^7$  and/or the fungal count reaches  $10^3$  organisms per ml, add additional product at the initial dosage rate.

The fluid should be checked at least once a day with a refractometer (or other suitable means) to determine if water loss by evaporation has occurred. Make-up water should be added daily to compensate for such losses.

The fluid should be monitored at least once a week (depending on the metalworking operation involved) for the following: Tramp oil, pH, odor, oil droplet size, and anticorrosion properties. If any of these parameters are outside of the specifications established for the system in question, they should be brought up to the specifications by the addition of suitable additives or the fluid should be discarded and replaced after cleaning the system.

Add this product to the fresh fluid according to the above directions. Contaminated fluid systems should be cleaned prior to the initial addition of this product. Drain the system, clean with a cleaner designed for this purpose, rinse with water and refill with fresh fluid. This product may be added to the fluid at the time it is prepared (diluted) or to the reservoir (sump) containing the fluid after it is put into use. If it is added to the reservoir, the fluid should be circulated after addition to ensure mixing.



383

**TO INHIBIT THE GROWTH OF BACTERIA AND FUNGI IN METALWORKING, CUTTING, COOLING AND LUBRICATING FLUID CONCENTRATES:** Add an amount that will give up to a 2000 ppm solution. The amount required in the concentrate will depend on the end use dilution. To calculate the correct amount of this product to incorporate into the concentrate:

1. Determine the desired dose of this product required for the dilute fluid (i.e., 0.2% or 2000 ppm).
2. Determine end-use concentration of the fluid (i.e., 0.05 or 5%).

Divide the required dose of this product by the end-use concentration of the fluid (i.e.,  $0.2/0.05 = 4$ ), then 4% (by weight based on total batch weight of coolant concentrate) is the amount of this product to incorporate into the fluid concentrate so that a 5% dilution will contain 2000 ppm of this product

The following chart describes other dilutions:

<u>Level of Triadine 10 Desired In End-Use Diluted Fluid</u>	<u>End Use Dilution of Conc.</u>	<u>Amt. Of Triadine 10 to Add to Concentrate</u>
2000 ppm	5%	4% (40,000ppm) 40 gal./1000 gal.Conc
1500 ppm	5%	3% (30,000ppm) 30 gal/1000 gal Conc.
1000 ppm	5%	2% (20,000ppm) 20 gal/1000 gal conc.
2000 ppm	4%	5% (50,000ppm) 50 gal/1000 gal.conc.
1500	4%	3.75% (37500ppm) 37.5gal/1000 galconc.
1000	4%	2.5% (25,000ppm) 25 gal/1000 gal conc

**ACCEPTED**

OCT 06 2004

Under the Federal Insecticide, Fungicide, and  
Rodenticide Act as amended, for the  
pesticide, registered under  
EPA Reg. No. 1258-996