# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JAN 1 5 2009



# EPA United States Environmental Protection Office of Pesticide Programs

Arch Chemical, Inc. 1955 Lake Park Drive, Suite 100 Smyrna, GA 30080

Attention: Garret B. Schifilliti

Senior Regulatory Manager

Subject: Triadine 10 Industrial Microbiostat

EPA Registration No. 1258-990

Your Amendment Dated December 16, 2008

This will acknowledge receipt of your notification of changes to the Storage and Disposal Statements for the "Container Rule", submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification dated December 18, 2008 is in compliance with PR Notice 98-10 and is acceptable. This Notification has been added to your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell Product Manager (33)

Regulatory Management Branch 1

Antimorobials Division (7510C)

33 Please read instructions on reverse before compleung form.	Form	Approved	2070-0060.	Approval expires 2-28-95	
SEPA Environmental Protect Washington, DC	Registra Amendn  ✓ Other	tion	PP Identifier Number		
Applica	tion for Pesticide - Se	ection I	<del></del>		
1. Company/Product Number 1258- 990		2. EPA Product Manager  Marshall Swindell  ✓ None Restricted			
4. Company/Product (Name) Triadine 10 Industrial Microbiostat	PM#	11.1			
5. Name and Address of Applicant (Include ZIP Code)  Arch Chemicals, Inc.  1955 Lake Park Drive  Smyrna, GA 30080  Check if this is a new address	(b)(i), my produ to:	EPA Reg. No.			
	Section - II	<u> </u>		,	
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.  Explanation: Use additional page(s) if necessary. (For sec * Notification of changes to Storage & Disposal Statements for * Submittal of Electronic Label. This notification is consistent with the provisions of PR Notice 9 labeling or the confidential statement of formula of this product. EPA. I further understand that if this notification is not consistent.	Agency "Me To Other -  ction I and Section II.) the "Container Rule".  8-10 and EPA regulations at 40 C I understand that it is a violation nt with the terms of PR Notice 98-	of 18 U.S.C. Sec: 1001 t 10 and 40 CFR 152.46,	r changes ha	ke any false statement to	
FIFRA and I may be subject to enforcement action and penaltie	s under sections 12 and 14 of FIF	RA.	<del></del>		
1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging  Yes No No  * Certification must be submitted  Unit Packaging  Yes No  If "Yes" Unit Packaging wgt.		er	Container  Metal Plastic Glass Paper Other (Spe	cify)	
Label Container	Retail Container  thograph	5. Location of Lebel Directions Other			
Section - IV					
Contact Point (Complete items directly below for identific		ed, if necessary, to pre	ocess this en	oplication.)	
Name Garrett B. Schifilliti	Title Senior Regulatory Manag			elephone No. (Include Area Code) 203) 271-415	
Certification    certify that the statements   have made on this form and all attachments thereto are true, accurate and complete.    acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or    both under applicable law.					
2. Signature / Sant Schiefellich	3. Title Senior Regulatory Manager	tie Control Co			
4. Typed Name	5. Date			,	

Garrett B. Schifilliti

12/16/08

# TRIADINE® 10 INDUSTRIAL MICROBIOSTAT

### **ACTIVE INGREDIENTS:**

EPA Reg. No. 1258-990 EPA Est. No. 1258-NY-3

#### KEEP OUT OF REACH OF CHILDREN

## DANGER

SEE FIRST AID & ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

MANUFACTURED FOR: Arch Chemicals, Inc. 1955 Lake Park Drive Smyrna, GA 30080

Made in the USA.

TRIADINE® is a registered trademark of Arch Chemicals, Inc.

Net Weight 25 Lbs.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER: Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

## PERSONAL PROTECTIVE EQUIPMENT(PPE):

Applicators and other handlers must wear: long sleeved shirt and long pants, socks and shoes, chemical-resistant gloves (such as rubber or waterproof gloves), goggles and face shield.

**USER SAFETY REQUIREMENTS:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing.

#### FIRST AID:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

In case of emergency, for additional information call 1-800-654-6911.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS: Do not store or mix with strong oxidizing agents or strong (concentrated) acids. In case of contamination, do not reseal container. If possible, isolate container in open air or well-ventilated area. Fumes caused by contamination may be hazardous.

**STORAGE AND DISPOSAL**: This pesticide is a chelating agent and should not be used with other chelating agents or chlorine. Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not store above 100 degrees F. (38 deg. C.). Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

PESTICIDE DISPOSAL: [For containers > 5 gallons] Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

PESTICIDE DISPOSAL: [For containers < 5 gallons] Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**DIRECTIONS FOR USE**: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

FOR THE IN-CAN PRESERVATION OF LATEX EMULSIONS USED IN ADHESIVES, CAULKS, PATCHING COMPOUNDS, SEALANTS, PASTES GROUTS AND PAINTS: To inhibit microbial growth in latex emulsions for a period of up to 1 year, a dosage of up to 1500 ppm of this product (0.15 lbs. of this product per 100 lbs. of emulsion) is recommended. This product may be added at any time during the formulation procedure by pouring from the container.

FOR THE PRESERVATION OF AQUEOUS ANALYTICAL AND DIAGNOSTIC REAGENTS USED IN CHEMICAL AND CLINICAL ANALYSIS: Addition of 300 ppm to 500 ppm of this product inhibits the growth of bacteria in aqueous analytical and diagnostic reagents (0.03 lb. to 0.05 lb. of this product per 100 lbs. of reagent).

**IN AQUEOUS SYNTHETIC FIBER LUBRICANTS (SPIN FINISHES):** Addition of up to 1000 ppm of this product will inhibit the growth of bacteria and the formation of slime in synthetic fiber lubricants for periods of two to four weeks during use. (0.1 lb. of this product per 100 lbs. of lubricant).

**IN AQUEOUS-BASED INKS:** Addition of up to 5000 ppm of this product will inhibit the growth of bacteria and fungi in aqueous-based inks. (0.5 lbs. of this product per 100 lbs. of ink).

6/6

TO INHIBIT THE GROWTH OF BACTERIA AND FUNGI IN AQUEOUS METALWORKING, CUTTING, COOLING AND LUBRICATING FLUIDS: Add up to 2000 ppm (0.2% v/v) of this product to the solution (20 gallons per 10,000 gallons) by pouring from container as needed. When adding fresh, diluted fluid to compensate for dragout or other losses, add this product to the make-up fluid according to the above directions.

Frequent checks (at least once a week) of the bacterial and fungal population in the system should be made using standard microbiological plate count procedures or any of the commercial "dip-stick" type devices. When the bacterial count reaches 107 and/or the fungal count reaches 103 organisms per ml, add additional product at the initial dosage rate.

The fluid should be checked at least once a day with a refractometer (or other suitable means) to determine if water loss by evaporation has occurred. Make-up water should be added daily to compensate for such losses.

The fluid should be monitored at least once a week (depending on the metalworking operation involved) for the following: Tramp oil, pH, odor, oil droplet size, and anticorrosion properties. If any of these parameters are outside of the specifications established for the system in question, they should be brought up to the specifications by the addition of suitable additives or the fluid should be discarded and replaced after cleaning the system. Add this product to the fresh fluid according to the above directions. Contaminated fluid systems should be leaned prior to the initial addition of this product. Drain the system, clean with a cleaner designed for this purpose, rinse with water and refill with fresh fluid. This product may be added to the fluid at the time it is prepared (diluted) or to the reservoir (sump) containing the fluid after it is put into use. If it is added to the reservoir, the fluid should be circulated after addition to ensure mixing.

TO INHIBIT THE GROWTH OF BACTERIA AND FUNGI IN METALWORKING, CUTTING, COOLING AND LUBRICATING FLUID CONCENTRATES: Add an amount that will give up to a 2000 ppm solution. The amount required in the concentrate will depend on the end use dilution. To calculate the correct amount of this product to incorporate into the concentrate:

- 1. Determine the desired dose of this product required for the dilute fluid (i.e., 0.2% or 2000 ppm).
- 2. Determine end-use concentration of the fluid (i.e., 0.05 or 5%).

Divide the required dose of this product by the end-use concentration of the fluid (i.e., 0.2/0.05 = 4), then 4% (by weight based on total batch weight of coolant concentrate) is the amount of this product to incorporate into the fluid concentrate so that a 5% dilution will contain 2000 ppm of this product.

The following chart describes other dilutions:

Level of Triadine 3 Desired In End-Use Diluted Fluid	End Use Dilution of Conc.	Amt. Of Triadine 3 to Add to Concentrate
2000 ppm	5%	4% (40,000ppm) 40 gal./1000 gal.Conc
1500 ppm	5%	3% (30,000ppm) 30 gal/1000 gal Conc.
1000 ppm	5%	2% (20,000ppm) 20 gal/1000 gal conc.
2000 ppm	4%	5% (50,000ppm) 50 gal/1000 gal.conc.
1500	4%	3.75% (37500ppm) 37.5gal/1000 gal conc.
1000	4%	2.5% (25,000ppm) 25 gal/1000 gal conc

(001258-00990.20082611Triadine10LabelContainerRule.pdf)