

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**In Seawater Displacement Liquid
Hydrocarbon Storage Tanks**

For inhibition of sulfate reducing bacteria for up to 36 weeks in clean (free of slime and sludge) sea water displacement tanks used for the storage of liquid hydrocarbons. Dissolve 1lb. of OMADINE TBAO in 5 gallons of water and feed directly to the incoming seawater ballast at the rate of 1 gallon per 600 gallons seawater. Repeat dosage as needed or whenever the storage tank is drained and refilled. Before draining the treated seawater from the tank, treat with calcium hypochlorite (65% active) at the rate of 50 ounces (av. dp) per 3,000 gallons water. Wait 24 hours before discharging the seawater. This procedure will destroy the preservative.

In Liquid Hydrocarbon Storage Tanks

To inhibit the growth of fungi for periods of up to 4 weeks.

- Add OMADINE TBAO directly to the water sump at a level of 15ppm (0.1oz. or 2.84g per 50 gallons of sump water). Repeat the dosage if needed.
- Dissolve 0.1oz. (2.84g) of OMADINE TBAO in 0.2 oz. of water. This solution can be fed directly to the sump and will treat 50 gallons of sump water. Repeat the dosage if needed.
- Add OMADINE TBAO directly to the liquid hydrocarbon at the rate of 1 pound per every 152,500 gallons of liquid hydrocarbon (1ppm, 0.003g per gallon). Repeat the dosage if needed or whenever the tank is drained and refilled.

CHEMICAL SPECIALTIES
CORPORATION
1201020 RIVER ROAD
NEW BRIDGE, CT 06455

OMADINE^(R) TBAO

INDUSTRIAL MICROBIOSTAT

Active ingredients:

1,1-dimethylethanamine salt of 2 pyridinethiol
1-oxide 97.5%

Inert Ingredients 2.5%

Total 100%

**KEEP OUT OF REACH OF CHILDREN
WARNING
SEE FIRST AID STATEMENT AND
ADDITIONAL PRECAUTIONS ON
SIDE PANELS**

EPA Reg. No. 1258-991

EPA Est. No. 1258-NY-3

NET CONTENTS (1 lb. (0.45 kg))

ACCEPTED

JUN 1 1981

1258-991

STORAGE AND DISPOSAL

Do not store above 100° F (38° C). Store in a dry place. Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Unused contents could be disposed of in a landfill approved for pesticides. Do not reuse empty container. Triple rinse with water and: (1) if container is metal, offer for recycling, reconditioning or disposal in approved landfill; (2) if container is plastic, dispose of in an incinerator (Do not breathe fumes) or landfill approved for pesticide containers. Consult Federal, State, or Local disposal authorities for approved alternate procedures.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING: Causes eye irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed or absorbed through skin. Avoid breathing dust.

FIRST AID

If in eyes or on skin, flush with plenty of water for at least 15 minutes. Get medical attention if irritation persists. If swallowed, induce vomiting by sticking finger down throat. Upon inhalation, move to fresh air.

CHEMICAL HAZARDS

Do not store with or mix with strong oxidizing agents or strong concentrated acids.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

115

116