

# Olin

## OCI<sup>TM</sup> - 90

### DRY CHLORINATING COMPOUND

#### 2 1/2" TABLETS FOR INDUSTRIAL USE

ACCEPTED  
1258-995  
DEC 6 1979  
FUNGICIDE AND BACTERICIDE ACT  
EPA REG. NO. 1258-995

For repackaging or formulating as a disinfectant, sanitizer, bactericide, fungicide and algicide.

Active Ingredient: Trichloro-s-Triazinetrione . . . . . 99%  
Inert Ingredients . . . . . 1%  
Available Chlorine . . . . . 89%

KEEP OUT OF REACH OF CHILDREN

**DANGER!**

SEE PRECAUTIONARY STATEMENT AND  
FIRST AID INFORMATION ON BACK LABEL

EPA Reg. No. 1258-995

EPA Est. 1258-LA-1

**NET WT. 350 LBS. (158.76kg)**

**Olin CHEMICALS**

Consumer Products • Olin Corporation  
120 Long Ridge Road  
Stamford, Connecticut 06904

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose or throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

##### FIRST AID (Practical Treatment):

**If Swallowed:** Feed large amounts of milk or water and induce vomiting. Call a physician immediately.

**If on Skin:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

**If in Eyes:** Flush with cold water for at least 15 minutes. Get medical attention.

**If Inhaled:** Remove person to fresh air. Get medical attention.

##### CHEMICAL HAZARDS:

**DANGER:** Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat liberation of hazardous gases, and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. OCI-90 decomposes at 430°-480° F with liberation of heat and harmful gases. Do not use OCI-90 in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

##### ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the nearest office of EPA.

##### GENERAL DIRECTIONS FOR REPACKAGING:

OCI-90 is to be used only for repackaging as a disinfectant, sanitizer, bactericide, and algicide. Before the new product can be lawfully distributed in channels of commerce, each repacker must obtain his own registration for these uses from the Environmental Protection Agency.

##### STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat and open flame. Do not reuse empty container. Rinse container thoroughly with water to dissolve all material before discarding. Place empty container or dispose of in approved landfill area or bury in a safe place. **EMERGENCY HANDLING:** In case of contamination or decomposition of product, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

OCI-90-2.5T-979

**Olin**  
**OCI<sup>TM</sup> - 90**  
**DRY CHLORINATING COMPOUND**  
**2" STICKS**  
**FOR INDUSTRIAL USE**

For repackaging or formulating as a disinfectant, sanitizer,  
bactericide, fungicide and algicide.

Active Ingredient: Trichloro-s-Triazinetrione . . . . . 99%  
Inert Ingredients . . . . . 1%  
Available Chlorine . . . . . 89%

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER!**  
**SEE PRECAUTIONARY STATEMENT AND**  
**FIRST AID INFORMATION ON BACK LABEL**

EPA Reg. No. 1258-992

EPA Est. 1258-LA-1

**NET WT. 350 LBS. (158.76kg)**

**Olin** CHEMICALS  
Consumer Products • Olin Corporation  
120 Long Ridge Road  
Stamford, Connecticut 06904

ACCEPTED  
1258-992  
DEC 6 1979

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose or throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

**FIRST AID (Practical Treatment):**

**If Swallowed:** Feed large amounts of milk or water and induce vomiting. Call a physician immediately.

**If on Skin:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

**If in Eyes:** Flush with cold water for at least 15 minutes. Get medical attention.

**If Inhaled:** Remove person to fresh air. Get medical attention.

**CHEMICAL HAZARDS:**

**DANGER:** Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat liberation of hazardous gases, and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. OCI 90 decomposes at 430°-480° F with liberation of heat and harmful gases. Do not use OCI 90 in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

**ENVIRONMENTAL HAZARDS:**

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

**GENERAL DIRECTIONS FOR REPACKING:**

OCI 90 is to be used only for repackaging as a disinfectant, sanitizer, bactericide, and algicide. Before the new product can be lawfully distributed in channels of commerce, each repacker must obtain his own registration for these uses from the Environmental Protection Agency.

**STORAGE AND DISPOSAL:**

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat and open flame. Do not reuse empty container. Rinse container thoroughly with water to dissolve all material before discarding. Place empty container or dispose of in approved landfill area or bury in a safe place. **EMERGENCY HANDLING:** In case of contamination or decomposition of product, do not reseal container. If possible, isolate container in open and well ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

OCI-90-2S-979