

OCI™- 90

2" TABLETS ACCEPTED

FOR INDUSTRIAL USE

UNDER THE FELL AL INSECTICION FURTIONE AND FORENCIES ACT

For repackaging or formulating as a disinfectant, sanitizer, bactericide, fungicide and algicide.

Active Ingredient: Trichloro-s-Triazinetrione 99%

Inert Ingredients 1%

Available Chlorine . . BEST DOCUMENT AVAILABLE

KEEP OUT OF REACH OF CHILDREN

DANGER!

SEE PRECAUTIONARY STATEMENT AND FIRST AID INFORMATION ON BACK LABEL

EPA Reg. No. 1258-993

EPA Est. 1258-LA-1

NET WT. 350 LBS. (158.76kg)

Olim CHÉMICALS

Consumer Products • Olin Corporation 120 Long Ridge Road Stamford, Connecticut 06904

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Insitating to nose or throat. Avoid breathing dust and fumes. Hemove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment):

If Swallowed: Feed large amounts of milk or water and induce vomiting. Call a physician immediately.

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention.

If Inhaled: Remove person to fresh air. Get medical attention.

CHEMICAL HAZARDS:

DANGER: Strong exidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat liberation of hazardous gases, and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. OCI-90 decomposes at 430° 480° F with liberation of heat and harmful gases. Do not use OCI-90 in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit, For guidance contact the regional office of EPA.

GENERAL DIRECTIONS FOR REPACKING:

OCI-90 is to be used only for repackaging as a disinfectant, sanitizer, bactericide, and algaecide. Before the new product can be lawfully distributed in channels of commerce. each repacker must obtain his own registration for these uses from the Environmental Protection Agency.

STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in a cool, dry, wellventilated area away from heat and open flame. Do not reuse empty container. Hinso container thoroughly with water to dissolve all material before discarding. Place remay container or dispose of in approved landfill area or bury in a safe place. EMERGENCY HANDLING: In case of contamination or decomposition of product, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

OCI-90-2T-979

22



OCI - 90

2" TABLETS ACCEP

FOR INDUSTRIAL USE

For repackaging or formulating as a disinfectant, sanitizer bactericide, fungicide and algicide.

Active Ingredient: Trichloro-s-Triazinetrione 99% Inert Ingredients 1%

KEEP OUT OF REACH OF CHILDREN

DANGER!

SEE PRECAUTIONARY STATEMENT AND FIRST AID INFORMATION ON BACK LABEL

EPA Reg. No. 1258-993

EPA Est. 1258-LA-1

NET WT. 350 LBS. (158.76kg)

Olin CHÉMICALS

Consumer Products • Olin Corporation 120 Long Ridge Road Stamford, Connecticut 06904

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose or throat, Avoid breatling dost and fumes, Remove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment):

If Swallowed: Feed large amounts of milk or water and induce vomiting. Call a physican immediately

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 min utes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention

If Inhaled: Remove person to tresh air. Get medical attention.

CHEMICAL HAZARDS:

DANGER: Strong exidizing agent. Use only clean, dry otensils. Mix only into water, Contamination with moisture, dirt, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat liberation of hazardous gases, and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted eigerette. OCI 90 decomposes at 430° 480° F with liberation of heat and harmful gases. Do not use OCI 90 in any obforinating device which has been used with any morganic or unstabilized oblorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge into takes, streams, ponds, or public waters unless in accordance with an NPDFS Permit. For quidance contact the regional office of EPA.

GENERAL DIRECTIONS FOR REPACKING:

OCI 90 is to be used only for repackaging as a disinfectant, sanitizer, bactericide, and algaecide. Before the new product can be lawfully distributed in channels of commerce, each repacker must obtain his own registration for these uses from the Environmental Protection Agency,

STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in a coel, dry, well ventilated area away from heat and open flame. Do not reuscerenpty container. Ruise container thoroughly with water to dissolve all material before discarding. Place empty container or dispose of in approved fandfill area or bury in a safe place. EMERGENCY HANDLING: In case of contamination or decomposition of product, do not reseal con tainer. If possible, isolate container in open and well ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or hury in a safe place.

OCI-90-2T-979