

pa

- Protects against
- Stabilized (S)
- Slow dissolving
- Totally soluble
- The PACE T chlorine resin
- gallons of water

DIRECTIONS FOR USE
It is a violation of the law to use this product in a manner inconsistent with the label directions.
Use with E-Z Chlorinator

- START UP**
1. Bring chlorine level to specific feed rate.
 2. The day after start-up (e.g., PACE T label directions).
 3. Adjust pH to 7.2-7.6.

- INSTRUCTION**
1. Remove and discard the old cartridge.
 2. Select the desired chlorine level.
Approx. PPM
5.0
15.0
25.0
35.0

3. *For 24 hours before use, determine the chlorine level in gallons of water.
4. Find the dimple number corresponding to the chlorine level. Also punch out the dimple.
5. Remove the old cartridge.
6. Place the new cartridge in the chlorinator.
7. Maintain your chlorine level frequently using the chlorine resin. If the chlorine resin is low, replace the cartridge. Periodically, check the chlorine level.

- INSTRUCTION:**
1. Remove and discard the old cartridge.
 2. Punch a 1/4" hole in the cartridge. Also punch a hole in the bottom of the box.
 3. Remove the old cartridge.
 4. Place the new cartridge in the chlorinator.
 5. Raise the chlorine level according to the instructions.
 6. Maintain your chlorine level frequently using the chlorine resin. If the chlorine resin is low, replace the cartridge. Periodically, check the chlorine level.



pool chlorinating Type E cartridge for feeders

Active Ingredient:
Trichloro-s-triazinetrione
4,6-Dichloro-1,3,5-triazin-2(1H)-one
A Chlorine Resin

NET WT. 152 LBS. (68.9 kg.)

38 Each 4 lb. (1.8 kg) Cartridges

MADE IN U.S.A.
DANGER

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves or only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment)

If Swallowed: Feed large amounts of milk and/or water and induce vomiting. Call a physician immediately.

If On Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If In Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention.

If Inhaled: Remove person to fresh air. Get immediate medical attention.

CHEMICAL HAZARDS:

DANGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use this cartridge in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion. Do not permit this cartridge or the material contained herein to contact plastic pool linings or metal objects. Do not throw the cartridge directly into the pool.

ENVIRONMENTAL HAZARDS:

This product in this cartridge is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

STORAGE AND DISPOSAL:

Keep product dry in unopened cartridge when not in use. Store in a cool, dry, well-ventilated area away from heat and open flame. Do not reuse empty cartridge. Rinse cartridge thoroughly with water to dissolve all material before discarding. Place empty cartridge or dispose of in approved landfill area or bury in a safe place.

EMERGENCY HANDLING: In case of contamination or decomposition of product, do not reseal cartridge. If possible, isolate cartridge in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated cartridge in an approved landfill area or bury in a safe place.

ADDITIONAL POOL CARE RECOMMENDATIONS:

pH — Maintaining pH in the ideal range of 7.2-7.6 is extremely important to the efficacy of your chlorine and swimming comfort. Test the pH often with a suitable test kit. Adjust pH as necessary, using products such as "PACE pH Minus"™ or "PACE pH Plus"™

Superchlorination — Superchlorination with a calcium hypochlorite product such as PACE® Super Chlorinator & Shock Treatment is recommended to burn out the organic material your filter can't handle and keep your water sparkling clear. Use as directed on the label, especially during excessive heat, when bathing loads are high, when water becomes dull looking or hazy, when there is a "chlorine" like smell or excessive eye irritation, or after heavy rains.

Shock Treatment — If algae appear, shock treat your pool with a calcium hypochlorite product such as "PACE Super Chlorinator & Shock Treatment"™. Follow label directions. An alternate method is to add 28 PACE Tablets (approx. 14 oz.) in the skimmer for each 10,000 gallons of water. Run pump and filter until totally dissolved (approx. 1½ days). Thoroughly clean pool by scrubbing surface of algae growth, vacuum, and cycle through filter. Pool should not be used until chlorine residual is from 1.0-3.0 ppm.

TO DETERMINE POOL CAPACITY:

Rectangular Pools: Multiply length x width x average depth x 7.5 = pool capacity (U.S. gallons).

Round Pools: Multiply radius (½ diameter) x radius x average depth x 3.5 = pool capacity (U.S. gallons).

olin CHEMICALS

CONSUMER PRODUCTS — OLIN CORPORATION
120 Long Ridge Road, Stamford, Conn 06904

BEST AVAILABLE COPY

Trichlo



BEST AVAILABLE COPY

Trichloro-S-Triazinetrione, Dry

ACCEPTED
1258-997
FEB 25 1997
U.S. Environmental Protection Agency
Office of Research and Development
National Health and Environmental Effects Research Laboratory
Health Effects Division
Research Triangle Park, NC 27711