

ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE PROGRAMS REGISTRATION DIVISION WASHINGTON, DC 20460  NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Reregistration <i>(Under the Federal Insecticide, Fungicide,          and Rodenticide Act as amended)</i>	EPA REGISTRATION NO. 1258-998 TERM OF ISSUANCE
NAME OF PESTICIDE PRODUCT  <b>Pace Pool Chlorinating          Type G Cartridge</b>	
NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)  <b>Olin Corporation          350 Knotter Drive          P.O. Box 586  <input type="checkbox"/> Cheshire, CT 06410</b>	
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.	
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p> <p>Make the following labeling changes before you release the product for shipment:</p> <ol style="list-style-type: none"> <li>1. On the left panel, and after "Do not induce vomiting" add "...Avoid alcohol...".</li> <li>2. On the center panel, delete the wordings "... &amp; related compounds...".</li> <li>3. On the right panel, the listed reentry statement must be added: "...Reentry into treated into swimming pool is prohibited above levels of 3 ppm of chlorine...".</li> </ol> <p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>	
SIGNATURE OF APPROVING OFFICIAL	

4. Under the directions for use, the label needs to be expanded to reflect the attached enclosure for treatment of swimming pools with chlorinated products.

5. Under the heading "Directions for Use" add the Misuse statement, "It is a violation of federal law to use this product in a manner inconsistent with its labeling."

6. Refer to the enclosed copy of Isocyanurate RED Attachment A for the necessary revisions to the Precautionary Statements for the subject product label.

A stamped copy of the product label is enclosed for your records.

Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



Ruth G. Douglas  
Product Manager 32  
Antimicrobial Program Branch  
Registration Division (7505C)

Enclosure

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

**FIRST AID (Practical Treatment):** If Swallowed: Drink large quantities of water. Do not induce vomiting. Call a physician immediately. Probable mucosal damage may contraindicate the use of gastric lavage. If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention. If Inhaled: Remove person to fresh air. Get immediate medical attention.

**CHEMICAL HAZARDS: DANGER:** Strong oxidizing agent. Use only clean, dry utensils. Add only into water. Contamination with moisture, dirt, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and / or explosion. Avoid any contact with flammng or burning material. Do not use this product in any chlorinating device which has been used with any product other than trichloro-s-triazinetrione tablets or sticks as the active ingredient. Such use may cause fire or explosion

**ENVIRONMENTAL HAZARD:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA

**BEST AVAILABLE COPY**

**PACE® POOL CHLORINATING TYPE G CARTRIDGE**

<b>Active Ingredient:</b>	
<b>Trichloro-s-Triazinetrione &amp; Related Compounds</b>	<b>99%</b>
<b>Inert Ingredients</b>	<b>1%</b>
<b>Total</b>	<b>100%</b>

**Available Chlorine 90%**

**KEEP OUT OF REACH OF CHILDREN DANGER!**

**CONTAMINATION MAY CAUSE FIRE ADD ONLY TO WATER**

SEE SIDE LABEL FOR FIRST AID AND PRECAUTIONS

Net Wt. 4 Lbs.

EPA Reg. No. 1258-998  
EPA Est. No. 9157-MI-1

**OLIN CORPORATION  
120 LONG RIDGE ROAD  
STAMFORD, CT. 06904**

(sored\1258998.doc)

AGREEMENT  
with COMMUNITY  
WATER SUPPLY

JUN 30 1996

Environmental Protection Agency  
Washington, D.C. 20460  
Registration

1258-998

**STORAGE**

in tightly closed cool dry well-ventilated area. Do not store near open flame. Do not store in container that has contained this product. Before discarding, remove all layers of newspaper.

**DIRECTIONS FOR USE**

Anthony Feeders

**START-UP**

1. Bring chlorine to specific feeding device.
2. The day after you add cyanuric acid to stabilize.
3. Adjust pH to the

**INSTRUCTIONS FOR FEEDERS**

1. NOTE: A small hole inside cartridge due to punch 1/4" holes in near bottom of cartridge dimples.
3. Select initial height as follows:

**Pool Size (Thousand Gallons) Height Setting**

4. If using two cartridges to determine the proper setting, use the height 30,000, use the height 40,000.
5. Insert the cartridge. The height setting is even with the top of the cartridge clockwise.
6. Maintain chlorine level in water frequently using a test kit. If below 1.0, adjust height.
- 4). If chlorine residue is low, use a lower number (see chart).

**INSTRUCTIONS FOR FEEDERS**

1. Follow instructions for use except punch 1/4" holes in near bottom of cartridge.
2. Center the three triangular guides on the cartridge.
3. Holding the float supported, insert and adjust height setting (number to

4. To lock, rotate cartridge in clockwise direction about one-quarter turn until it stops. It may be necessary to raise or lower the cartridge slightly (so ridges line up with ridges in floater collar).

5. Maintain chlorine residual between 1-3 ppm. Test your water frequently using a suitable test kit. If chlorine residual is below 1.0, adjust height setting to next higher number (e.g. 3 to 4). If chlorine residual is above 3.0, adjust height setting to next lower number (e.g. )

INSTRUCTIONS FOR USE IN GUARDEX FLOATERS

1. Follow instructions 1 and 2 for Guardex and Anthony Feeders except punch 1/4" holes in three sets of vertical dimples near bottom of cartridge and do not punch any holes in bottom.

2. Select initial height setting according to the size of your pool as follows:

Pool Size (Thousands Gals.)	10	15	20	25	30	35
Height Setting	Off	0	1	2	3	4

3. Holding the floater with one hand and having the opposite edge supported, insert and wiggle the cartridge into the floater until the selected height setting is even with the top of the floater and lock in place by rotating cartridge clockwise about one-quarter turn until it stops. It may be necessary to raise or lower the cartridge slightly (so ridges line up with ridges in floater collar)

4. Maintain chlorine residual between 1-3 ppm. Test your water frequently using a suitable test kit. If chlorine residual is below 1.0, adjust height setting to next higher number (e.g. 3 to 4). If chlorine residual is above 3.0, adjust height setting to next lower number (e.g. )

d:\labels\gcart

**BEST AVAILABLE COPY**