



Trichloro-s-Triazinetrione

Olin

DRY CHLORINATING COMPOUND

**OCI-90-ITM
GRANULAR**

FOR INDUSTRIAL USE

Active Ingredient: Trichloro-s-Triazinetrione	99%
Inert Ingredients	1%
Available Chlorine	89%

KEEP OUT OF REACH OF CHILDREN
DANGER!

SEE PRECAUTIONARY STATEMENT AND
FIRST AID INFORMATION ON SIDE PANEL

EPA Reg. No. 1258

EPA Est. 1258-LA-1

NET WT. 350 LBS. (158.9 kg)

Olin CHEMICALS

Consumer Products • Olin Corporation
120 Long Ridge Road
Stamford, Connecticut 06904



CHLORINATING COMPOUND

OCI-90-I GRANULAR

FOR INDUSTRIAL USE

Active Ingredient: Trichloro-s-Triazinetrione	99%
Inert Ingredients	1%
Available Chlorine	89%

KEEP OUT OF REACH OF CHILDREN
DANGER!

SEE PRECAUTIONARY STATEMENT AND
FIRST AID INFORMATION ON SIDE PANEL

EPA Reg. No. 1258

EPA Est. 1258-LA-1

NET WT. 350 LBS. (158.9 kg)

Olin CHEMICALS

Consumer Products • Olin Corporation
120 Long Ridge Road
Stamford, Connecticut 06904

GENERAL DIRECTIONS

For Controlling the Growth of Bacteria and Algae in Industrial Recirculating Water, Air Washers, and Evaporative Condensers

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Badly fouled systems should be cleaned prior to initiating treatment.
2. Initial Dosage -- When the system is just noticeably fouled, add 0.4-0.5 lbs. of OCI-90-I per 10,000 gallons of water contained in the system. Repeat this dosage if necessary until a free available chlorine level (FAC) of 0.5-1.0 ppm is obtained (as determined by use of a reliable test kit).
3. Maintenance Dosage -- To maintain a FAC of 0.5-1.0 ppm add 0.8-1.6 ounces of OCI-90-I per 10,000 gallons of water, daily or as needed.
4. OCI-90-I should be added to the system at a point where adequate flow is maintained. Variations in water temperature, chlorine demand and flow rate will affect the dissolution rate. Warmer seasons may require an upward adjustment of the FAC.

OTHER USES:

Write to Olin Corporation for specific literature on other accepted uses.

STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat and open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place empty container in trash collection or dispose of in approved landfill area or bury in a safe place. **EMERGENCY HANDLING:** In case of contamination or decomposition of product, do not reuse container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose or throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment):

If Swallowed: Feed large amounts of milk or water and induce vomiting. Call a physician immediately.

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention.

If Inhaled: Remove person to fresh air. Get medical attention.

CHEMICAL HAZARDS:

Danger: Strong oxidizing agent. Use only clean, dry utensils. Contamination with moisture, dirt, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. OCI-90-I decomposes at 430°-480°F with liberation of heat and harmful gases. Do not use OCI-90-I in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARD:

This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.



SUPPLEMENTAL LABELING

OLIN DRY CHLORINATING COMPOUND
OCITM-90-I GRANULAR

Active Ingredient:

Trichloro-s-Triazinetrione.....99%
Inert Ingredients..... 1%
Available Chlorine.....89%

1258-1060

EPA Reg. No. 1258-

APPLICATION OF OLIN DRY CHLORINATING COMPOUND
OCITM-90-I GRANULAR

For Controlling the Growth of Bacteria in Brewery Pasteurizers

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Badly fouled systems should be cleaned prior to initiating treatment.
2. Initial Dosage - When the system is just noticeably fouled, add 0.4-0.5 lbs. of OCITM-90-I per 10,000 gallons of water contained in the system. Repeat this dosage if necessary until a free available chlorine level (FAC) of 0.5-1.0 ppm is obtained (as determined by use of a reliable test kit).
3. Maintenance Dosage - To maintain a FAC of 0.5-1.0 ppm, add 0.8-1.6 ounces of OCITM-90-I per 10,000 gallons of water, daily or as needed.
4. OCITM-90-I should be added to the system at a point where adequate flow is maintained.

KEEP OUT OF REACH OF CHILDREN

DANGER!

SEE PRINCIPAL LABEL FOR COMPLETE PRECAUTIONARY INFORMATION AND
STORAGE AND HANDLING INSTRUCTIONS

All applicable directions, restrictions, and precautions on the EPA principal registered label are to be followed.

OLIN CHEMICALS
Consumer Products, Olin Corporation
120 Long Ridge Road
Stamford, Connecticut 06904



EPA Registration No. 1252-1060 Date 10/29

This registration is being issued with the understanding that the derivative or cyanamic acid which is contained in this product is under scrutiny for potential adverse effects to humans. There may be some regulatory actions directed against all registered products containing this chemical as an active ingredient at some time in the future.