



Trichloro-s-Triazinetrione

**Olin**  
**DRY CHLORINATING COMPOUND**

**OCI-90-I**  
**3" TABLETS**

**FOR INDUSTRIAL USE**

Active Ingredient: Trichloro-s-Triazinetrione ..... 99%  
Inert Ingredients ..... 1%  
Available Chlorine ..... 89%

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER!**

SEE PRECAUTIONARY STATEMENT AND  
FIRST AID INFORMATION ON SIDE PANEL

EPA Reg. No. 1258

EPA Est. 1258-LA-1

**NET WT. 350 LBS. (158.9 kg)**

**Olin** CHEMICALS

Consumer Products • Olin Corporation  
120 Long Ridge Road  
Stamford, Connecticut 06904



Y CHLORINATING COMPOUND

# OCI-90-I 3" TABLETS

FOR INDUSTRIAL USE

Active Ingredient: Trichloro-s-Triazinetrione . . . . . 99%  
Inert Ingredients . . . . . 1%  
Available Chlorine . . . . . 89%

KEEP OUT OF REACH OF CHILDREN  
**DANGER!**

SEE PRECAUTIONARY STATEMENT AND  
FIRST AID INFORMATION ON SIDE PANEL

EPA Reg. No. 1258

EPA Est. 1258-LA-1

NET WT. 350 LBS. (158.9 kg)

**Olin** CHEMICALS

Consumer Products • Olin Corporation  
120 Long Ridge Road  
Stamford, Connecticut 06904

## GENERAL DIRECTIONS

For Controlling the Growth of Bacteria and Algae in Industrial Recirculating Water Cooling Towers, Air Washers, and Evaporative Condensers

### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

1. Badly fouled systems should be cleaned prior to initiating treatment
2. Initial Dosage — When the system is just noticeably fouled, add 0.4-0.5 lbs. of OCI-90-I per 10,000 gallons of water contained in the system. Repeat this dosage if necessary until a free available chlorine level (FAC) of 0.5-1.0 ppm is obtained (as determined by use of a reliable test kit)
3. Maintenance Dosage — To maintain a FAC of 0.5-1.0 ppm add 0.8-1.5 ounces of OCI-90-I per 10,000 gallons of water, daily or as needed.
4. OCI-90-I should be added to the system at a point where adequate flow is maintained. Variations in water temperature, chlorine demand and flow rate will affect the dissolution rate of the tablets. Warmer seasons may require an adjustment of the FAC

### OTHER USES:

Write to Olin Corporation for specific literature on other accepted uses

### STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat and open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place empty container in trash collection or dispose of in approved landfill area or bury in a safe place. **EMERGENCY HANDLING:** In case of contamination or decomposition of product, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place

### PRECAUTIONARY STATEMENTS:

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose or throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse

#### FIRST AID (Practical Treatment):

**If Swallowed:** Feed large amounts of milk or water and induce vomiting. Call a physician immediately

**If on Skin:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention

**If in Eyes:** Flush with cold water for at least 15 minutes. Get medical attention

**If Inhaled:** Remove person to fresh air. Get medical attention

#### CHEMICAL HAZARDS:

**Danger:** Strong oxidizing agent. Use only clean, dry utensils. Contamination with moisture, dirt, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. OCI-90-I decomposes at 430°-480°F with liberation of heat and harmful gases. Do not use OCI-90-I in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion

#### ENVIRONMENTAL HAZARD:

This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.

100-35037-1152

1253-1051

ATTACHMENT TO THE REGISTRATION OPTION

NAME OF PRODUCT: Olun Dry Chlorinating Compound OCT 90-1 - 3" Pellets

EPA Registration No. 1253-1051 Date \_\_\_\_\_

This registration is being issued with the understanding that the derivative of cyanuric acid which is contained in this product is under scrutiny for potential adverse effects to humans. There may be some regulatory actions directed against all registered products containing this chemical as an active ingredient at some time in the future.