

Olin

DRY CHLORINATING COMPOUND

OCI-56-ITM GRANULAR FOR INDUSTRIAL USE

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 20 1982

Under FIFRA Act as amended, for use as a disinfectant, registered under EPA Reg. No. 1258-1065

Active Ingredient: Sodium Dichloro-s-Triazinetrione Dihydrate .99%
Inert Ingredients 1%
Available Chlorine 55%

KEEP OUT OF REACH OF CHILDREN
DANGER!

SEE PRECAUTIONARY STATEMENT AND
FIRST AID INFORMATION ON SIDE PANEL

EPA Reg. No. 1258

EPA Est. 1258-LA-1

NET WT. 350 LBS. (158.9 kg)

Olin CHEMICALS

Consumer Products • Olin Corporation
120 Long Ridge Road
Stamford, Connecticut 06904

GENERAL DIRECTIONS

For Use in Immersion of Spray Machines

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Dissolve 1 or 2 ounces of OCI-56-I in 45 gallons of water to achieve a free available chlorine level (FAC) of 100 ppm.
2. For immersion treatment, dip a basket or container into the solution, rinse with potable water and dry.
3. When using a conveyor type machine, spray the solution onto the surface and rinse.

The sanitary solution should be used promptly. After use, check the FAC with a reliable test kit. If the FAC is below 100 ppm, the solution should be replaced.

OTHER USES:

Write to Olin Corporation for specific literature.

ENVIRONMENTAL HAZARD:

This product is toxic to fish. Do not contaminate waterways or disposal of wastes.

STORAGE AND DISPOSAL:

Keep product dry in tightly closed container in a cool, dry place where the temperature never reaches 140°F. Do not reuse empty container. Rinse empty container thoroughly and discard. Place empty container in trash or a safe place. **EMERGENCY HANDLING:** If spilled, absorb with inert material and place in a sealed container. If possible, isolate container from water. Dispose of contaminated material in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Highly corrosive. Causes severe irritation to eyes, on skin, or on clothing. Do not handle without wearing gloves, and use only thoroughly clean, dry equipment. Avoid breathing dust and fumes. Remove and dispose of contaminated material.

DANGER:

Highly corrosive. Causes severe irritation to eyes, on skin, or on clothing. Do not handle without wearing gloves, and use only thoroughly clean, dry equipment. Avoid breathing dust and fumes. Remove and dispose of contaminated material.

FIRST AID (Practical Treatment)

If Swallowed: Feed large amounts of milk or water.

If on Skin: Brush off excess chemical and wash with water. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes.

If Inhaled: Remove person to fresh air.

CHEMICAL HAZARDS:

Danger: Strong oxidizing agent. Use only with non-combustible materials. Avoid reaction with generation of heat, liberation of gas, or explosion. Avoid any contact with flaming or hot surfaces. Do not store in a device which has been used with any inorganic hypochlorite. Such use may cause fire or explosion.

in

ING COMPOUND

-56-I

ULAR

TRIAL USE

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 29 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the purpose
registered under EPA Reg. No.

1258-1065

pro-s-Triazinetrione Dihydrate .99%
..... 1%
..... 55%

EACH OF CHILDREN
DANGER!
ARY STATEMENT AND
ATION ON SIDE PANEL

EPA Est 1258-LA-1

BS. (158.9 kg)

CHEMICALS

• Olin Corporation
idge Road
necticut 06904

GENERAL DIRECTIONS

For Use in Immersion of Spray Machines to Sanitize and Clean Eggs Prior to Sale as Incubation Eggs

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Dissolve 1 or 2 ounces of OCI-56-I in 45 gallons of warm (125°F) water to make a solution having a free available chlorine level (FAC) of 100 or 200 ppm, respectively.
2. For immersion treatment, dip a basket of eggs in a 200 ppm FAC solution for 2-3 minutes, remove, rinse with potable water and dry.
3. When using a conveyor type machine, spray with a 100 ppm FAC solution, followed by a potable water rinse.

The sanitary solution should be used promptly after mixing. If the solution is allowed to stand or is re-used, check the FAC with a reliable test kit. Add OCI-56-I as necessary to maintain a minimum concentration of 100 ppm.

OTHER USES:

Write to Olin Corporation for specific literature on other accepted uses.

ENVIRONMENTAL HAZARD:

This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area where the temperature never reaches 140°F or higher for any length of time. Store away from open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place empty container in trash collection or dispose of in approved landfill area or bury in a safe place. **EMERGENCY HANDLING:** In case of contamination or decomposition of product, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose or throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID (Practical Treatment):

If Swallowed: Feed large amounts of milk or water and induce vomiting. Call a physician immediately.

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention.

If Inhaled: Remove person to fresh air. Get medical attention.

CHEMICAL HAZARDS:

Danger: Strong oxidizing agent. Use only clean, dry utensils. Contamination with moisture, dirt, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. OCI-56-I decomposes at 460°-500°F with liberation of heat and harmful gases. Do not use OCI-56-I in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

OCI-56-I-350C-1182

SUPPLEMENTAL LABELING
OLIN DRY CHLORINATING COMPOUND
OCITM-56-I GRANULAR

Active Ingredient:

Sodium Dichloro-s-Triazinetrione,
Dihydrate.....99%

Inert Ingredients..... 1%

Available Chlorine.....55%

EPA Reg. No. 1258-

ACCEPTED
WITH RESERVES
IN 1974

DEC 1977

1258-1065

APPLICATION OF OLIN DRY CHLORINATING COMPOUND
OCITM-56-I GRANULAR for Sanitizing Use on Hard Surfaces (non-porous), Dishes,
Glasses, Food Processing Equipment and Utensils, Dairy and Brewery Equipment
and Utensils.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with
its labeling.

Hand Washing of Items

1. Prepare a sanitizing solution by dissolving 1 or 2 ounces of OCITM-56-I in 40
gallons of water. This will give a solution containing 100 or 200 ppm free
available chlorine (FAC) respectively.
2. Clean and rinse the items or surfaces prior to sanitizing.
3. Place equipment, utensils, dishes, glasses, etc. in the solution or spread the
solution over the surface to be sanitized.
4. Allow to stand at least 2 minutes and then wipe excess solution away.
5. Rinse the items and surface with potable water prior to use.

Machine Washing of Items

1. Dissolve 1 or 2 ounces of OCITM-56-I in 40 gallons of water to obtain a solution
having a FAC of 100 or 200 ppm respectively.
2. Add the solution to the feed tank of immersion or spray type machines which can
provide at least 2 minutes contact time for sanitizing dishes, glasses, food
processing equipment or utensils.
3. After sanitizing, rinse well with potable water and dry. Items are then ready
for use. The sanitizing solution should be used promptly if the solution is
allowed to stand or is reused, check the FAC with a reliable test kit. Add
OCITM-56-I as necessary to maintain a minimum concentration of 100 ppm.


KEEP OUT OF REACH OF CHILDREN

DANGER!

SEE PRINCIPAL LABEL FOR COMPLETE PRECAUTIONARY INFORMATION AND
STORAGE AND HANDLING INSTRUCTIONS

All applicable directions, restrictions, and precautions on the EPA principal registered
label are to be followed.

OLIN CHEMICALS
Consumer Products, Olin Corporation
120 Long Ridge Road
Stamford, Connecticut 06904

<p style="text-align: center;">U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (R11-567) WASHINGTON, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 2px;">EPA REGISTRATION NO.</td> <td style="width: 50%; padding: 2px;">DATE OF ISSUANCE DEC 29 1982</td> </tr> <tr> <td colspan="2" style="padding: 2px;">TERM OF ISSUANCE</td> </tr> <tr> <td colspan="2" style="padding: 2px;">NAME OF PESTICIDE PRODUCT</td> </tr> </table>	EPA REGISTRATION NO.	DATE OF ISSUANCE DEC 29 1982	TERM OF ISSUANCE		NAME OF PESTICIDE PRODUCT	
EPA REGISTRATION NO.	DATE OF ISSUANCE DEC 29 1982						
TERM OF ISSUANCE							
NAME OF PESTICIDE PRODUCT							
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <div style="border: 1px solid black; height: 100px; margin-top: 10px;"></div>							
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>							
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <div style="text-align: center; margin-top: 100px;">  </div>							
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>							
SIGNATURE OF APPROVING OFFICIAL	DATE						

1258-1065

ATTACHMENT TO THE REGISTRATION NOTICE

NAME OF PRODUCT: Olin Dry Chlorinating Compound OC1 551 Granular

EPA Registration No. 1258-1065 Date DEC 30 1982

This registration is being issued with the understanding that the derivative of cyanuric acid which is contained in this product is under scrutiny for potential adverse effects to humans. There may be some regulatory actions directed against all registered products containing this chemical as an active ingredient at some time in the future.