

____ LBS. NET ____ kg

TRIADINE™ 3

INDUSTRIAL MICROBIOSTAT

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IN AQUEOUS-BASED METAL WORKING FLUIDS: To inhibit the growth of bacteria add Triadine 3 according to the following directions:

Add 0.15% v/v of Triadine 3 to the use dilution (15 gal per 10,000 gal of fluid). The fluids may be diluted with from 5-100 parts of water.

Contaminated fluid systems should be cleaned prior to the addition of Triadine 3. Drain the system, clean with a cleaner designed for this purpose, rinse with water and refill with fresh fluid containing Triadine 3 at the above concentration.

Frequent checks (at least once a week) of bacterial populations in the system should be made using standard microbiological plate count procedures or any of the commercial "dip-stick" type devices. When the bacteria count reaches previously established limits for your particular system or fluid add Triadine 3 at the initial dosage.

- The fluid should be checked at least once a day with a refractometer (or other suitable means) to determine if water loss by evaporation has occurred. Make-up water should be added daily to compensate for such losses.
- The fluid should be monitored at least once a week (depending on the metalworking operation involved) for the following: Tramp oil, pH, odor, oil droplet size, and anticorrosion properties. If any of these parameters are outside of the specifications established for the system in question they should be brought up to the specifications by addition of suitable additives or the fluids should be discarded and replaced after cleaning the system. Add Triadine 3 to the fresh fluid according to the above directions.

in EPA Letter Dated:

APR 12 1963

T-3 1282

TRIADINE™ is a trademark of OLIN CORPORATION

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No.

1258-1071

ACTIVE INGREDIENTS:

Hexhydro-1, 3, 5-tris (2-hydroxyethyl)-s-triazine .78.5%

INERT INGREDIENTS..... 21.5%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

**SEE FIRST AID STATEMENT AND
ADDITIONAL PRECAUTIONS ON
SIDE PANELS**

STORAGE AND DISPOSAL

Do not store above 100°F (38°C). Store in a dry place. Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Unused contents should be disposed of in a landfill approved for pesticides. Do not reuse empty container. Triple rinse with water and (1) if container is metal, offer for recycling, reconditioning or disposal in approved landfill; (2) if container is plastic, dispose of in an incinerator (do not breathe fumes) or landfill approved for pesticide containers. Consult Federal, State, or Local disposal authorities for approved alternate procedures.

Olin CHEMICALS

CHEMICAL SPECIALITIES OLIN CORPORATION
120 LONG RIDGE ROAD, STAMFORD, CONNECTICUT 06904

EPA Reg. No. 1258 EPA Est. No. 1258-NY-3

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

Danger: Corrosive and alkaline. Causes eye and skin irritation. May cause skin sensitization. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful if swallowed, inhaled or absorbed through the skin.

FIRST AID

(PRACTICAL TREATMENT)

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call physician. Remove and wash contaminated clothing before reuse.

If swallowed drink large quantities of water. Avoid alcohol. Call physician immediately. Do not induce vomiting.

Note to physician. Probable mucosal damage may contraindicate the use of gastric lavage. Be alert for possible development of pulmonary edema and/or circulatory shock and, if necessary, treat with oxygen and appropriate pharmaceuticals to sustain circulation. Convulsions, if present, may be controlled by careful intravenous use of short acting barbiturates.

CHEMICAL HAZARDS

Do not store or mix with strong oxidizing agents or strong (concentrated) acids. In case of contamination, do not reseal container. If possible, isolate container in open air or well ventilated area. Fumes caused by contamination may be hazardous.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES Permit. For guidance contact the Regional Office of EPA.