

"COOL" BRAND

UNIVERSAL WEFT. ... CHLORIDE
FOR FLOATERS AND FEEDERS

ACT - INGREDIENTS:
TRICHLORO-1,3,5-TRIMETHYLBENZENE.....
INERT INGREDIENTS.....
AVAILABLE CHLORINE.....

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 15 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended by the Federal
Registration Act, No.
1258-1083

1. DANGER:
KEEP OUT OF REACH OF CHILDREN.
SEE USAGE INSTRUCTIONS, FIRST AID STATEMENT
AND PRECAUTIONS ON BACK PANEL.

FOR USE IN FLOATERS AND
AUTOMATIC FEEDERS

EPA REG. NO. 1258-1083

EPA EST. NO. 988-1083

NET ... 4 LBS. ...

BEST DOCUMENT AVAILABLE

CONSTANT CHLOR is a LEACHABLE CHLORINATING CARTRIDGE
FOR FLOATERS AND FEEDERS

- * PROTECTS AGAINST BACTERIA AND ALGAE
- * STABILIZED (SUN PROTECTED) FOR EXTENDED CHLORINE LIFE
- * SLOW DISSOLVING
- * TOTAL SOLUBILITY
- * THE CONSTANT CHLOR TABLETS IN THIS CARTRIDGE WILL PROVIDE AN EFFECTIVE CHLORINE RESIDUAL OF 1 TO 1.5 PARTS PER MILLION (PPM) IN 10,000 GALLONS OF WATER FOR 4 WEEKS UNDER NORMAL CONDITIONS.
- * REFILLABLE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

DIRECTIONS FOR POOL USE

USE WITH CONSTANT CHLOR FLOATER OR FEEDERS MADE BY F-Z CLOR, GUARDEX, (1) ONLY AND CPC.

IN A CLEAN POOL WITH NO VISIBLE ALGAE, FOLLOW THESE INSTRUCTIONS.

START UP

1. BRING CHLORINE LEVEL TO 1.5 PPM. FOLLOW INSTRUCTIONS BELOW FOR CHLORINE LEVEL.
2. ONE DAY AFTER CHLORINE RESIDUAL REACHES 1-1.5 PPM, ADD CONSTANT CHLOR STARTER AS A CONDITIONER TO STABILIZE YOUR POOL. FOLLOW LABEL DIRECTIONS.
3. ADD CONSTANT CHLOR TO THE POOL.

FOR USE IN FEEDERS:

1. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.
2. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.
3. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.
4. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.
5. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.

FOR USE IN FEEDERS:

1. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.
2. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.
3. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.
4. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.
5. REMOVE THE FEEDER FROM THE POOL. REMOVE THE TOP OF THE FEEDER.

BEST DOCUMENT AVAILABLE

FOR USE IN GUARDIAN FEEDER

1. CUT OFF THE AIR VENT THAT STICKS OUT NEAR THE TOP OF THE CARTRIDGE.
2. CUT OFF THE THREE WATER VENT AREAS THAT STICK OUT ON THE CARTRIDGE NEAR THE BOTTOM OF THE CARTRIDGE. TWO CARTRIDGES MAY BE NEEDED FOR A POOL 30,000 GALLONS OR LARGER.
3. INSERT THE CARTRIDGE IN THE FEEDER. ADJUSTING THE CARTRIDGE HEIGHT UNTIL THE FREE AVAILABLE CHLORINE LEVEL IN THE POOL REMAINS WITHIN THE RANGE OF 1-1.5 ppm.

TO REFILL CARTRIDGE ADD 4 POUNDS OF CONSTANT CLOR 1 INCH TABLETS
DANGER USE ONLY CONSTANT CHLOR DRY CHLORINATOR TABLETS.

- STORAGE AND DISPOSAL: KEEP PRODUCT DRY IN ORIGINAL CONTAINER.
- STORE IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM HEAT OR OPEN FLAME. DO NOT REUSE CARTRIDGE. TRIPLE RINSE EMPTY CARTRIDGE THOROUGHLY BY IMMERSE IN POOL WATER, DRAIN AND THEN SECURE.
- WRAP ORIGINAL CARTRIDGE IN SEVERAL LAYERS OF NEWSPAPER AND DISCARD IN TRASH.
- EMERGENCY HANDLING: IN CASE OF CONTAMINATION OR DECOMPOSITION, DO NOT REUSE CARTRIDGE. IF POSSIBLE, ISOLATE CARTRIDGE IN WELL VENTILATED AREA. FLOOD WITH LARGE VOLUMES OF WATER.
- DISPOSE OF CONTAMINATED MATERIAL IN AN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: ONLY EXTERNAL USE. CAUSES SKIN AND EYE DAMAGE. MAY BE FATAL IF SWALLOWED. DO NOT GET IN EYES. ON SKIN OR ON CLOTHING. IF ON HANDS WITH GLOVES, WASH THOROUGHLY OR USE GLOVES AND USE GLOVES. USE THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY.

FIRST AID MEASURES:

IF SWALLOWED: DO NOT INDUCE VOMITING. IF ON SKIN OR ON CLOTHING, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY.

BEST DOCUMENT AVAILABLE

CAUTION: ONLY EXTERNAL USE. CAUSES SKIN AND EYE DAMAGE. MAY BE FATAL IF SWALLOWED. DO NOT GET IN EYES. ON SKIN OR ON CLOTHING. IF ON HANDS WITH GLOVES, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY. IF ON HANDS WITH GLOVES, WASH THOROUGHLY.

LEFT PANEL

NATIONAL CHEMSEARCH
I-SO-SECT

RESIDUAL SPRAY

KILLS:

Ants
Crickets
Flies
Sowbugs
Roaches

Brown Dog Ticks
Earwigs
Millipedes
Scorpions
Spiders

Clover Mites
Fleas
Mosquitos
Silverfish
Saw Tooth Grain
Beetles (Exposed Stage)

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate*.....10.0%

INERT INGREDIENTS.....90.0%

TOTAL.....100.0%

* U.S. Patent No. 3,111,539 sold under license from Chemagro Corporation.

WARNING:


KEEP OUT OF REACH OF CHILDREN

(See right panel for additional warnings)

EPA Reg. No. 1769-165

NET CONTENTS: _____

National Chemsearch
Div. of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062



ATTACHMENT TO THE REGISTRATION NOTICE

Name of Product: CONSTANT CHLOR UNIVERSAL REFILLABLE CARTRIDGE FOR
FLOATERS AND WELDERS
EPA Registration No. 1258-1083 Date DEC 11 1983

This registration is being issued with the understanding that the derivative of cyanuric acid which is contained in this product is under scrutiny for potential adverse effects to human. There may be some regulatory actions directed against all registered products containing this chemical as an active ingredient at some time in the future.